

# THE LIBRARY OF THE UNIVERSITY OF NORTH CAROLINA



THE COLLECTION OF NORTH CAROLINIANA


C614.1 N87v 4 1967 Vital Statistics

UNIVERSITY OF N.C. AT CHAPEL HILL 00034018232

FOR USE ONLY IN
THE NORTH CAROLINA COLLECTION

Digitized by the Internet Archive in 2009 with funding from Ensuring Democracy through Digital Access (NC-LSTA) VITAL STATISTICS 1967





Population Births Deaths Marriages Divorces





# VITAL STATISTICS 1967

Population
Births
Deaths
Marriages
Divorces

JACOB KOOMEN, M.D., M.P.H. STATE HEALTH DIRECTOR AND SECRETARY-TREASURER



# NORTH CAROLINA STATE BOARD OF HEALTH

PUBLIC HEALTH STATISTICS SECTION
Post Office Box 2091 Raleigh, North Carolina 27602

#### CONTENTS

# GENERAL INFORMATION

			Page
Δ	NNUA	SUMMARY 1967	_
	Bir	ths	1
	Fet	al deaths	2
	Dea	ths	2
	Infa	ant and maternal mortality	2
	Mar	riages	2
	Div	orces and annulments	2
Е	XPLAI	NATORY NOTES	
	Sou	rce and completeness of data	5
	Dat	a collection system	5
	Cla	ssification of data	6
	Met	hod of estimating population	7
	Rat	es and ratios	7
7	EXT	TABLES	
	1.	Selected Vital Rates Per 1,000 Population of the United States and North Carolina, 1963-1967	1
	11.	Number and Per Cent of Total Births Out-of-Wedlock and to Mothers under 20: North Carolina, 1960-1967	2
ı	11.	Number and Per Cent of Marriages of Brides and Grooms under 20 Years of Age: North Carolina, 1963-1967	2
F	IGUR	ES	
	1.	Annual Birth and Death Rates and Rate of Natural Increase: North Carolina, 1920-1967	3
	2.	Annual Birth and Death Rates and Rate of Natural Increase by Color: North Carolina, 1940-1967	3
7/0	3.	Annual Death Rates for Motor Vehicle and All Other Accidents: North Carolina, 1920-1967	4
000	4.	Annual Infant, Neonatal and Postneonatal Mortality Rates by Color:	4

able		Page

Table		Page
	SECTION A	
	Population, Births, Deaths, Marriages, Divorces and Annulments	
A-1	Population, Live Births, Total Deaths, Infant, Neonatal, Fetal and Maternal Deaths with Rates: North Carolina, 1920-1967	12
A-2	Population, Live Births, Total Deaths, Infant, Neonatal, Fetal and Maternal Deaths with Rates, by Color: North Carolina, 1940-1967	13
A-3	Estimated Population, Resident Live Births and Deaths, by Color and Sex with Natural Increase and Estimated Rates Per 1,000 Population by Color: North Carolina Counties and Selected Cities, 1967.	14
A-4	Resident Live Births, Premature Live Births, Total Deaths, Infant, Neonatal and Fetal Deaths, by Color: North Carolina, Each County, Urban and Rural, 1967	22
A-5	Marriages, Divorces and Annulments, by County of Occurrence: North Carolina, 1967	27
A-6	Marriages by Age of Bride and Groom: North Carolina, 1967	28
A-7	Marriages by Previous Marital Status of Bride and Groom: North Carolina, 1967	28
A-8	Marriages by Number of Times Previously Married (Bride and Groom): North Carolina, 1967.	28
A-9	Marriages, Divorces and Annulments, by Month of Occurrence: North Carolina, 1967	29
A-10	Divorces and Annulments by Color and Grounds: North Carolina, 1967	29
A-11	Divorces by Color and Number of Children: North Carolina, 1967	29
A-12	Leading Causes of Death (Excluding Fetal Deaths) by Age Group, Color and Sex: North Carolina, Five-Year Average, 1963-1967	30
	SECTION B	
	Live Births, Fetal Deaths, Infant Deaths, Neonatal Deaths	
B-1	Live Births by Area of Occurrence and by Residence, Also Resident Fetal Deaths, with Resident Events Showing Number Born out of Wedlock, Attendant, and Deliveries in Hospitals, by Color: North Carolina Counties and Selected Cities, 1967	36
B-2	Resident Live Births, Infant, Neonatal, Fetal and Perinatal Deaths with Rates and Number of Infant and Neonatal Deaths Occurring in Hospitals, by Color: North Carolina Counties and Selected Cities, 1967	
B-3	Resident Live Births Showing Total-Birth Order by Color and Age of Mother: North Carolina, 1967	50
B-4	Resident Live Births Showing Birth Weight by Color and Age of Mother: North Carolina, 1967	50
B-5	Resident Fetal Deaths Showing Total-Birth Order by Color and Age of Mother: North Carolina, 1967	51
B-6	Resident Fetal Deaths Showing Birth Weight by Color and Age of Mother: North Carolina, 1967	51
B-7	Resident Infant Deaths by Cause, Age and Color: North Carolina, 1967	52
B-8	Resident Sets of Plural Births by Color and Sex with Number Live Born and Stillborn: North Carolina, 1967	52
	SECTION C	
	Deaths (Excluding Fetal Deaths)	
C-1	Resident Deaths (Excluding Fetal Deaths) from Each Cause by Age Group, Color and Sex: North Carolina, 1967	56
C-2	Deaths by Area of Occurrence and by Residence, with Resident Events Showing Deaths in Hospitals and Other Institutions and Deaths from 16 Selected Causes, by Color:  North Carolina Counties and Selected Cities, 1967	74
C-3	Accidental Deaths Occurring in the State from Each Cause with Rates Per 100,000 Total Population, and Number by Color and Sex: North Carolina, 1967	80
C-4	Accidental Deaths Showing Vehicle Involved in Transportation Accidents, and Place of Other Accidents, by County and City Where Death Occurred: North Carolina, 1967	81

#### GUIDE TO TABLES

All entries in this report are shown in the guide below. To locate a specific entry, read our the left hand margin to the line across to find the table or tables containing this entry. For example, population estimates are shown in Table A-1 in Lun A-3

	SECTION A	SECTION B	SECTION
Table No	1 2 3 4 5 6 7 8 9 10 11 12	1 2 3 4 5 : 8	3
Page	12 13 14 22 27 28 28 28 29 29 29 30	% 42 50 <b>50 51</b> 51 52 52	0 7. 0
Geographic area <sup>1</sup>			
North Carolina	1 2 3 4 5 6 7 8 9 10 11 12	1 2 3 4 5 6 7 8	1 2
Selected cities	3 4 5	1 2	2
Urban	4		· ·
Type of entry	4		
Population estimate	1 2 3		
Total number	1 2 3 4	1 2 3 4	
Number premature	4		
Number born out of wedlock		1 4	
Birth rate (per 1,000 population)	1 2 3	2	
Sets of plural births			
Fetal deaths	1 2 4	1 2 5 6 8	
Perinatal peaths (fetal plus peopatal deaths)		2	-
Perinatal mortality rate (per 1,000 deliveries) -		2	
Oeaths (excluding fetal deaths) Total number, all ages	1 2 3 4 12		
Number accidental deaths, all ages			1 7 2
Number infant deaths (under 1 year) Number neonatal deaths (under 28 days)	1 2 4 12	2 7	1
Number maternal deaths	1 2		1
Death rate (per 1,000 population)	1 2 3		
Infant mortality rate (per 1 000 live births)	1 2	2	
Neonatal mortality rate (per 1,000 live births) - Maternal mortality rate (per 10,000 live births)	1 2	Z	
Natural increase (births minus deaths)	3		
Rate of natural increase (per 1,000 population) -	5 6 7 8 9		
Oivorces	5 6 7 8 9 10 11		
Annulments	5 9 10		
haracteristics:			
Time periods covered if other than 1967 only			
1940-1967	2		
1963-1967 (5-year average)	12		
Age At marriage, 5-year age groups	6		
Of mother, 5-year age groups		3 4 5 6	
At death			
Under 1 day, under 7 days	1 2 4	2 7	
Under 1 year	1 2 4 12	2 7	1
5-year age groups			1-1
b5 years and over85 years and over	12		
Other age groups	12		
Color	2 3 4 10 11 12	1 2 3 4 5 6 7 8	1 2 3
Attendant at birth (physician, midwife)	3 12	8	1 3
Total-birth order		3 5	
Cause of death		4 6	
Every cause			1
16 selected causes	12		2
Causes of accidental deaths	12		1 3
		7	1
Place of event Hospital (births, deaths)		1 2	2
Hospital (births, deaths)Other institution (deaths)			2
Home or non-institution (deaths)			2
Vehicle involved in fatal accident			
Previous marital status (at marriage)	7		
Number of previous marriages (at marriage)	8		
	9		
Honth of occurrence (marriages & divorces) Grounds for divorce or annulment Number of children (divorces)	10		

<sup>1.</sup> Harriages, divorces and annulments are classified by place of occurrence only. Accidental deaths (Tables C-3 & C-4) show area where the death occurred. Table B-1 shows births by both area of occurrence and area of residence. Table C-2 shows deaths by both area of occurrence and area of residence. All other tables classify events by place of residence only.



#### ANNUAL SUMMARY 1967

This volume is the fifty-second annual report of the Public Health Statistics Section of the North Carolina State Board of Health. It contains tabular information regarding North Carolina's population, births, deaths, fetal deaths, marriages, and divorces. Data on reportable communicable diseases are included in a separate report.

Statistics for the state, each county, selected cities, and rural and urban areas are given in this report. It also contains reference information for the years 1920-1967. Tables are presented in three sections:

SECTION A contains population estimates, summary tables of births and deaths, marriages and divorces.

SECTION B contains detailed tables of natality, infant mortality and fetal deaths.

SECTION C contains detailed information on mortality.

Published tables are limited to those of general interest. Additional data are available to qualified research groups and individuals upon request.

North Carolina's vital rates, based on total population, continued essentially the same trends revealed in recent years. The birth rate continued downward, but showed a tendency toward leveling off. The death rate declined from 8.7 to 8.6 per 1,000 population, although numerically there was a slight increase. Marriages and divorces continued their upward trend.

In Table I selected vital rates are shown for North Carolina and the United States. North Carolina's birth rate remains slightly higher than the United States rate, but tends to come closer to the national average each year.

Figure I depicts annual birth and death rates and the rate of natural increase in population for 1920-1967. The rate of natural increase in 1967 (before migration) was 10.2 per 1,000 population.

Figure 2 shows the annual birth rates, death rates and rates of natural increase for the white and nonwhite populations from 1940 to 1967. The 1967 birth rate per 1,000 population was 23.4 for the nonwhite group and 17.3 for the white group.

#### BIRTHS

There were 92,600 resident live births in 1967, 127 less than in the preceding year. This is the lowest number of births recorded since 1945. The small rate of decline (0.1) indicates a leveling off in the rather sharp downward trend which has been evident since 1961.

Approximately 96% of all resident births occurred in a hospital and over 97% were attended by a physician. A total of 8,764 infants were prematurely born. In this state a premature infant is defined as an infant weighing 2500 grams ( $5\frac{1}{2}$  lbs) or less at birth. Births to unmarried mothers totaled II,162, or 12% of the total births. Table 2 shows the number and per cent of births out of wedlock for the past 8 years, and the increasing proportion of these births among teenage girls.

TABLE I SELECTED VITAL RATES PER 1,000 POPULATION OF THE UNITED STATES I

AND NORTH CAROLINA, 1963 - 1967

Event	196	1967		1966		1965		1964		i3
	U.S.	N.C.	U.S.	N. C.	U.S.	N.C.	U.S.	N.C.	U.S.	N.C.
Births	17.9	18.8	18.5	19.1	19.4	20.3	21.0	22.3	21.7	22.8
Deaths	9.4	8.6	9.5	8.7	9.4	8.7	9.4	8.5	9.6	8.6
Marriages	9.7	9.2	9.4	8.9	9.2	8.4	9.0	7.7	8.8	7.5
Divorces	2.7	2.4	2.5	2.3	2.5	2.3	2.3	1.5	2.3	1.6

National Center for Health Statistics, Vital Statistics Report, Provisional Statistics, 1987. Vol. 16, No. 12

TABLE 2
NUMBER AND PER CENT OF TOTAL BIRTHS
OUT-OF-WEDLOCK AND TO MOTHERS UNDER 20:
NORTH CAROLINA, 1960-1967

Year		ths -Wedlock	Births Out-of-Wedlock to Mothers under 20				
leai	Number	Per Cent	Number	Per Cent			
1960	10,213	9.3	5,254	51.4			
1961	10,438	9.3	5,394	51.7			
1962	10,595	9.7	5,395	50.9			
1963	10,666	9.9	5,612	52.6			
1964	11,141	10.5	5,931	53.2			
1965	10,970	11.2	6,074	55.4			
1966	10,865	11.7	6,168	56.8			
1967	11,162	12.1	6,348	56.9			

#### FETAL DEATHS

A fetal death or stillbirth is defined in this state as a fetus which shows no evidence of life after birth has been completed. Only those fetal deaths which have reached the 20th week of gestation are reported to the State Board of Health. There were 1,633 resident fetal deaths reported in 1967, resulting in a ratio of 17.6 per 1,000 live births. The ratio of fetal deaths among unwed mothers was 27.3 per 1,000 live births out-of-wedlock.

#### DEATHS

Death claimed 42,261 North Carolina residents in 1967, with heart disease, the leading cause, accounting for more than one-third of this total. Deaths from cancer, the second leading cause, continued to increase, particularly neoplasms of the respiratory system. Intracranial vascular lesions (stroke) was the 3rd leading cause, followed by motor vehicle accidents. Figure 3 shows the trend in death rates from motor vehicle accidents and all other accidents since 1920.

#### INFANT AND MATERNAL MORTALITY

Deaths of infants under one year of age totaled 2,469 in 1967. The rate was 26.7 per 1,000 live births as compared to a rate of 29.0 in 1966. Figure 4 shows annual infant, neonatal (under 28 days) and postneonatal mortality rates by color since 1940. The infant mortality rate among the nonwhite population is approximately double the rate in the white population.

There were 30 deaths from maternal causes in 1967, the lowest number ever recorded for one year. A dramatic decline in these deaths has taken place over the last three decades.

#### MARRIAGES

There were 45,145 marriages recorded for 1967, an increase of 1,663 over the previous year. The number of marriages has increased steadily since 1962, the year in which central registration of marriages began. In that year 33,968 marriages were recorded.

Resident totals for marriages are not available since there is no interstate reciprocal exchange of these events. There were, however, 10.884 marriages performed in North Carolina in which both bride and groom resided outside the state.

The trend toward younger marriages is illustrated by Table 3, which shows the number and per cent of brides and grooms under 20 years of age for the past five years.

TABLE 3

NUMBER AND PER CENT OF MARRIAGES OF BRIDES

AND GROOMS UNDER 20 YEARS OF AGE:

NORTH CAROLINA, 1963-1967

Year	GRO	MOM	BRIDE		
	Number	Per Cent	Number	Per Cent	
1963	5,301	15.0	14,748	41.6	
1964	7,798	21.2	17,551	47.7	
1965	9,473	23.3	20,023	49.2	
1966	11,407	26.2	21,781	50.1	
1967	10,866	24.1	21,358	47.3	

#### DIVORCES AND ANNULMENTS

There were II,983 divorces and annulments of marriage reported in 1967. Of the total number of divorces, the great majority (11,864) were granted on grounds of one-year separation. Divorce figures, like marriages, are available by place of occurrence only.

FIGURE 1. ANNUAL BIRTH AND DEATH RATES AND RATE OF NATURAL INCREASE: NORTH CAROLINA, 1920-1967




FIGURE 2. ANNUAL BIRTH AND DEATH RATES AND RATE OF NATURAL INCREASE BY COLOR: NORTH CAROLINA, 1940-1967







FIGURE 4. ANNUAL INFANT, NEONATAL AND POSTNEONATAL MORTALITY RATES BY COLOR: NORTH CAROLINA, 1940-1967



#### EXPLANATORY NOTES

#### Source and Completeness of Data

Tables published in this report are based on records filed with the Office of Vital Statistics of the North Carolina State Board of Health. These records include birth, death, fetal death, and marriage certificates and listings of divorces and annulments granted in North Carolina.

Tables contain all 1967 events received by the Office of Vital Statistics prior to April 1, 1968. In addition to the vital events which occurred in the state, births and deaths which occurred to North Carolina residents in other states are also included in this report. These certificates are reallocated through an interstate exchange provided by the National Center for Health Statistics. It is estimated that less than one per cent of the 1967 events will be reported too late to be included in this report.

The completeness of birth registration was tested in 1940 and 1950 by the United States Bureau of the Census. These tests revealed that North Carolina's birth registration completeness rose from 86.1 per cent in 1940 to 96.1 per cent in 1950. Completeness of reporting has continued to rise since these tests.

Death registration is estimated to be almost 100 per cent complete. This is due not only to the legal requirements but also to the almost universal demand for death certificates in settling estates, collecting insurance benefits, etc. Some underregistration, however, may occur for deaths under one year of age, particularly among those dying in the first day of life.

Fetal death registration is less complete than either births or deaths. North Carolina law requires that a fetal death certificate be filed for astillborn child of 20 weeks or more gestation; therefore, over two-thirds of the estimated total fetal losses are not required to be reported. In addition, there is assumed to be significant underregistration of reportable fetal deaths, particularly in the 20-27 weeks gestational ages.

Marriage registration was tested in 1963 by the National Center for Health Statistics. This test indicated that "over 99 per cent of issued licenses terminated in a properly recorded marriage".

Divorces and annulments are not registered on official certificates in North Carolina. These events are reported on lists completed by clerks of courts. The completeness of these lists is not known.

### Data Collection System

Each month vital records are forwarded to the Office of Vital Statistics from each registration area in North Carolina. Records are received from local registrars, registers of deeds, and clerks of courts.

With a few exceptions, each county is a registration area. The register of deeds is the local custodian of birth and death records, and the local health director serves as registrar in most counties.

The North Carolina Vital Statistics laws require that birth certificates be filed with the local registrar within 5 days by the attending physician, midwife or other person attending the birth. Statutes also require the funeral director or any other person disposing of a body to file a certificate of death or fetal death with the local registrar within 72 hours after death or before burial. The local registrar forwards these records to the Office of Vital Statistics on the fifth day of each month.

Since 1962, certificates of marriage have been required to be filed with the Office of Vital Statistics. The county register of deeds is responsible for filing these records by the fifteenth of the month following the event.

The law directs the clerk of court in which a divorce (or annulment) is granted to report the divorce (or annulment) to the Office of Vital Statistics by the fifteenth of each month.

#### Classification of Data

The major classifications of birth and death data in this report are: geographic area, color and sex. Certain data are classified by the institution of occurrence and attendant. Births are grouped by age of mother, total-birth order, and birth weight. Fetal deaths are classified by age of mother and attendant. Deaths (excluding fetal deaths) are classified by age group, sex and the "underlying cause of death".

Marriages and divorces are classified by county and month of occurrence. Marriages are further grouped by age of bride and groom, previous marital status and number of previous marriages. Divorces are classified by grounds and number of children.

The 100 counties of North Carolina are the major geographic subdivisions tabulated in this report. Some data are given for cities with a population of 10,000 or more in the 1960 census. Table A-4 gives data for each county by urban and rural areas. Urban is defined as inside the corporate limits of any incorporated place with a population of 2,500 or more in the 1960 census, and rural includes the balance of the county.

Events are assigned to an area on the basis of two criteria, residence and occurrence. Residence is defined as the place where a person lives or maintains his legal residence, and events are assigned to that place regardless of where they occurred. Residence of the mother is used for assigning births and infant deaths. For deaths in hospitals and other institutions, the usual residence prior to admission to the institution is used. Occurrence is defined as the place where the event occurred regardless of the residence of the person. Births and deaths are given by both residence and occurrence. Fetal, infant and maternal deaths are shown by residence only. Marriages, divorces and annulments, and accidental death tables are given by occurrence only. In the accidental death tables it should be noted that the area listed is the place of death. This is not necessarily the same as the place of the accident.

Some events are classified according to the institution of occurrence. The term "hospital" refers

to a general and allied hospital which is defined by the North Carolina Medical Care Commission as a place where two or more non-related individuals reside 24 hours or more on the premises and receive medical care over and above any domiciliary care. Included inall other institutions are the following: tuberculosis and veterans hospitals; physician's offices; mental, chronic, and penal institutions; and domiciliary institutions such as orphanages, rest homes, colleges, etc.

The major racial divisions used in this report are white and nonwhite. With few exceptions the nonwhite class is characteristic of Negroes. North Carolina's population is about 74 per cent white, 25 per cent Negro and about 1 per cent other nonwhite groups. Indians make up the majority of the remaining 1 per cent. There are two concentrations of Indians in North Carolina. One is in and around Swain County in the western mountains and one in Robeson County and nearby southeastern counties.

Age reporting on vital statistics records is subject to some error. There is a tendency for individuals to round ages and consequently there is over reporting of ages ending in the digits 0 and 5. There is a tendency to overstate the ages of very young children, those nearing their 21st and 65th birthdays and those overage 85. From age 22 through middle age there is a tencency to understate age. These errors are partially offset by using age groups in most tabulations.

Cause of death is classified from information in the medical certification section of the death certificate. This portion of the certificate is completed by the attending physician. In the case of an unattended death, the local health director. coroner, or medical examiner is responsible for investigation and certification. The cause selected is the "underlying cause" which is classified according to the 7th revision of the MANUAL OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES. AND CAUSES OF DEATH. Due to prior changes and revision of the rules for classifying the cause of death, data preceding 1949 cannot be accurately compared with that of later years. Comparability ratios for specific causes of death may be obtained upon request.

#### Method of Estimating Population

Estimates are prepared by the Office of Vital Statistics for the white and nonwhite population of the state, each county and for selected cities with 10,000 population or more in the 1960 census. Population is estimated as of July I by the arithmetic or straight line method. This method assumes that each population subdivision (county, city or color group) had an annual numerical increase (or decrease) equal to one tenth the numerical increase (or decrease) recorded between the census years 1950-1960. Past estimates made by this method have proved to be as accurate as any other in reflecting the changes in North Carolina's population. A recent test again confirmed this.

The United States Bureau of the Census conducted a special census in 21 North Carolina counties in November 1965 and January 1966. The total census count in these 21 counties (adjusted to July 1, 1965) was 1,170,266 compared with a straight line estimate of 1,171,105. The difference between the two totals was only 839. Only four of the 21 counties showed a difference of more than 5 per cent between the census count and the estimate. The largest deviation was 7.17 per cent. The average deviation for the 21 counties was 3.16 per cent.

#### Rates and Ratios

Rates are calculated for births and deaths by dividing the number of events by the estimated midyear population and multiplying the quotient by 1,000. Such rates have not been adjusted for differences in the age, sex, race, rural or urban distribution of the population, or for underregistration or late reporting. These factors plus the limitation of population estimates should be kept in mind when comparing two different areas or time periods.

When reviewing the tables the reader should also keep in mind the limitations of small numbers. There are fluctuations in all statistics which are due to chance. This factor is especially important in categories with small frequencies. Where small frequences occur slight variations are proportionately large in relation to the base number. For example, small changes in the number of births or deaths in small population groups may make large changes in these rates. For this reason, and because population estimates for small areas are less reliable, rates for cities and counties should be used with caution.



VITAL STATISTICS
1967
Section A





Population
Births
Deaths
Marriages
Divorces



## SECTION A

# POPULATION, BIRTHS, DEATHS, MARRIAGES, DIVORCES AND ANNULMENTS

Table		Pag
A-1	Population, Live Births, Total Deaths, Infant, Neonatal, Fetal and Maternal Deaths with Rates: North Carolina, 1920-1967	12
A-2	Population, Live Births, Total Deaths, Infant, Neonatal, Fetal and Maternal Deaths with Rates, by Color: North Carolina, 1940-1967	13
A-3	Estimated Population, Resident Live Births and Deaths, by Color and Sex with Natural Increase and Estimated Rates Per 1,000 Population by Color:  North Carolina Counties and Selected Cities, 1967	14
A-4	Resident Live Births, Premature Live Births, Total Deaths, Infant, Neonatal and Fetal Deaths, by Color: North Carolina, Each County, Urban and Rural, 1967	22
A-5	Marriages, Divorces and Annulments, by County of Occurrence: North Carolina, 1967	27
A-6	Marriages by Age of Bride and Groom: North Carolina, 1967	28
A-7	Marriages by Previous Marital Status of Bride and Groom: North Carolina, 1967	28
A-8	Marriages by Number of Times Previously Married (Bride and Groom): North Carolina, 1967	28
A-9	Marriages, Divorces and Annulments, by Month of Occurrence: North Carolina, 1967	29
A-10	Divorces and Annulments by Color and Grounds: North Carolina, 1967	29
A-11	Divorces by Color and Number of Children: North Carolina, 1967	29
A-12	Leading Causes of Death (Excluding Fetal Deaths) by Age Group, Color and Sex: North Carolina, Five-Year Average, 1963-1967	30

TABLE A-1 POPULATION<sup>1</sup>, LIVE BIRTHS, TOTAL DEATHS, INFANT, NEONATAL, FETAL AND MATERNAL DEATHS<sup>2</sup>
WITH RATES<sup>3</sup>: NORTH CAROLINA, 1920-1967

Year	Population	Live B	irths	Total Exclu Fetal	ıd i ng	Infa Deat (Under	hs	Neona Deat (Under 2	hs	Fe: Dea	tal ths		ernal oths
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Ratio	Number	Rate
1920 1921	2,587,536	81,407	31.5 33.4	32,654	12.6 11.1	6,909	84.9 75.0	3,321	40.8 36.7	No Avail			100.0
1921	2,699,923	81,871	30.3	30,821	11.4	6,510	79.5	3,338	40.8	3,451	42 • 2	650 651	73 • 5 79 • 5
1923	2,761,364	84,158	30.5	32:142	11.6	6,813	81.0	3,298	39.2	3,441	40.9	670	79.6
1924	2,830,151	87,540	30.9	33,238	11.7	7,208	82.3	3,556	40.6	3,765	43.0	678	77.5
1925	2,894,514	83,716	28.9	32,548	11.2	6,595	78.8	3,391	40.5	3,886	46.4	725	86.6
1926	2,959,392	82,202	27.8	34,562	11.7	6,769	82.3	3,259	39.6	3,689	44.9	726	88.3
1927	3.027.006	83,330	27.5	32,917	10.9	6,588	79.1	3,297	39.6	3,570	42.8	547	65.6
1928 1929	3,082,380 3,133,082	80,893 77,161	26.2 24.6	36,160 36,919	11.7 11.8	6,935	85.7 79.1	3,510	43 • 4 39 • 9	3,917 3,634	48 • 4	635 651	78 • 5 84 • 4
1,2,	371337002		24.0	30,717	1100	0,100	, , , ,	] ,,,,,	37.07	3,034	4741	051	0484
1930	3,171,108	76,772	24.2	35,782	11.3	6,037	78.6	3,133	40.8	3,745	48 • 8	639	83.2
1931 1932	3,206,641	74,799	23.3	33,116	10.3 9.5	5,455 5,183	72.9 66.5	2,919	39 • 0 36 • 0	3,385	45 • 3 46 • 7	596 529	79•7 67•9
1932	3.318,377	75,422	22.7	30,547	9.2	4,977	66.0	2,736	36.3	3,120	41.4	514	68.1
1934	3,359,276	79,704	23.7	35,180	10.5	6,212	77.9	3,100	38.9	3,299	41.4	569	71.4
1935	3,380,227	78,753	23.3	33,485	9.9	5,422	68.8	2.944	37.4	3,255	41.3	511	64.9
1936	3.400,525	76,182	22.4	35,630	10.5	5,247	68.9	2,732	35.9	3,116	40.9	502	65.9
1937	3,432,099	79,080	23.0	33,981	9.9	5,180	65.5	2,815	35.6	3,142	39.7	429	54.2
1938	3,475,530	79,934	23.0	33,599	9.7	5,487	68.6	2,715	34.0	3,075	38.5	421	52.7
1939	3,531,938	79,133	22.4	31,652	9.0	4,676	59.1	2,603	32.9	2,870	36.3	371	46.9
1940	3,571,623	80,455	22.5	31,904	8.9	4,631	57.6	2,691	33.4	2+773	34.4	412	51.2
1941	3,670,017	84,595	23.1	31,752	8.7	5,053	59.7	2,597	30.7	2,643	31 • 2	336	39.7
1942 1943	3,665,373	89,854	24.5	29,414	8 • 0	4,342	48.3	2,519	28 • 0	2 • 825	31 • 4	307	34.2
1945	3,594,865	90,629	25.7 25.2	29,971	8 • 1 8 • 2	4,416	46.7 45.4	2,557	27 • 0 25 • 4	2,567	27 • 1 26 • 5	306 266	32 • 4
1945 1946	3,514,297	87,401	24.9	28,897	8 • 2	3,782	43.3	2,178	24.9	2,232	25.5	248	28 • 4
1946	3,718,000	112,877	27.7 30.4	28,724	7.9 8.1	3,742	37•2 34•9	2,509	24.9	2,394	23.8	203	20•2 17•0
1948	3,798,000	109,430	28.8	30,161	7.9	3,837	35.3	2,517	23.0	2,654	24.3	206	18.8
1949	4,003,775	107,970	27.0	31,009	7.7	4,113	38.1	2,479	23.0	2,766	25.6	127	11.8
1950	4,061,929	106,486	26.2	31,130	7.7	3.674	34.5	2,275	21 • 4	2,566	24.1	126	11.8
1951	4,123,218	110,910	26.9	31,371	7.6	3,630	32.7	2,287	20.6	2,590	23.4	123	11.1
1952	4,172,249	111.272	26.7	32,259	7.7	3,968	35.7	2,452	22.0	2,491	22.4	113	10.2
1953 1954	4,221,280	111,856	26.5	31,797	7.5	3,658	32.7	2,271	20.3	2,231	19.9	109	9.7
1954	4,270,311	114,846	26.9	31,625	7.4	3,447	30.1	2,229	19.4	2,358	20.5	91	7.9
1955	4,319,342	115.365	26.7	32,274	7.5	3,500	30.3	2,251	19.5	2,366	20.5	96	8.3
1956	4,368,373	116,274	26.6	33,227	7.6	3,594	30.9	2,368	20.4	2,225	19.1	81	7.0
1957 1958	4,417,404	113,440	25.7 24.8	35,015 35,674	7•9 8•0	3,460	30.5	2.256	19.9	2,099	18.5	84	7.4
1959	4,519,088	110,898	24.5	35,833	7.9	3,624	32.6 32.7	2,331	21 • 1 21 • 2	2,184	19.7 19.3	60 53	5.4
1960 1961	4,556,155	109,774	24.1	38,160	8 • 4	3,484	31.7	2,219	20 • 2	2.081	19.0	59	5 • 4
1961	4,667,357	111,880	24.2	37,496 39,090	8 • 1 8 • 4	3,432	30.7 30.5	2,282	20•4 19•7	2,196	19•6 18•2	55 51	4.9 4.7
1963	4,716,780	107,364	22.8	40,581	8.6	3,348	31.2	2,135	19.7	1,937	18.0	60	5.6
1964	4,766,203	106,061	22.3	40,441	8.5	3,207	30.2	2,109	19.9	1,937	18.3	39	3.7
1965	4,815,626	97.656	20.3	41,661	8.7	2,972	30.4	1.050	20.0	1 710	17.5	39	4.0
1966	4,865,049	92,727	19.1	42,218	8.7	2,972	29.0	1,950	18.6	1,713	18.4	36	4.0 3.9
1967	4,914,472	92,600	18.8	42,261	8.6	2,469	26.7	1,685	18.2	1,633	17.6	30	3.2
		•				*				1		-	

- 1. Population is estimated as of July 1 except for census years 1920, 1930, 1940, 1950 and 1960 which were enumerated April 1. Population estimates since 1950 were made by the arithmetic or straight line method.
- Number of births and deaths revised in accordance with national reports published 1920-1963. Births, deaths, infant
  deaths and maternal deaths by place of residence, 1939-1967; previous years by occurrence. Neonatal deaths by
  place of residence 1940-1967; previous years by occurrence. Fetal deaths by place of residence 1942-1967; previous
  years by occurrence.
- Live birth and death rates per 1,000 population.
   Maternal death rates per 10,000 live births.
   Infant death rates and fetal death ratios per 1,000 live births.

TABLE A-2 POPULATION, LIVE BIRTHS, TOTAL DEATHS, INFANT, NEONATAL, FETAL AND MATERNAL DEATHS
WITH RATES, BY COLOR: NORTH CAROLINA, 1940-1967

Year         Population         Live Births         Total Deaths Excluding Fetal Deaths (Under 1 Yr.)         Infant Deaths (Under 28 Days (Under 28 Days Under 28 Days (Under 28 Days Setal Deaths))           White 1940         2.567.635         54.564         21.3         20.257         7.9         2.719         49.8         1.668         30.6           1941         2.633.072         57.384         21.8         19.968         7.6         2.862         49.9         1.573         27.4           1942         2.631.738         62.081         23.6         10.615         7.1         2.572         41.4         1.669         26.6	Fetal Deaths  Number Ratio  1.417 26.0 1.382 24.1 1.567 25.2 1.402 21.1	Maternal Deaths  Number Rate
White 1940 2,567,635 54,564 21.3 20,257 7.9 2,719 49.8 1,668 30.6 1941 2,635,072 57,384 21.8 19,968 7.6 2,862 49.9 1,573 27.4 1942 2,631,738 62,081 23.6 18,615 7.1 2,572 41.4 1,649 26.6	1.417 26.0 1.382 24.1 1.567 25.2	216 39.6
1940 2,567,635 54,564 21.3 20,257 7.9 2,719 49.8 1,668 30.6 1941 2,635,072 57,384 21.8 19,968 7.6 2,862 49.9 1,573 27.4 1942 2,631,738 62,081 23.6 18,615 7.1 2,572 41.4 1,649 26.6	1.382 24.1 1.567 25.2	
1940 2,567,635 54,564 21.3 20,257 7.9 2,719 49.8 1,668 30.6 1941 2,635,072 57,384 21.8 19,968 7.6 2,862 49.9 1,573 27.4 1942 2,631,738 62,081 23.6 18,615 7.1 2,572 41.4 1,649 26.6	1.382 24.1 1.567 25.2	
1942   2,631,738   62,081 23.6   18,615 7.1   2,572 41.4   1,649 26.6	1.567 25.2	
		180 31.4 175 28.2
1943 2,637,054 66,327 25.2 19,551 7.4 2,757 41.6 1,708 25.8		135 20 4
1944 2,573,923 62,462 24.3 19,226 7.5 2,425 38.8 1,444 23.1	1.314 21.0	136 21.8
1945 2,512,722 59,503 23.7 18,982 7.6 2,234 37.5 1,377 23.1 1946 2,606,702 71,062 27.3 19,096 7.3 2,324 32.7 1,686 23.7	1.198 20.1	111 18•7 93 13•1
1947 2,662,088 79,592 29.9 20,104 7.6 2,456 30.9 1,777 22.3	1.437 18.1	90 11.3
1948 2,719,368 74,582 27.4 19,897 7.3 2,199 29.5 1,542 20.7 1949 2,880,321 72,415 25.1 20,201 7.3 2,185 30.2 1,457 20.1	1.346 18.0	92 12•3 50 6•9
1950 2,983,121 70,205 23.5 20,370 6.8 1,871 26.7 1,306 18.6 1951 3,035,044 73,574 24.2 20,929 6.9 1,884 25.6 1,331 18.1	1.239 17.6 1.328 18.0	45 6•4 36 4•9
1952 3,076,606 74,034 24.1 21,252 6.9 1,956 26.4 1,386 18.7	1.162 15.7	39 5•3
1953 3,118,155 74,446 23.9 21,176 6.8 1,831 24.6 1,307 17.6 1954 3,159,704 76,680 24.3 21,313 6.7 1,691 22.1 1,215 15.8	1.127 15.1	45 6.0 27 3.5
1955 3,201,253 77,006 24.1 21,842 6.8 1,742 22.6 1,269 16.5	1.170 15.2	24 3.1
1956 3,242,802 77,756 24.0 22,623 7.0 1,777 22.9 1,341 17.2	1.078 13.9	22 2.8 18 2.4
1958 3,325,900 74,692 22.5 24,534 7.4 1,831 24.5 1,372 18.4	1:086 14.5	14 1.9
1959 3,335,444 75,190 22.5 24,767 7.4 1,832 24.4 1,396 18.6	1.044 13.9	16 2•1
1960 3,399,285 75,258 22.1 26,383 7.8 1.677 22.3 1,244 16.5	1.064 14.1	16 2•1
1961 3,451,306 76,850 22.3 26,275 7.6 1,739 22.6 1,322 17.2 1962 3,492,923 75,342 21.6 27,310 7.8 1,670 22.2 1,258 16.7	1.111 14.5	21 2 • 7
1963 3,534,540 73,714 20.9 28,406 8.0 1,638 22.2 1,234 16.7	998 13.5	16 2.2
1964 3,576,157 72,399 20.2 28,655 8.0 1,556 21.5 1,167 16.1	985 13.6	8 1.1
1965 3,617,774 66,271 18.3 29,680 8.2 1,460 22.0 1,117 16.9 1966 3,659,391 64,107 17.5 30,296 8.3 1,413 22.0 1,055 16.5	874 13•2 883 13•8	12 1.8
1967 3,701,008 64,177 17.3 30,550 8.3 1,281 20.0 977 15.2	864 13.5	11 1.7
Nonwhite		
1940 1,003,988 25,891 25.8 11,647 11.6 1,912 73.8 1,023 39.5	1.356 52.4	196 75•7
1941 1,034,945 27,211 26.3 11,784 11.4 2,191 80.5 1,024 37.6 1942 1,033,635 27,773 26.9 10,799 10.4 1,770 63.7 870 31.3	1.261 46.3	156 57•3 132 47•5
1943   1,045,983   28,241 27.0   10,420 10.0   1,659 58.7   849 30.1	1.165 41.3	171 60.6
1944 1,020,942 28,167 27.6 10,164 10.0 1,690 60.0 860 30.5	1.087 38.6	130 46•2
1945 1,001,575 27,898 27,9 9,915 9,9 1,548 55,5 801 28,7 1946 1,033,943 29,617 28,6 9,628 9,3 1,418 47,9 823 27,8	1.034 37.1	137 49•1 110 37•1
1947   1,055,912   33,285   31.5   10.083   9.5   1.482   44.5   915   27.5	1:325 39.8	102 30.6
1948 1,078,632 34,848 32.3 10,264 9.5 1,659 47.6 975 28.0 1949 1,123,454 35,555 31.6 10,808 9.8 1,928 54.2 1,022 28.7	1,308 37.5	115 33•0 77 21•7
		81 22.3
1950 1,078,808 36,281 33.6 10,760 10.0 1,803 49.7 969 26.7 1951 1,088,174 37,336 34.3 10,442 9.6 1,746 46.8 956 25.6	1.327 36.6	87 23.3
1952 1,095,643 37,238 34.0 11,007 10.0 2,012 54.0 1,066 28.6	1.329 35.7	74 19.9
1953 1,103,125 37,410 33.9 10,621 9.6 1,827 48.8 964 25.8 1954 1,110,607 38,166 34.4 10,312 9.3 1,774 46.5 1,014 26.6	1.104 29.5	64 17•1 55 14•4
1955 1,118,089 38,359 34.3 10,432 9.3 1,758 45.8 982 25.6	1,196 31.2	72 18.8
1956 1,125,571 38,518 34.2 10,604 9.4 1,817 47.2 1,027 26.7	1:147 29:8	59 15.3
1957   1,133,053   38,044   33.6   11,175   9.9   1,772   46.6   970   25.5   1958   1,140,535   36,006   31.6   11,140   9.8   1,773   49.2   959   26.6	1.052 27.7	66 17•3 46 12•8
1959 1,183,644 35,694 30.2 11,066 9.3 1,792 50.2 960 26.9	1.095 30.7	37 10.4
1960 1,156,870 34,516 29.8 11,777 10.2 1,807 52.4 975 28.2	1.017 29.5	43 12.5
1961 1,166,628 35,030 30.0 11,221 9.6 1,693 48.3 960 27.4 1962 1,174,434 34,330 29.2 11,780 10.0 1,671 48.7 908 26.4	1.085 31.0 953 27.8	34 9•7 38 11•1
1963 1,182,240 33,650 28.5 12,175 10.3 1,710 50.8 901 26.8	939 27.9	44 13 • 1
1964 1,190,046 33,662 28.3 11,786 9.9 1,651 49.0 942 28.0	952 28.3	31 9•2
1965 1,197,852 31,385 26.2 11,981 10.0 1,512 48.2 833 26.5 1966 1,205,658 28,620 23.7 11,922 9.9 1,272 44.3 671 23.4	839 26.7 821 28.6	27 8 • 6 24 8 • 4
1967   1,213,464   28,423   23.4   11,711   9.7   1,188   41.8   708   24.9	769 27.1	19 6.7

TABLE A-3 ESTIMATED POPULATION<sup>1</sup>, RESIDENT LIVE BIRTHS AND DEATHS, BY COLOR AND SEX WITH NATURAL INCREASE AND RATES PER 1,000 POPULATION BY COLOR:

NORTH CAROLINA COUNTIES AND SELECTED CITIES, 1967

County	Estimated		Live	Births			eaths Fetal De	aths)	Natu	
	Population	Total	Rate	Male	Female	Total Rate	Male	Female	Total	Rate
NORTH CAROLINA	4,914,472	92500	18.8	47541	45059	42261 8.6	24519	17742	50339	10.2
WHITE	3,701,008	64177	17.3	33097	31080	30550 8.3	17791	12759	33627	9.1
NONWHITE	1,213,464	28423	23.4	14444	13979	11711 9.7	6728	4983	16712	13.8
ALAMANCE	96,150	1224	17.0	824	811	777 8.1	468	309	858	8.9
WHITE	80,160		15.3	610	614	620 7.7	371	249	604	7.5
NONWHITE	15,990		25.7	214	197	157 9.8	97	60	254	15.9
ALEXANDER	16,401	294	17.9	152	142	148 9.0	95	53	146	8.9
WHITE	15,312	257	16.8	135	122	130 8.5	83	47	127	8.3
NONWHITE	1,089	37	34.0	17	20	18 16.5	12	6	19	17.4
ALLEGHANY WHITE NONWHITE	7,429 7,225 204	112	16.3 15.5 44.1	64 60 4	57 52 5	84 11.3 83 11.5 1 4.9	40 39 1	4 4 4 4	37 29 8	5.0 4.0 39.2
ANSON	23,642	181	20.5	234	251	257 10.9	166	91	228	9.6
WHITE	12,423		14.6	90	91	139 11.2	90	49	42	3.4
NONWHITE	11,219		27.1	144	160	118 10.5	76	42	186	16.6
ASHE WHITE NONWHITE	18,238 18,097 141	331	18.5 18.3 42.6	169 164 5	168 167 1	198 10.9 192 10.6 6 42.6	120 118 2	78 74 4	139 139	7.6 7.7
AVERY WHITE NONWHITE	11,037 10,919 118	223 222 1	20.2 20.3 8.5	118 118	105 104 1	119 10.8 116 10.6 3 25.4	77 76 1	42 40 2	104 106 - 2	9.4 9.7 -16.9
BEAUFORT	35,202	395	18.9	367	297	393 11.2	206	187	271	7.7
WHITE	22,333		17.7	224	171	254 11.4	128	126	141	6.3
NONWHITE	12,869		20.9	143	126	139 10.8	78	61	130	10.1
BERTIE	22,835	381	16.7	184	197	256 11.2	142	114	125	5.5
WHITE	9,368	108	11.5	53	55	118 12.6	64	54	10	-1.1
NONWHITE	13,467	273	20.3	131	142	138 10.2	78	60	135	10.0
BLADEN	28,286	252	16.9	252	226	270 9.5	157	113	208	7.4
WHITE	16,069		15.7	131	121	164 10.2	96	68	88	5.5
NONWHITE	12,217		18.5	121	105	106 8.7	61	45	120	9.8
BRUNSWICK	21,032	246	20.3	224	202	215 10.2	121	94	211	10.0
WHITE	13,756		17.9	129	117	147 10.7	85	62	99	7.2
NONWHITE	7,276		24.7	95	85	68 9.3	36	32	112	15.4
BUNCOMBE	134,185	2458	18.3	1261	1197	1479 11.0	841	638	979	7.3
WHITE	120,895	2145	17.7	1107	1038	1268 10.5	713	555	877	7.3
NONWHITE	13,290	313	23.6	154	159	211 15.9	128	83	102	7.7
BURKE	57,907	1039	17.9	546	493	434 7.5	262	172	605	10.4
WHITE	53,935	969	18.0	508	461	377 7.0	223	154	592	11.0
NONWHITE	3,972	70	17.6	38	32	57 14.4	39	18	13	3.3
CABARRUS	71,291	1323	18.6	692	631	633 8.9	355	278	690	9.7
WHITE	59,688	1039	17.4	544	495	512 8.6	294	218	527	8.8
NONWHITE	11,603	284	24.5	148	136	121 10.4	61	60	163	14.0
CALDWELL	54,047	1192	22.1	609	583	436 8.1	245	191	756	14.0
WHITE	50,165	1084	21.6	555	529	393 7.8	223	170	691	13.8
NONWHITE	3,882	108	57.8	54	54	43 11.1	22	21	65	16.7
CAMDEN	5,874	87	14.8	40	47	42 7.2	21	21	45	7.7
WHITE	3,269	52	15.9	24	28	26 8.0	11	15	26	8.0
NONWHITE	2,605	35	13.4	16	19	16 6.1	10	6	19	7.3

<sup>1.</sup> Population estimated by arithmetic or straight line method.

Table A-3 continued

Court	Estimated	Live	Births		eaths Fetal Deaths)	Natural Increase
County	Population	Total Rate	Male Female	Total Rate	Male Female	Total Rate
CARTERET	36,653	516 14.1	256 260	271 7.4	146 125	245 6.7
WHITE	32,153	430 13.4	214 216	234 7.3	125 109	196 6.1
NONWHITE	4,500	86 19.1	42 44	37 8.2	21 16	49 10.9
CASWELL	19,216	328 17.1	173 155	156 8.1	102 54	172 9.0
WHITE	9,928	141 14.2	71 70	88 8.9	59 29	53 5.3
NONWHITE	9,288	187 20.1	102 85	68 7.3	43 25	119 12.8
CATAWBA	81,456	1700 20.9	864 836	713 8.8	429 284	987 12.1
WHITE	73,759	1472 20.0	749 723	639 8.7	391 248	833 11.3
NONWHITE	7,697	228 29.6	115 113	74 9.6	38 36	154 20.0
CHATHAM	27,793	486 17.5	237 249	251 9.0	150 101	235 8.5
WHITE	19,183	290 15.1	146 144	182 9.5	112 70	108 5.6
NONWHITE	8,610	196 22.8	91 105	69 8.0	38 31	127 14.8
CHEROKEE	14,914	290 19.4	154 136	165 11.1	101 64	125 8.4
WHITE	14,479	282 19.5	152 130	163 11.3	99 64	119 8.2
NONWHITE	435	8 18.4	2 6	2 4.6	2	6 13.8
CHOWAN	11,142	186 16.7	92 94	117 10.5	66 51	69 6.2
WHITE	5,678	97 17.1	45 52	61 10.7	34 27	36 6.3
NONWHITE	5,464	89 16.3	47 42	56 10.2	32 24	33 6.0
CLAY WHITE NONWHITE	5,178 5,142 36	60 11.6 60 11.7	31 29 31 29	56 10.8 55 10.7 1 27.8	32 24 31 24 1	4 0.8 5 1.0 - 1 -27.8
CLEVELAND	67,273	1470 21.9	746 724	670 10.0	391 279	800 11.9
WHITE	51,947	994 19.1	500 494	514 9.9	299 215	480 9.2
NONWHITE	15,326	476 31.1	246 230	156 10.2	92 64	320 20.9
COLUMBUS	47,777	956 20.0	497 459	468 9.8	281 187	488 10.2
WHITE	30,705	539 17.6	276 263	301 9.8	184 117	238 7.8
NONWHITE	17,072	417 24.4	221 196	167 9.8	97 70	250 14.6
CRAVEN	65,987	1482 22.5	774 708	476 7.2	281 195	1006 15.2
WHITE	48,122	1085 22.5	576 509	291 6.0	178 113	794 16.5
NONWHITE	17,865	397 22.2	198 199	185 10.4	103 82	212 11.9
CUMBERLAND	186,415	4875 26.2	2508 2367	1003 5.4	568 435	3872 20.8
WHITE	137,752	3521 25.6	1823 1698	648 4.7	366 282	2873 20.9
NONWHITE	48,663	1354 27.8	685 669	355 7.3	202 153	999 20.5
CURRITUCK	6,891	122 17.7	63 59	75 10.9	44 31	47 6.8
WHITE	4,732	75 15.8	41 34	47 9.9	25 22	28 5.9
NONWHITE	2,159	47 21.8	22 25	28 13.0	19 9	19 8.8
DARE	6,319	124 19.6	58 66	82 13.0	52 30	42 6.6
WHITE	5,891	114 19.4	54 60	75 12.7	46 29	39 6.6
NONWHITE	428	10 23.4	4 6	7 16.4	6 1	3 7.0
DAVIDSON	91,999	1730 18.8	910 820	698 7.6	419 279	1032 11.2
WHITE	81,721	1481 18.1	767 714	597 7.3	357 240	884 10.8
NONWHITE	10,278	249 24.2	143 106	101 9.8	62 39	148 14.4
DAVIE	17,678	301 17.0	144 157	156 8.8	84 72	145 8.2
WHITE	15,665	250 16.0	117 133	131 8.4	73 58	119 7.6
NONWHITE	2,013	51 25.3	27 24	25 12.4	11 14	26 12.9
DUPLIN	39,690	689 17.4	352 337	227 9.3	205 144	340 8.6
WHITE	24,575	366 14.9	189 177		139 88	139 5.7
NONWHITE	15,115	323 21.4	163 160		66 56	201 13.3
DURHAM	119,506	2219 18.6	1174 1045		629 489	1101 9.2
WHITE	81,874	1352 16.5	740 612		408 302	642 7.8
NONWHITE	37,632	867 23.0	434 433		221 187	459 12.2

County	Estimated	Live	Births		eaths Fetal Deaths)	Natural Increase
County	Population	Total Rate	Male Female	Total Rate	Male Female	Total Rate
EDGECOMBE	56,104	983 17.5	495 488	518 9.2	300 218	465 8.3
WHITE	27,013	379 14.0	199 180	268 9.9	158 110	111 4.1
NONWHITE	29,091	604 20.8	296 308	250 8.6	142 108	354 12.2
FORSYTH	220,813	3666 16.6	1872 1794	1763 8.0	965 798	1903 8.6
WHITE	171,907	2498 14.5	1292 1206	1187 6.9	661 526	1311 7.6
NONWHITE	48,906	1168 23.9	580 588	576 11.8	304 272	592 12.1
FRANKLIN	26,877	431 16.0	216 215	272 10.1	157 115	159 5.9
WHITE	15,232	171 11.2	84 87	163 10.7	94 69	8 0.5
NONWHITE	11,645	260 22.3	132 128	109 9.4	63 46	151 13.0
GASTON	138,848	2866 20.6	1455 1411	1120 8.1	664 456	1746 12.6
WHITE	120,958	2378 19.7	1218 1160	925 7.6	547 378	1453 12.0
NONWHITE	17,890	488 27.3	237 251	195 10.9	117 78	293 16.4
GATES	9,036	119 13.2	64 55	97 10.7	53 44	22 2.4
WHITE	4,014	27 6.7	17 10	50 12.5	28 22	- 23 -5.7
NONWHITE	5,022	92 18.3	47 45	47 9.4	25 22	45 9.0
GRAHAM	6,106	130 21.3	69 61	54 8.8	27 27	76 12.4
WHITE	5,814	119 20.5	64 55	50 8.6	24 26	69 11.9
NONWHITE	292	11 37.7	5 6	4 13.7	3 1	7 24.0
GRANVILLE	34,067	608 17.8	294 314	286 8.4	168 118	322 9.5
WHITE	19,433	237 12.2	117 120	160 8.2	96 64	77 4.0
NONWHITE	14,634	371 25.4	177 194	126 8.6	72 54	245 16.7
GREENE	15,813	266 16.8	160 106	113 7.1	65 48	153 9.7
WHITE	7,361	115 15.6	68 47	67 9.1	42 25	48 6.5
NONWHITE	8,452	151 17.9	92 59	46 5.4	23 23	105 12.4
GUILFORD	286,735	4885 17.0	2483 2402	2101 7.3	1210 891	2784 9.7
WHITE	224,889	3468 15.4	1776 1692	1557 6.9	899 658	1911 8.5
NONWHITE	61,846	1417 22.9	707 710	544 8.8	311 233	873 14.1
HALIFAX	59,377	1163 19.6	600 563	582 9.8	328 254	581 9.8
WHITE	27,319	397 14.5	208 189	297 10.9	162 135	100 3.7
NONWHITE	32,058	766 23.9	392 374	285 8.9	166 119	481 15.0
HARNETT	48,693	863 17.7	444 419	510 10.5	288 <b>222</b>	353 7.2
WHITE	34,602	537 15.5	271 266	362 10.5	213 149	175 5.1
NONWHITE	14,091	326 23.1	173 153	148 10.5	75 73	178 12.6
HAYWOOD	41,219	718 17.4	375 343	401 9.7	239 162	317 7.7
WHITE	40,282	703 17.5	366 337	390 9.7	230 160	313 7.8
NONWHITE	937	15 16.0	9 6	11 11.7	9 2	4 4.3
HENDERSON	39,962	701 17.5	363 338	429 10.7	241 188	272 6.8
WHITE	38,066	660 17.3	338 322	391 10.3	217 174	269 7.1
NONWHITE	1,896	41 21.6	25 16	38 20.0	24 14	3 1.6
HERTFORD	23,639	397 16.8	190 207	199 8.4	130 69	198 8.4
WHITE	9,847	125 12.7	61 64	91 9.2	60 31	34 3.5
NONWHITE	13,792	272 19.7	129 143	108 7.8	.70 38	164 11.9
HOKE	16,791	325 19.4	157 168	131 7.8	77 54	194 11.6
WHITE	7,506	94 12.5	44 50	44 5.9	24 20	50 6.7
NONWHITE	9,285	231 24.9	113 118	87 9.4	53 34	144 15.5
HYDE	5,250	87 16.6	48 39	64 12.2	35 29	23 4.4
WHITE	3,026	33 10.9	20 13	37 12.2	21 16	- 4 -1.3
NONWHITE	2,224	54 24.3	28 26	27 12.1	14 13	27 12.1
IREDELL	67,036	1228 18.3	640 588	608 9.1	343 265	620 9.2
WHITE	55,082	937 17.0	485 452	491 8.9	279 212	446 8.1
NONWHITE	11,954	291 24.3	155 136	117 9.8	64 53	174 14.6

County	Estimated	Live 6	Births		aths Fetal Deaths)	Natural Increase
0001127	Population	Total Rate	Male Female	Total Rate	Male Female	Total Rate
JACKSON	16,707	272 16.3	135 137	169 10.1	107 62	103 6.2
WHITE	14,764	236 16.0	116 120	158 10.7	102 56	78 5.3
NONWHITE	1,943	36 18.5	19 17	11 5.7	5 6	25 12.9
JOHNSTON	60,783	1055 17.4	555 500	660 10.9	404 256	395 6.5
WHITE	46,792	747 16.0	380 367	502 10.7	304 198	245 5.2
NONWHITE	13,991	308 22.0	175 133	158 11.3	100 58	150 10.7
JONES	11,005	141 12.8	74 67	87 7.9	56 31	54 4.9
WHITE	5,701	56 9.8	30 26	55 9.6	37 18	1 0.2
NONWHITE	5,304	85 16.0	44 41	32 6.0	19 13	53 10.0
LEE	28,765	610 21.2	299 311	272 9.5	163 109	338 11.8
WHITE	23,022	418 18.2	204 214	197 8.6	122 75	221 9.6
NONWHITE	5,743	192 33.4	95 97	75 13.1	41 34	117 20.4
LENOIR	62,033	1015 16.4	524 491	460 7.4	255 205	555 8.9
WHITE	38,675	586 15.2	296 290	256 6.6	149 107	330 8.5
NONWHITE	23,358	429 18.4	228 201	204 8.7	106 98	225 9.6
LINCOLN	29,800	581 19.5	301 280	256 8.6	148 108	325 10.9
WHITE	26,238	471 18.0	249 222	230 8.8	130 100	241 9.2
NONWHITE	3,562	110 30.9	52 58	26 7.3	18 8	84 23.6
MCDOWELL	27,482	523 19.0	275 248	244 8.9	146 98	279 10.2
WHITE	26,157	496 19.0	269 227	224 8.6	134 90	272 10.4
NONWHITE	1,325	27 20.4	6 21	20 15.1	12 8	7 5.3
MACON	14,036	209 14.9	112 97	175 12.5	105 70	34 2.4
WHITE	13,781	203 14.7	107 96	174 12.6	104 70	29 2.1
NONWHITE	255	6 23.5	5 1	1 3.9	1	5 19.6
MADISON	14,817	253 17.1	138 115	184 12.4	111 73	69 4.7
WHITE	14,745	250 17.0	136 114	175 11.9	102 73	75 5.1
NONWHITE	72	3 41.7	2 1	9 125.0	9	-6 -83.3
MARTIN	26,559	<b>497</b> 18.7	232 265	270 10.2	147 123	227 8.5
WHITE	13,376	<b>211</b> 15.8	90 121	136 10.2	75 61	75 5.6
MONWHITE	13,183	<b>286</b> 21.7	142 144	134 10.2	72 62	152 11.5
MECKLENBURG	326,536	6069 18.6	3105 2964	2365 7.2	1343 1022	3704 11.3
WHITE	247,280	4152 16.8	2129 2023	1634 6.6	915 719	2518 10.2
NONWHITE	79,256	1917 24.2	976 941	731 9.2	428 303	1186 15.0
MITCHELL	13,007	246 18.9	129 117	144 11.1	90 54	102 7.8
WHITE	12,971	245 18.9	129 116	140 10.8	86 54	105 8.1
NONWHITE	36	1 27.8	1	4 111.1	4	-3 -83.3
MONTGOMERY	19,242	328 17.0	162 166	207 10.8	115 92	121 6.3
WHITE	14,197	225 15.8	112 113	159 11.2	92 67	66 4.6
NONWHITE	5,045	103 20.4	50 53	48 9.5	23 25	55 10.9
MOORE	39,343	741 18.8	365 376	363 9.2	217 146	378 9.6
WHITE	29,006	495 17.1	243 252	254 8.8	150 104	241 8.3
NONWHITE	10,337	246 23.8	122 124	109 10.5	67 42	137 13.3
NASH	61,785	1048 17.0	505 543	550 8.9	313 237	498 8.1
WHITE	38,339	524 13.7	241 283	346 9.0	192 154	178 4.6
NONWHITE	23,446	524 22.3	264 260	204 8.7	121 83	320 13.6
NEW HANOVER	77,883	1368 17.6	717 651	780 10.0	435 345	588 7.5
WHITE	57,769	960 16.6	501 459	563 9.7	315 248	397 6.9
NONWHITE	20,114	408 20.3	216 192	217 10.8	120 97	191 9.5
NORTHAMPTON	25,636	413 16.1	227 186	295 11.5	179 116	118 4.6
WHITE	9,371	105 11.2	60 45	128 13.7	75 53	-23 -2.5
NONWHITE	16,265	308 18.9	167 141	167 10.3	104 63	141 8.7

	Estimated	Live	Births			aths Fetal Deaths)	Natural Increase
County	Population	Total Rate	Male	Female	Total Rate	Male Female	Total Rate
ONSLOW	112,185	2607 23.2	1347	1260	435 3.9	283 152	2172 19.4
WHITE	98,016	2156 22.0	1123	1033	339 3.5	217 122	1817 18.5
NONWHITE	14,169	451 31.8	224	227	96 6.8	66 30	355 25.1
ORANGE	49,162	972 19.8	512	460	341 6.9	209 132	631 12.8
WHITE	37,833	744 19.7	396	348	235 6.2	131 104	509 13.5
NONWHITE	11,329	228 20.1	116	112	106 9.4	78 28	122 10.8
PAMLICO	9,748	132 13.5	62	70	83 8.5	48 35	49 5.0
WHITE	6,021	74 12.3	36	38	54 9.0	34 20	20 3.3
NONWHITE	3,727	58 15.6	26	32	29 7.8	14 15	29 7.8
PASQUOTANK	26,558	<b>450</b> 16.9	218	232	276 10.4	161 115	174 0.6
WHITE	15,827	<b>236</b> 14.9	112	124	181 11.4	108 73	55 3.5
NONWHITE	10,731	<b>214</b> 19.9	106	108	95 8.9	53 42	119 11.1
PENDER	18,573	325 17.5	160	165	187 10.1	115 72	138 7.4
WHITE	9,660	135 14.0	68	67	101 10.5	65 36	34 3.5
NONWHITE	8,913	190 21.3	92	98	86 9.6	50 36	104 11.7
PERQUIMANS	8,873	130 14.7	63	67	103 11.6	53 50	27 3.0
WHITE	4,773	73 15.3	26	47	65 13.6	32 33	8 1.7
NONWHITE	4,100	57 13.9	37	20	38 9.3	21 17	19 4.6
PERSON	27,866	433 15.5	231	202	235 8.4	145 90	198 7.1
WHITE	17,911	232 13.0	124	108	156 8.7	101 55	76 4.2
NONWHITE	9,955	201 20.2	107	94	79 7.9	44 35	122 12.3
PITT	74,401	1358 18.3	689	669	562 7.6	339 223	796 10.7
WHITE	43,220	692 16.0	362	330	314 7.3	198 116	378 8.7
NONWHITE	31,181	666 21.4	327	339	248 8.0	141 107	418 13.4
POLK	11,228	179 15.9	81	98	124 11.0	74 50	55 4.9
WHITE	9,864	150 15.2	70	80	108 10.9	64 44	42 4.3
NONWHITE	1,364	29 21.3	11	18	16 11.7	10 6	13 9.5
RANDOLPH	69,247	1379 19.9	711	668	553 8.0	334 219	826 11.9
WHITE	63,524	1224 19.3	639	585	494 7.8	296 198	730 11.5
NONWHITE	5,723	155 27.1	72	83	59 10.3	38 21	96 16.8
RICHMOND	38,912	731 18.8	390	341	430 11.1	247 183	301 7.7
WHITE	27,273	425 15.6	231	194	268 9.8	155 113	157 5.8
NONWHITE	11,639	306 26.3	159	147	162 13.9	92 70	144 12.4
ROBESON	90,066	2020 22.4	1037	983	841 9.3	506 335	1179 13.1
WHITE	35,870	633 17.6	327	306	379 10.6	234 145	254 7.1
NONWHITE	54,196	1387 25.6	710	677	462 8.5	272 190	925 17.1
ROCKINGHAM	73,116	1421 19.4	744	677	695 9.5	391 304	726 9.9
WHITE	57,241	981 17.1	518	463	517 9.0	307 210	464 8.1
NONWHITE	15,875	440 27.7	226	214	178 11.2	84 94	262 16.5
ROWAN	88,189	1425 16.2	761	664	811 9.2	466 345	614 7.0
WHITE	73,452	1110 15.1	596	514	656 8.9	377 279	454 6.2
NONWHITE	14,737	315 21.4	165	150	155 10.5	89 66	160 10.9
RUTHERFORD	44,170	900 20.4	493	407	486 11.0	280 206	414 9.4
WHITE	38,980	715 18.3	397	318	415 10.6	240 175	300 7.7
NONWHITE	5,190	185 35.6	96	89	71 13.7	40 31	114 22.0
SAMPSON	46,730	844 18.1	419	425	458 9.8	255 203	386 8.3
WHITE	28,696	436 15.2	223	213	280 9.8	159 121	156 5.4
NONWHITE	18,034	408 22.6	196	212	178 9.9	96 82	230 12.8
SCOTLAND	24,349	565 23.2	302	263	281 11.5	148 133	284 11.7
WHITE	14,255	304 21.3	163	141	153 10.7	88 65	151 10.6
NONWHITE	10,094	261 25.9	139	122	128 12.7	60 68	133 13.2

County	Estimated	Li	ive Births		(Exc		aths Fetal De	aths)	Natu	
county	Population	Total Ra	te Male	Female	Total	Rate	Male	Female	Total	Rate
STANLY	43,585	557 14	.6 329	353	366	8.4	204	162	316	7.3
WHITE	38,899		.3 263	294	322	8.3	181	141	235	6.0
NONWHITE	4,686		.7 66	59	44	9.4	23	21	81	17.3
STOKES	22,887	<b>439</b> 19	.7 192	218	216	9.4	126	90	223	9.
WHITE	20,378	<b>381</b> 18		189	190	9.3	115	75	191	9.
MONWHITE	2,509	<b>58</b> 23		29	26	10.4	11	15	32	12.
SURRY	50,097	<b>922</b> 18	.3 455	438	439	8.8	263	176	483	9.
WHITE	47,145	<b>864</b> 18		409	417	8.8	249	168	447	9.
NONWHITE	2,952	<b>58</b> 19		29	22	7.5	14	8	36	12.
SWAIN	7,278	184 25	.0 65	92	98	13.5	54	44	86	11.
WHITE	5,524	127 23		62	82	14.8	44	38	45	8.
NONWHITE	1,754	57 32		30	16	9.1	10	6	41	23.
TRANSYLVANIA WHITE NONWHITE	17,228 16,274 954	370 21 354 21 16 16	.8 169	194 185 9	153 136 17	8.9 8.4 17.8	82 74 8	71 62 9	217 218 - 1	12. 13.
TYRRELL WHITE NONWHITE	4,136 2,239 1,897	52 12 25 11 27 14	.2 9	30 16 14		11.4 12.5 10.0	25 13 12	22 15 7	5 - 3 8	1. -1. 4.
UNION	46,584	1031 22	.8 357	510	437	9.4	273	164	594	12.
WHITE	36,934	696 18		339	319	8.6	204	115	377	10.
NONWHITE	9,650	335 34		171	118	12.2	69	49	217	22.
VANCE	31,929	661 20	.5 142	332	316	9.9	168	148	345	10.
WHITE	18,328	285 15		143	180	9.8	94	86	105	5.
NONWHITE	13,601	376 27		189	136	10.0	74	62	240	17.
WAKE	192,739	3912 20	.7 1425	1869	1491	7.7	869	622	2421	12.
WHITE	145,654	2727 18		1302	1030	7.1	598	432	1697	11.
NONWHITE	47,085	1185 25		567	461	9.8	271	190	724	15.
WARREN WHITE NONWHITE	16,832 6,243 10,589	221 13 51 8 170 16	.2 27	100 24 76		12.1 12.7 11.8	127 54 73	77 25 52	17 -28 45	1. -4. 4.
WASHINGTON WHITE NONWHITE	13,713 7,390 6,323	320 23 131 17 189 29	.7 64	169 67 102		10.9 11.1 10.8	86 50 36	64 32 32	170 49 121	12. 6. 19.
WATAUGA WHITE NONWHITE	16,942 16,702 240	329 19 320 19 9 37	.2 164	160 156 4	145 143 2	8.6 3.6 8.3	88 86 2	57 57	184 177 7	10. 10. 29.
WAYNE	94,957	1631 17	.9 528	806	710	7.5	427	283	921	9.
WHITE	62,485	1058 16		530	451	7.2	260	191	607	9.
NONWHITE	32,472	573 17		276	259	8.0	167	92	314	9.
WILKES	45,291	838 16	. d 434	385	414	9.1	251	163	424	9.
WHITE	42,587	794 18		360	390	9.2	232	158	404	9.
NONWHITE	2,704	44 10		25	24	9.9	19	5	20	7.
WILSON	60,043	1003 16	. a 230	488	552	9.2	317	235	451	7.
WHITE	35,977	451 12		221	306	8.5	173	133	145	4.
NONWHITE	24,066	552 22		267	246	10.3	144	102	306	12.
YADKIN	23,290	409 17	8 175	215	206	8.8	109	97	203	8.
WHITE	22,138	373 16		198	196	y	104	92	177	8.
NONWHITE	1,152	36 31		17	10	8.2	5	5	26	22.
YANCEY WHITE NONWHITE	12,340 12,240 100	243 19. 239 19. 4 40.	.5 124	116 115	122 121	9.9 9.9 10.0	76 75 1	46 46	121 118 3	9. 9. 30.

City	Estimated		Live	Births		(Exc		eaths Fetal D	eaths)	Nati Incr	ural ease
	Population	Total	Rate	Male	Female	Total	Rate	Male	Female	Total	Rate
ALBEMARLE	12,601	213	16.9	110	103	108	8.6	56	52	105	8.3
WHITE	10,850	171	15.8	82	89	90	8.3	47	43	81	7.5
NONWHITE	1,751	42	24.0	28	14	18	10.3	9	9	24	13.7
ASHEVILLE	65,405	1101	16.8	562	539	831	12.7	453	378	270	4.1
WHITE	54,696	841	15.4	432	409	645	11.8	342	303	196	3.6
NONWHITE	10,709	260	24.3	130	130	186	17.4	111	75	74	6.9
BURLINGTON	39,463	669	17.0	339	330	322	8.2	197	125	347	8.8
WHITE	35,908	544	15.1	276	268	267	7.4	163	104	277	7.7
NONWHITE	3,555	125	35.2	63	62	55	15.5	34	21	70	19.7
CHAPEL HILL	15,038	304	20.2	158	146	96	6.4	51	45	208	13.8
WHITE	13,581	248	18.3	123	125	71	5.2	32	39	177	13.0
NONWHITE	1,457	56	38.4	35	21	25	17.2	19	6	31	21.3
CHARLOTTE	250,516	4475	17.9	2299	2176	1891	7.5	1081	810	2584	10.3
WHITE	180,299	2863	15.9	1479	1384	1249	6.9	705	544	1614	9.0
NONWHITE	70,217	1612	23.0	820	792	642	9.1	376	266	970	13.8
CONCORD WHITE NONWHITE	18,755 14,277 4,478	233	17.5 16.3 21.4	168 110 58	161 123 38	152	10.8 10.6 11.4	114 86 28	89 66 23	126 81 45	6.7 5.7 10.0
DURHAM WHITE NONWHITE	83,370 53,312 30,058	917	19.9 17.2 24.7	891 506 385	769 411 358	559	10.8 10.5 11.4	499 314 185	404 245 159	757 358 399	9.1 6.7 13.3
ELIZABETH CITY WHITE NONWHITE	15,063 9,141 5,922	149	17.5 16.3 19.3	131 73 58	132 76 56	117	12.2 12.8 11.3	104 67 37	80 50 30	79 32 47	5.2 3.5 7.9
FAYETTEVILLE	56,089	2008	35.8	1050	958	510	9.1	276	234	1498	26.7
WHITE	36,370	1327	36.5	699	628	302	8.3	157	145	1025	28.2
NONWHITE	19,719	681	34.5	351	330	208	10.5	119	89	473	24.0
GASTONIA	47,578		20.3	475	490	442	9.3	249	193	523	11.0
WHITE	39,564		19.0	376	376	342	8.6	194	148	410	10.4
NONWHITE	8,014		26.6	99	114	100	12.5	55	45	113	14.1
GOLDSBORO WHITE NONWHITE	34,253 20,710 13,543		19.8 19.1 20.8	347 206 141	330 189 141	198	10.0 9.6 10.6	195 103 92	146 95 51	336 197 139	9.8 9.5 10.3
GREENSBORO	152,337		16.3	1221	1262	1080	7.1	614	466	1403	9.2
WHITE	112,514		14.5	811	825	732	6.5	418	314	904	8.0
NONWHITE	39,823		21.3	410	437	348	8.7	196	152	499	12.5
GREENVILLE	27,306	308	17.3	237	236	190	7.0	113	77	283	10.4
WHITE	19,068		16.2	160	148	102	5.3	61	41	206	10.8
NONWHITE	8,238		20.0	77	88	88	10.7	52	36	77	9.3
HENDERSON	14,002	279	15.5	131	148	137	9.8	65	72	142	10.1
WHITE	8,457	131		55	76	75	8.9	37	38	56	6.6
NONWHITE	5,545	148		76	72	62	11.2	28	34	86	15.5
HICKORY WHITE NONWHITE	22,647 19,468 3,179	481 396 85		237 193 44	244 203 41		10.4 10.5 9.8	135 117 18	101 88 13	245 191 54	10.8 9.8 17.0
HIGH POINT	78,078	1199	12.7	624	575	512	6.6	293	219	687	8.8
WHITE	64,716	820		430	390	392	6.1	226	166	428	6.6
NONWHITE	13,362	379		194	185	120	9.0	67	53	259	19.4
JACKSONVILLE	20,400	497		255	242	88	4.3	48	40	409	20.0
WHITE	19,446	427		219	208	73	3.8	40	33	354	18.2
NONWHITE	954	70		36	34	15	15.7	8	7	55	57.7
KINSTON WHITE NONWHITE	29,523 18,512 11,011	483 256 227	13.8	241 123 118	242 133 109		9.1 7.3 12.1	146 80 66	122 55 67	215 121 94	7.3 6.5 8.5

City	Estimated	Live	Births			ths etal Deaths)		tural rease
City	Population	Total Rate	Male	Female	Total Rate	Male Female	Total	Rate
LENOIR	11,975	198 16.5	101	97	121 10.1	63 58	77	6.4
WHITE	9,684	137 14.1	67	70	95 9.8	47 48	42	4.3
NONWHITE	2,291	61 26.6	34	27	26 11.3	16 10	35	15.3
LEXINGTON	17,920	370 20.6	193	177	164 9.2	90 74	206	11.5
WHITE	14,735	288 19.5	146	142	129 8.8	67 62	159	10.8
NONWHITE	3,185	82 25.7	47	35	35 11.0	23 12	47	14.8
LUMBERTON	19,742	434 22.0	211	223	168 8.5	88 80	266	13.5
WHITE	14,503	252 17.4	131	121	110 7.6	63 47	142	9.8
NOMWHITE	5,239	182 34.7	80	102	58 11.1	25 33	124	23.7
MONROE	11,425	256 22.4	133	123	125 10.9	82 43	131	11.5
WHITE	8,015	152 19.0	82	70	76 9.5	54 22	76	9.5
NONWHITE	3,410	104 30.5	51	53	49 14.4	28 21	55	16.1
NEW BERN	15,644	276 17.6	152	124	190 12.1	99 91	86	5.5
WHITE	9,355	155 16.6	89	66	103 11.0	50 53	52	5.6
NONWHITE	6,289	121 19.2	63	58	87 13.8	49 38	34	5.4
RALEIGH	114,418	2001 17.5	1033	968	805 7.0	441 364	1196	10.5
WHITE	89,200	1421 15.9	737	684	553 6.2	300 253	868	9.7
NONWHITE	25,218	580 23.0	296	284	252 10.0	141 111	328	13.0
REIDSVILLE	16,123	281 17.4	154	127	157 9.7	85 72	124	7.7
WHITE	10,904	168 15.4	92	76	83 7.6	47 36	85	7.8
NONWHITE	5,219	113 21.7	62	51	74 14.2	38 36	39	7.5
ROANOKE RAPIDS	17,061	229 13.4	112	117	134 7.9	72 62	95	5.6
WHITE	14,640	185 12.6	92	93	118 8.1	62 56	67	4.6
NONWHITE	2,421	44 18.2	20	24	16 6.6	10 6	28	11.6
ROCKY MOUNT E	35,373	267 16.1	135	132	136 9.3	75 61	131	6.7
WHITE	23,676	101 13.8	50	51	66 8.6	38 28	35	5.2
NONWHITE	11,697	166 20.7	85	81	70 10.9	37 33	96	9.8
ROCKY MOUNT N WHITE NONWHITE	Included above	301 Included 225 above 76	145 102 43	156 123 33	194 Included 137 above 57	102 92 65 72 37 20	107 88 19	Includ
SALISBURY	22,167	337 15.2	169	168	250 11.3	138 112	87	3.9
WHITE	15,465	201 13.0	103	98	171 11.1	96 75	30	1.9
NONWHITE	6,702	136 20.3	66	70	79 11.8	42 37	57	8.5
SANFORD	13,877	275 19.8	134	141	119 8.6	72 47	156	11.2
WHITE	11,296	185 16.4	89	96	85 7.5	53 32	100	8.9
MONWHITE	2,581	90 34.9	45	45	34 13.2	19 15	56	21.7
SHELBY	19,286	371 19.2	200	171	187 9.7	106 81	184	9.5
WHITE	14,693	226 15.4	118	108	139 9.5	82 57	87	5.9
NONWHITE	4,593	145 31.6	82	63	48 10.5	24 24	97	21.1
STATESVILLE	21,976	379 17.2	205	174	223 10.1	133 90	156	7.1
WHITE	17,288	260 15.0	139	121	170 9.8	98 72	90	5.2
NONWHITE	4,688	119 25.4	66	53	53 11.3	35 18	66	14.1
THOMASVILLE	18,113	280 15.5	147	133	146 8.1	85 61	134	7.4
WHITE	13,992	180 12.9	89	91	102 7.3	57 45	78	5.6
NONWHITE	4,121	100 24.3	58	42	44 10.7	28 16	56	13.6
VILMINGTON	43,266	849 19.6	434	415	568 13.1	305 263	281	6.5
WHITE	26,300	503 19.1	253	250	386 14.7	205 181	117	4.4
NONWHITE	16,966	346 20.4	181	165	182 10.7	100 82	164	9.7
VILSON	32,921	497 15.1	267	230	292 8.9	173 119	205	6.2
WHITE	20,467	239 11.7	126	113	156 7.6	92 64	83	4.1
NONWHITE	12,454	258 20.7	141	117	136 10.9	81 55	122	9.8
WINSTON SALEM	128,042	2386 18.6	1195	1191	1220 9.5	666 554	1166	9.1
WHITE	83,554	1289 15.4	649	640	686 8.2	389 297	603	7.2
NONWHITE	44,488	1097 24.7	546	551	534 12.0	277 257	563	12.7

		Live	Births			Deaths	Infant	Deaths	Neonata	Deaths		
Area	To	tal	Prem	ature		uding Deaths	(Under		(Under 2	28 Days)	Fetal	Deaths
	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white
NORTH CAROLINA	64177	28423	4848	3916	30550	11711	1281	1188	977	708	864	769
URBAN	23817	12014	1877	1768	11950	5551	477	467	373	306	306	301
RURAL	40360	16409	2971	2148	18600	6160	804	721	604	402	558	468
ALAMANCE GRAHAM	1224 144	411 17	78 10	64	620 74	157 15	22	15 1	19	1	18	14
BURL INGTON RURAL	544 536	125 269	34 34	17 43	267 279	55 87	14	7	14	5	7 11	8
ALEXANDER	257	37	19	1	130	18	4	2	2	1	5	2
ALLEGHANY	112	9	10		83	1	2		1		3	
ANSON WADESBORO RURAL	181 42 139	304 50 254	16 5 11	41 6 35	139 32 107	118 20 98	3 1 2	19 1 18	2 1 1	7 1 6	1	13 2 11
ASHE	331	6	41		192	6	8		6		6	
AVERY	222	I	21		116	3	9		6		1	
BEAUFORT WASHINGTON RURAL	395 106 289	269 73 196	29 12 17	31 10 21	254 78 176	139 46 93	7 3 4	7 3 4	6 3 3	6 2 4	5 1 4	6 3 3
BERTIE	108	273	3	36	118	138	1	9	1	5	1	5
BLADEN	252	226	15	28	164	106	6	13	4	6	5	6
BRUNSWICK	246	180	20	19	147	68	7	6	5	4	3	7
BUNCOMBE ASHEVILLE RURAL	2145 841 1304	313 260 53	188 77 111	47 42 5	1268 645 623	211 186 25	50 25 25	11 9 2	36 18 18	9 8 1	24 11 13	6 5 1
BURKE	969	70	83	6	377	57	13	2	8	1	13	3
VALDESE MORGANTON RURAL	56 154 759	31 39	7 13 63	1 5	26 86 265	29 28	13	1	8	1	3 10	2
CABARRUS CONCORD RURAL	1039 233 806	284 96 188	106 24 82	49 19 30	512 152 360	121 51 70	29 6 23	7 5 2	22 3 19	5 4 1	20 4 16	10 2 8
CALDWELL GRANITE FALLS LENOIR RURAL	1084 62 137 885	108 1 61 46	105 8 21 76	18 8 10	393 27 95 271	43 1 26 16	31 1 7 23	5 1 4	6 16	1 3	20 1 5	1
CAMDEN	52	35	4	8	26	16	3	2	3	,	1	•
CARTERET	430	86	32	12	234	37	4	5	2	4	7	3
BEAUFORT MOREHEAD CITY RURAL	27 79 324	20 23 43	1 5 26	5 1 6	38 40 156	14 13 10	1 3	2	2	1	3 4	2
CASWELL	141	187	15	29	88	68	4	4	4	3	2	9
CATAWBA	1472	228	106	41	639	74	39	14	30	11	22	2
LONGVIEW NEWTON HICKORY RURAL	1 131 396 944	19 85 124	8 31 67	3 6 32	74 205 360	13 31 30	5 14 20	1 2 11	5 11 14	1 1 9	1 5 16	2
CHATHAM SILER CITY RURAL	290 70 220	196 19 177	21 5 16	26 1 25	182 22 160	69 11 58	3 1 2	4	1	2	1 3	7 1 6
CHEROKEE	282	8	24	3	163	2	8		7		1	

<sup>1.</sup> Premature is defined as an infant weighing 2500 grams ( $5\frac{1}{2}$  pounds) or less at birth.

<sup>2.</sup> Urban is defined as inside the corporate limits of any incorporated place with a population of 2500 or more in the 1960 census.

Table A-4 continued

	T	Live	Births		Total	Deaths	Infant	Deaths	Noonata	l Deaths		
Area	Tot	al	Prema	ature		uding Deaths	(Under	1 Yr.)	(Under	28 Days)	Fetal	Deaths
	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white
CHOWAN EDENTON RURAL	97 42 55	89 31 58	4 1 3	15 6 9	61 17 44	56 28 28	2 2	7 2 5	2 2	3 1 2	1	1 3
CLAY	60		7		55	1	2		1		4	
CLEVELAND KINGS MOUNTAIN SHELBY RURAL	994 139 226 629	476 30 145 301	93 20 17 56	64 4 23 37	514 77 139 298	156 18 48 90	28 4 4 20	19 3 6 10	22 4 3 15	12 1 4 7	18 1 8 9	9 1 1 7
COLUMBUS WHITEVILLE RURAL	539 59 480	417 28 389	25 2 23	46 5 41	301 21 280	167 21 146	13 2 11	15 15	9 1 8	8	5	14
CRAVEN NEW BERN RURAL	1085 155 930	397 121 276	76 15 61	56 23 33	291 103 188	185 87 98	19 4 15	23 5 18	16 4 12	16 4 12	14	7 2 5
CUMBERLAND SPRING LAKE FAYETTEVILLE RURAL	3521 307 1327 1887	1354 73 681 600	256 29 97 130	192 8 102 82	648 12 302 334	355 9 208 138	67 3 21 43	56 6 22 28	54 1 16 37	33 3 14 16	49 1 19 29	35 1 18 16
CURRITUCK	75	47	5	4	47	28	1	2	1		1	
DARE	114	10	5		75	7	2				1	
DAVIDSON LEXINGTON THOMASVILLE RURAL	1481 288 180 1013	249 82 100 67	118 22 19 77	36 12 11 13	597 129 102 366	101 35 44 22	31 5 6 20	14 4 6 4	21 4 4 13	8 1 5 2	16 1 3 12	10 1 5 4
DAVIE	250	51	20	12	131	25	6	3	5	1	4	4
DUPLIN	366	323	16	40	227	122	6	6	5	4	4	4
DURHAM DURHAM RURAL	1352 917 435	867 743 124	108 81 27	130 109 21	710 559 151	408 344 64	20 15 5	25 19 6	20 15 5	18 13 5	15 9 6	14 10 4
EDGECOMBE TARBORO ROCKY MOUNT RURAL	379 114 101 164	604 58 166 380	38 11 13 14	88 8 20 60	268 84 66 118	250 45 70 135	11 3 6 2	24 1 7 16	9 2 5 2	17 1 5 11	9 1 4 4	22 3 10 9
FORSYTH KERNERSVILLE WINSTON SALEM RURAL	2498 50 1289 1159	1168 6 1097 65	173 4 86 83	181 1 171 9	1187 32 686 469	576 2 534 40	42 20 22	45 43 2	34 17 17	32 30 2	28 1 17 10	33 32 1
FRANKLIN LOUISBURG RURAL	171 21 150	260 21 239	12 1 11	42 3 39	163 18 145	109 13 96	10 2 8	16 1 15	10 2 8	10 1 9	3	7
GASTON BESSEMER CITY CHERRYVILLE DALLAS LOWELL	2378 79 64 68 66	488 23 10 26 15	183 9 9 6 6	73 4 1 6	925 35 39 35 24	195 5 6 10 7	44 3 2 2	20	28 2 2 1	9	31 3 1	11 1 1
MOUNT HOLLY BELMONT GASTONIA RURAL	92 87 752 1170	23 27 213 151	5 9 63 76	3 2 39 17	41 45 342 364	15 100 44	1 1 13 22	134	1 8 14	6 2	1 12 14	1 1 5 1
GATES	27	92	1	12	50	47		7		4		3
GRAHAM	119	11	5		50	4	3		2			
GRANVILLE OXFORD RURAL	237 66 171	371 61 310	17 3 14	49 13 36	160 48 112	126 34 92	1 3	9 4 5	1 3	6 3 3	2 2	9 1 8
GREENE	115	151	8	20	67	46	3	13	3	6	2	6

Table A-4 continued

		Live	Births			Deaths uding		Deaths	Neonatal	Deaths	Fetal	Deaths
Area	Tot		Prem	ature		Deaths	(Under	1 Yr.)	(Under 28		, stal	
	White	Non- white	White	Non- white	White	Non- white	White	Non∽ white	White	Non- white	White	Non- white
GUILFORD GREENSBORO HIGH POINT RURAL	3468 1636 820 1012	1417 847 379 191	273 129 57 87	213 139 47 27	1557 732 392 433	544 348 120 76	58 31 11 16	54 33 11 10	48 26 8 14	36 24 7 5	44 15 6 23	35 21 9 5
HALIFAX SCOTLAND NECK ENFIELD ROANOKE RAPIDS RURAL	397 22 19 185 171	766 19 46 44 657	29 2 13 14	93 1 8 6 78	297 24 17 118 138	285 8 17 16 244	12 1 5 6	38 3 2 33	10 1 3 6	21 3 2 16	5 1	18 1 2 15
HARNETT DUNN RURAL	537 72 465	326 79 247	48 10 38	40 13 27	362 48 314	148 50 98	8	27 9 18	8	22 8 14	11 1 10	10 2 8
HAYWOOD WAYNESVILLE CANTON RURAL	703 124 80 499	15 13 2	78 16 11 51	1	390 82 63 245	11 6 3 2	16 5 1 10		12 4 8		12 2 1 9	
HENDERSON HENDERSONVILLE RURAL	660 85 575	41 30 11	52 9 43	6 4 2	391 89 302	38 26 12	14 2 12	2 2	11 2 9	2 2	7 3 4	
HERTFORD AHOSKIE MURFREESBORO RURAL	125 41 24 60	272 49 21 202	14 3 1 10	49 6 8 35	91 25 13 53	108 19 10 79	2	8 1 7	2	6 1 5	3 1 2	8
HOKE RAEFORD RURAL	94 42 52	231 21 210	5 4 1	35 6 29	44 20 24	87 7 80	1	16 1 15	1	10 1 9	1	6
HYDE	33	54	3	6	37	27	1	5	1	3		3
IREDELL MOORESVILLE STATESVILLE RURAL	937 117 260 560	291 36 119 136	69 8 23 38	43 12 13 18	491 55 170 266	117 18 53 46	17 3 7 7	17 4 7 6	11 1 6 4	12 3 6 3	16 6 10	10 6 4
JACKSON	236	36	14	2	158	11	5	2	3	2	2	2
JOHNSTON SELMA CLAYTON SMITHFIELD RURAL	747 58 47 72 570	308 26 20 57 205	71 7 8 3 53	44 5 2 8 29	502 44 32 57 369	158 19 10 38 91	19 1 2	10 2 1	15 1 2	7 2 1	11 10	8 3
JONES	56	85	3	12	55	32		3		1		5
LEE SANFORD RURAL	418 185 233	192 90 102	26 12 14	24 12 12	197 85 112	75 34 41	6 1 5	8 4 4	1 3	6 2 4	5 3 2	3 1 2
LENOIR KINSTON RURAL	586 256 330	429 227 202	43 14 29	37 18 19	256 135 121	204 133 71	11 5 6	12 8 4	9 5 4	5 2 3	9 6 3	20 8 12
LINCOLN LINCOLNTON RURAL	471 111 360	110 24 86	35 5 30	19 6 13	230 58 172	26 10 16	18 3 15	5	12 3 9	2	9 4 5	1
MCDOWELL MARION RURAL	496 96 400	27 8 19	34 12 22	3 1 2	224 39 185	20 2 18	9 2 7	2 1 1	8 2 6		6 1 5	1
MACON	203	6	16	1	174	1	3		1		1	1
MADISON	250	3	21	1	175	9	5	2	5	1	5	
MARTIN WILLIAMSTON RURAL	211 65 146	286 77 209	10 2 8	42 10 32	136 27 109	134 42 92	2	12 4 8	2	10 4 6	3	5

Table A-4 continued

		Live	Births			Deaths	Infant	Deaths	Neonatal		Fata1	Donth
Area	Tot	al	Prema	ature		uding Deaths	(Under	1 Yr.)	(Under 2	8 Days)	retai	Deaths
	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white
MECKLENBURG DAVIDSON CHARLOTTE RURAL	4152 21 2863 1268	1917 13 1612 292	300 213 87	308 4 258 46	1634 13 1249 372	731 4 642 85	76 60 16	73 64 9	57 44 13	50 45 5	32 24 8	38 33 5
MITCHELL SPRUCE PINE RURAL	245 47 198	1	17 3 14		140 18 122	4 1 3	9 1 8		8 1 7		1	
MONTGOMERY	225	103	14	20	159	48	6	4	5	4	4	1
MOORE SOUTHERN PINES RURAL	495 90 405	246 58 188	35 6 29	40 7 33	254 41 213	109 29 80	10	6	9	2	14 2 12	2 2
NASH ROCKY MOUNT RURAL	524 225 299	524 76 448	36 18 18	54 11 43	346 137 209	204 57 147	7 4 3	30 7 23	5 2 3	15 4 11	5 1 4	16 4 12
NEW HANOVER WILMINGTON RURAL	960 503 457	408 346 62	54 31 23	69 62 7	563 386 177	217 182 35	14 12 2	20 15 5	10 9 1	10 8 2	6	12 10 2
NORTHAMPTON	105	308	12	42	128	167	2	12	2	3		11
ONSLOW JACKSONVILLE RURAL	2156 427 1729	451 70 381	186 44 142	57 7 50	339 73 266	96 15 81	41 9 32	16 2 14	29 5 24	12 2 10	31 6 25	8 2 6
ORANGE CHAPEL HILL RURAL	744 248 496	228 56 172	39 10 29	45 10 35	235 71 164	106 25 81	12 4 8	13 2 11	10 4 6	7 2 5	11 5 6	5 2 3
PAMLICO	74	58		7	54	29		2		1		1
PASQUOTANK ELIZABETH CITY RURAL	236 149 87	214 114 100	20 15 5	22 15 7	181 117 64	95 67 28	2 2	9 5 4	2 2	5 4 1	2	4 3 1
PENDER	135	190	4	24	101	86		8		5	3	5
PERQUIMANS	73	57	5	6	65	38		4		2		3
PERSON ROXBORO RURAL	232 52 180	201 22 179	23 2 21	34 6 28	156 45 111	79 16 63	4 1 3	10 1 9	2	5	4 2 2	9 1 8
PITT FARMVILLE	692 36	666 45	44	71 4	314 24	248 19	9	17	6	11	9	17
AYDEN GREENVILLE RURAL	308 324	19 165 437	26 15	2 12 53	13 102 175	19 88 122	7 2	1 5 11	4 2	1 3 7	4 5	1 16
POLK	150	29	9	5	108	16	6	3	5	1	5	1
RANDOLPH ASHEBORO RURAL	1224 181 1043	155 40 115	84 13 71	32 5 27	494 93 401	59 15 44	18 3 15	3	13 2 11	3	15 4 11	4 2 2
RICHMOND HAMLET ROCKINGHAM RURAL	425 43 38 344	306 30 41 235	36 4 32	37 1 6 30	268 46 43 179	162 17 29 116	11 3 1 7	20 3 17	7 3 1 3	8 2 6	8	9
ROBESON RED SPRINGS LUMBERTON RURAL	633 27 252 354	1387 38 182 1167	51 3 18 30	135 6 20 109	379 22 110 247	462 20 58 384	14	53 1 7 45	10	25 1 4	10 1 3 6	45 1 6 38
ROCKINGHAM DRAPER SPRAY	981 27 45	440 5 16	74 5 3	65 2 1	517 22 35	178 2 3	18 1 2	20	15 1 2	7	11	7
LEAKSVILLE REIDSVILLE RURAL	58 168 683	25 113 281	14 47	4 16 42	44 83 333	9 74 90	1 4 10	2 4 14	1 4 7	2 5	2	3

		Live	Births			Deaths uding		Deaths		1 Deaths	Fotal	Donthe
Area	Tot	al	Prem	ature		Deaths	(Under	1 Yr.)	(Under	28 Days)	retai	Deaths
	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white
ROWAN SPENCER	1110	315 9	71 2	39 4	656 42	155	21	10	17	6	12	6
SALISBURY RURAL	201 875	136 170	60	21 14	171 443	79 76	2 19	5	1 16	5	3 9	3 2
RUTHERFORD RUTHERFORDTON SPINDALE	715 46 81	185 12 12	56 5 8	26 1 4	415 49 30	71 8 4	17 1 2	7	12	2	10 1	2
FOREST CITY RURAL	112 476	46 115	8 35	7 14	58 278	17 42	10	2 5	7	2	2 7	2
SAMPSON CLINTON RURAL	436 78 358	408 81 327	22 5 17	53 14 39	280 37 243	178 40 138	6	16 5 11	6	9 2 7	5 5	13 3 10
SCOTLAND LAURINBURG RURAL	304 110 194	261 84 177	17 9 8	35 12 23	153 62 91	128 47 81	10 4 6	12 2 10	9 4 5	6 1 5	4 2 2	7 4 3
STANLY ALBEMARLE RURAL	557 171 386	125 42 83	43 15 28	24 6 18	322 90 232	44 18 26	12 1 11	10 4 6	10 1 9	5 2 3	15 4 11	
STOKES	381	58	34	7	190	26	9	4	6	2	5	1
SURRY ELKIN MOUNT AIRY RURAL	864 38 125 701	58 3 19 36	73 4 14 55	10 2 8	417 25 96 296	22 2 3 17	36 11 25	1	26 8 18	1	12 2 1 9	1
SWAIN	127	57	4	1	82	16	1	1		1	1	1
TRANSYLVANIA BREVARD RURAL	354 93 261	16 10 6	25 6 19	3 1 2	136 41 95	17 12 5	8 4 4		5 3 2		1	
TYRRELL	25	27	1	6	28	19						
UNION MONROE RURAL	696 152 544	335 104 231	47 14 33	56 15 41	319 76 243	118 49 69	14 3 11	25 9 16	11 3 8	8 3 5	10 2 8	12 2 10
VANCE HENDERSON RURAL	285 131 154	376 148 228	18 9 9	38 15 23	180 75 105	136 62 74	3 1 2	23 6 17	3 1 2	16 4 12	7 3 4	15 4 11
WAKE WAKE FOREST CARY FUGUAY SPRINGS GARNER RALEIGH RURAL	2727 29 120 36 81 1421 1040	1185 33 6 19 14 580 533	183 1 5 1 9 102 65	184 1 3 6	1030 21 23 31 14 553 388	461 12 3 14 5 252 175	40 2 1 2 17 18	53 1 1 23 28	2 2 13 16	3î 13 18	3 28 14	27 1 12 14
WARREN	51	170	8	22	79	125		6		1	1	8
WASHINGTON PLYMOUTH RURAL	131 65 66	189 64 125	4 2 2	24 11 13	82 25 57	68 26 42	1	6 1 5	1 1	3	2 1 1	6 3 3
WATAUGA BOONE RURAL	320 81 239	9 5 4	30 9 21	2 2	143 26 117	2 2	12 5 7	1	7 4 3	1	6	
WAYNE MOUNT OLIVE GOLDSBORO RURAL	1058 35 395 628	573 51 282 240	82 2 38 42	58 8 31 19	451 29 198 224	259 25 143 91	19 8 11	15 1 6 8	7 5	12 1 5 6	9 5 4	13 9 4
WILKES NORTH WILKESBO RURAL	794 77 717	44 3 41	69 7 62	2	390 34 356	24 4 20	23 4 19		13 3 10		10 2 8	2
WILSON WILSON RURAL	451 239 212	552 258 294	21 8 13	57 29 28	306 156 150	246 136 110	5 3 2	20 8 12	2 2	14 6 8	9 5 4	30 13 17
YADKIN	373	36	27	5	196	10	7	3	7	3	5	3
YANCEY	239	4	20		121	1	4		4		2	

Area	Marriages	Divorces	Annulments	Area	Marriages	Divorces	Annulments
NORTH CAROLINA	45145	11909	74				
Alamance	842	299	1	Johnston	607	136	
Alexander	136	13		Jones	74	5	
Alleghany	1349	16		Lee	207	58	
Anson	68	34		Lenoir	461	148	1
Ashe	217	32		Lincoln	180	41	
Avery	131	9		McDowell	233	53	
Beaufort	434	134	1	Macon	145	24	
Bertie	216	30		Madison	202	20	
Bladen	105	31		Martin	248	63	
Brunswick	82	30		Mecklenburg	1850	985	9
Buncombe	1409	487	10	Mitchell	142	14	
Burke	415	148	1	Montgomery	102	30	
Cabarrus	440	246	1	Moore	249	82	
Caldwell	402	102		Nash	657	219	
Camden	554	7		New Hanover	615	317	
Carteret	346	67		Northampton	148	46	
Caswell	170	12		Onslow	887	156	1
Catawba	551	297	1	Orange	395	72	1
Chatham	231	37		Pamlico	61	6	
Cherokee	464	24	1	Pasquotank	2593	95	
Chowan	126	22	1	Pender	133	11	
Clay	46	3		Perquimans	129	12	
Cleveland	296	118		Person	285	32	
Columbus	175	118	2	Pitt	663	136	
Craven	598	165	3	Polk	52		
Cumberland	1258	473	4	Randolph	494	151	
Currituck	89	4		Richmond	156	92	1
Dare	72	17		Robeson	223	159	2
Davidson	741	173	2	Rockingham	1355	207	2
Davie	127	38		Rowan	585	161	
Duplin	262	119		Rutherford	199	103	
Durham	1188	405	6	Sampson	281	48	
dgecombe	408	99		Scotland	87	41	
orsyth	1694	586	2	Stanly	243	103	
Franklin	227	89	1	Stokes	169	63	1
Gaston	592	495	2	Surry	551	106	1
Gates	84	3		Swain	566	22	
Graham	116	10	1	Transylvania	90	14	1
Granville	262	26	1	Tyrrell	28	5	
Greene	98	10		Union	229	61	
Guilford	2734	894	4	Vance	506	33	1
Halifax	1051	113	2	Wake	1925	485	2
darnett	261	171	3	Warren	435	17	
laywood lenderson	437 323	96 140		Washington Watauga	140 391	15 37	
Hertford	207	20					2
loke	40	39 15		Wayne	722	223	2
ioke lyde	33	5		Wilkes	462	131	
iyae Fredell	438	147		Wilson	586 242	159	
Jackson	243	17		Yadkin Yancey	242 374	32 15	1
GUNGUII	27)	17		ialicey	3/4	10	

<sup>&</sup>lt;sup>1</sup>Divorces do not include 21 divorces from bed and board (Judicial separation).

Age of	~						Age	of Brid	le					
Groom	Total	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 ε Over	Not Stated
Total	45145	87	21271	15138	3202	1488	1112	852	702	512	362	225	193	1
15-19 20-24 25-29	10866 21310 5776	53 25 7	9186 10688 1154	1525 9701 2974	87 714 1243	10 133 260	4 31 107	9 19	1 6 9	2 3	1			
30-34 35-39 40-44	2077 1345 1091	1	173 46 10	629 204 64	612 318 136	405 321 211	176 255 277	55 137 233	18 53 114	5 3 33	3 7 12	1	1	
45-49 50-54 55-59	776 555 479	1	8 2 1	24 13 3	56 21 8	84 37 12	155 54 40	181 117 57	173 151 85	72 110 136	18 30 101	3 12 30	2 7 6	
60-64 65 & Over Not Stated	357 512 1		1 2	1	4 3	9	7 6	30 14	51 41	76 72	88 101 1	58 121	32 145	1

TABLE A-7 MARRIAGES BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM: NORTH CAROLINA, 1967

Marital Status			Marital Sta	tus of Bride	
of Groom	Total	Never Married	Widowed	Divorced	Widowed and Divorced
Total	45145	37521	1997	5483	144
Never Married	37829	34976	429	2392	32
Widowed	1628	335	856	400	37
Divorced	5577	2195	672	2647	63
Widowed and Divorced	111	15	40	44	12

TABLE A-8 MARRIAGES BY NUMBER OF TIMES PREVIOUSLY MARRIED (BRIDE AND GROOM):
NORTH CAROLINA, 1967

Number Previous Marriages	Total		Number of Previous Marriages (Bride)										
(Groom)	10ta1	0	1	2	3	4 ε Over							
Total	45145	37523	6931	631	50	10							
0	37833	34976	2724	124	7	2							
1	6665	2441	3799	389	28	8							
2	590	98	373	108	11								
3	53	8	34	8	3								
4 ε Over	4		1	2	1								

TABLE A-9 MARRIAGES, DIVORCES AND ANNULMENTS, BY MONTH OF OCCURRENCE: NORTH CAROLINA, 1967

							Month	٦					
	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Marriages Number Per Cent	45145 100.0	2594 5.7	2573 5.7	3266 7.2	2996 6.6	2935 6.5	<b>5711</b> 12.7	4636 10.3	4826 10.7	4115 9.1	3157 7.0	3458 7.7	4878 10.8
Divorces Number Per Cent	11909	923 7.8	818 6.9	854 7.2	887 7.4	1162 9.8	989 8.3	754 6.3	1127 9.5	1256 10.5	1219 10.2	1086	834 7.0
Annulments Number Per Cent	74 100.0	8 10.8	2 2.7	5 6.7	5 6.7	9 12.2	4 5.4	4 5.4	3 4.1	4 5.4	15 20.3	9	6 8.1

TABLE A-10 DIVORCES AND ANNULMENTS BY COLOR AND GROUNDS: NORTH CAROLINA, 1967

			Divorce	:5			Annu 1r	ments	
Grounds	Total	Total	White	Non- white	Not Stated	Total	White	Non- white	Not Stated
Total	11983	11909	9393	2076	440	74	62	10	22
One year separation	11864	11864	9357	2069	438				
Adultery	42	41	33	6	2	1	1		
Bigamy	6	1	1			5	5		
Insanity	3	3	2	1					
Not Stated	68					68	56	10	2

TABLE A-11 DIVORCES BY COLOR AND NUMBER OF CHILDREN: NORTH CAROLINA, 1967

			,					
Color	Total	0	1	2	3	4	5 or More	Not Stated
Total	11983	4209	2918	2105	1113	545	384	709
White	9455	3235	2 <b>3</b> 57	1702	892	445	250	574
Nonwhite	2086	812	457	316	186	77	113	125
Not Stated	442	162	104	87	35	23	21	10

Divorces do not include 21 divorces from bed and board (Judicial separation).

TABLE A-12 LEADING CAUSES OF DEATH (EXCLUDING FETAL DEATHS) BY AGE GROUP, COLOR AND SEX: NORTH CAROLINA, FIVE-YEAR AVERAGE, 1963-1967

Cause of Death		tal <sup>1</sup>		White	е			Nonwh	ite	
(International code number follows		)Lai-	Ma	le	Fen	ale	Ма	le	Fem	ale
each cause)	Rank	Average Number	Rank	Average Number	Rank	Average Number	Rank	Average Number	Rank	Averag
L AGES - TOTAL ALL CAUSES		41,422		17,300		12,205		6,700		5,21
EN LEADING CAUSES										
Diseases of the heart (410-443)	1	14,989	1	6,934	1	4,456	1	1,993	1	1,60
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	2	5,474	2	2,250	2	1,962	3	660	3	60
system (330-334)	3	5,260	3	1,758	3	1,922	2	789	2	79
Motor vehicle accidents (810-835)	4	1,630	4	892	6	290	5	352	8	
newborn (480-483,490-493,763)	5	1,555	6	510	4	422	6	347	4	2
840.962)	6	1,505	5	693	6	290	4	367	5	1
Diabetes mellitus (260)	7 8	678 676	9 8	214 232	8	241 302	-	79 68	10	1
Congenital malformations (750-759)	9	518	10	198	9	181	-	74	-	
Homicide (980-984,964)	10	487	-	120	-	39	7	260	-	(
Suicide (970-979,963)	_	482 475	7	350 137	_	85 99	- 8	40 131	7	1
Postnatal asphyxia and atelectasis (762)	_	411	_	145	_	92	9	97	9	'
Hypertension without mention of heart (444-447).	-	351	-	106	-	88	10	86	-	
Infections of kidney (600)	_	315	-	105	10	121	-	40	-	-
DER 1 YEAR - TOTAL ALL CAUSES	-	2,936		856		612		820		61
X LEADING CAUSES	1									
Immaturity (774,776)	1	474	3	137	2	99	2	131	2	11
newborn (480-483,490-493,763)	2	416	5	68	4	52	1	162	1	1
Postnatal asphyxia and atelectasis (762) Congenital malformations (750-759)	3 4	411 367	1 2	145 142	3	92 131	3	97 52	3 4	
Birth injuries (760,761)	5	214	4	87	5	47	6	45	6	
All accidents (except motor vehicle) (800-802,			,	0.5	/			1.1.		
All accidents (except motor vehicle) (800-802, 840-962)	6	121	6	25	6	18	-	44	-	


1-4 YEARS - TOTAL ALL CAUSES		465	l	132		113		120	L	99
FIVE LEADING CAUSES										
All accidents (except motor vehicle) (800-802, 840-962) Influenza and pneumonia (480-483,490-493) Motor vehicle accidents (810-835) Congenital malformations (750-759) Malignant neoplasms, including lymphatic and	1 2 3 4	100 66 61 48	1 5 2 4	27 13 23 14	2 4 1 3	16 14 19 15	1 2 3 4	29 21 12 9	1 2 4 3	28 19 7
hematopoietic tissues (140-205)	5	32	3	15	5	11	-	4	-	3
Dysentery, gastritis, duodenitis, enteritis, and colitis (045-048,543,571,572)	-	15	-	2	-	3	5	5	5	5

5-14 YEARS - TOTAL ALL CAUSES		537		213		121		123		81
FIVE LEADING CAUSES										
Motor vehicle accidents (810-835)	1	147	1	67	1	30	2	33	1	18
840-962)	2	130	2	58	3	15	1	39	1	18
hematopoietic tissues (140-205)	3	59 33	3	26 12	2 4	17 13	3 4	9	3 5	6
Influenza and pneumonia (480-483,490-493)	5	19	5	5	5	5	4	4	4	5

 $<sup>^{1}\</sup>mbox{Where the total does not equal the sum of the four classes it is due to rounding.}$ 

Section   Sect	Course of Books	_	11		Whi	te			Nonwi	nite	
Pank   Mark	(International code number follows	10	otal*	Ma	le	Fe	male	Ma	le	Fe	male
\$2-44 YEARS - TOTAL ALL CAUSES   1,155   569   182   288   11   172   186   1   1   172   1   96   1   1   1   1   1   1   1   1   1	each cause)	Rank		Rank		Rank		Rank		Rank	Average
All accidents (\$10-855)	15-24 YEARS - TOTAL ALL CAUSES		1,155		569		182				116
All accidents (except motor vehicle) (800-802,	FIVE LEADING CAUSES										
(840-962)		1	498	1	312	1	72	1	96	1	19
Monicide (980-984, 964)	(840-962)	2	185	2	107	3	14	3		4	7
Namatopoletic tissues (140-020)	Homicide (980-984,964)	3	102	5	18	-	6	2	64	2	14
Suicide (370-973,963)	hamatopoietic tissues (140-205)	4		3		2					7
Congenital malformations (750-759)   - 23   - 9   4   8   - 3   - 5	Suicide (970-979.963)	5	3 / 42	4		4		-			8 2
Diseases of the heart (410-443)	Congenital malformations (750-759)	-	23	-	9	4	8	-	3	-	3
Diseases of the heart (410-443)	The Many Total at Leaves		2 475				(50		0.07		570
Sizeases of the heart (410-443)			3,4/5		1,401		659		83/		5/8
hematopoletic tissues (140-205)	Diseases of the heart (410-443)	1	720	1	331	2	83	1	174	1	132
Motor vehicle accidents (810-835)	Malignant neoplasms, including lymphatic and	2	457	L	157	1	176	6	48	2	76
## 840-9622   4 289   3 161   6 28   4 83   8 1   ## Wascular lesions affecting central nervous   ## System (\$30-394, 964)   6   7   7   42   4   40   5   55   ## System (\$30-394)   7   7   7   42   4   40   5   55   3   ## System (\$30-394)   7   7   7   42   4   40   5   55   3   ## System (\$30-394)   7   7   7   42   4   40   5   55   3   ## System (\$30-394)   7   7   7   7   42   4   40   5   55   3   ## System (\$30-394)   7   7   7   7   7   7   7   7   7	Motor vehicle accidents (810-835)										24
Homicide (980-984,964)	840-962)	4	289	3	161		28	4	83	8	17
system (330-334)	Homicide (980-984,964)	5	248		56	8	18	2	136	4	38
Suicide (970-979,963)	system (330-334)	6	187	7	42	4	40	5	55	3	49
Influenza and pneumonia (480-483, 490-493)	Suicide (970-979,963)	7		5		5	35	-		- 7	2 18
Alcoholism (322)								9			19
Diabetes mellitus (260)	Alcoholism (322)	10	61			-	8	7		-	12
Hypertension without mention of heart (444-44),   - 43   - 6   - 3   8   19   9   1	Nephritis and nephrosis (590-594)	1 -	59 54	9				10		_	14 13
Deliveries and complications of pregnancy, childbirth and the puerperium (640-689) 23 7 9 1  5-64 YEARS - TOTAL ALL CAUSES  Diseases of the heart (410-443)	Hypertension without mention of heart (444-447).	-		-				8		9	16
5-64 YEARS - TOTAL ALL CAUSES   11,479   5,381   2,375   2,161   1,56	Deliveries and complications of pregnancy,	1	22				-				
Diseases of the heart (410-443)	5-64 YEARS - TOTAL ALL CAUSES	1	11,479	ļ	5,381		2,375		2,161		1,561
Malignant neoplasms, including lymphatic and hematopoletic tissues (140-205)	EN LEADING CAUSES										
hematopoletic tissues (140-205)		1	4,665	1	2,550	2	721	1	836	1	559
System (330-334)	hematopoietic tissues (140-205)	2	2,226	2	883	1	762	3	292	2	288
All accidents (except motor vehicle) (800-802, 840-962)	vascular lesions affecting central nervous system (330-334)	3	1,116	3	342	3	219	2	297	3	258
Motor vehicle accidents (810-835)	All accidents (except motor vehicle) (800-802,	,	210		170		20		0.		20
Diabetes mellitus (260)   6   230   9   74   4   59   10   32   4   6   50   10   10   10   10   10   10   10	Motor vehicle accidents (810-835)	5		5	155	5		5		10	18
Suicide (970-979,963)	Oiabetes mellitus (260)			9							64
Cirrhosis of liver (581)	Suicide (970-979.963)						39			5	33
Infections of kidney (600)	Cirrhosis of liver (581)		192	7	105	6	50	-	20	-	17
Homicide (980-984,964)	Nephritis and nephrosis (590-594)	10		10				8			26 21
5 YEARS AND OVER - TOTAL ALL CAUSES         21,361         8,745         8,141         2,347         2,12           EN LEADING CAUSES         Diseases of the heart (410-443)	Homicide (980-984,964)	-		-				7			13
Diseases of the heart (410-443)	Hypertension without mention of heart (444-447).	<u> </u>	93		21	-	15	9	33	7	24
Diseases of the heart (410-443)	5 YEARS AND OVER - TOTAL ALL CAUSES	1	21,361		8.745		8.141		2,347	1	2,129
Vascular lesions affecting central nervous system (330-334)         2         3,930         2         1,366         2         1,655         2         431         2         47           Malignant neoplasms, including lymphatic and hematopoletic tissues (140-205)         3         2,634         3         1,141         3         977         3         295         3         2           Influenza and pneumonia (480-483,490-493)         4         754         4         314         4         293         4         85         5         6           Arteriosclerosis (450)         5         628         5         216         5         292         5         58         4         6           Diabetes mellitus (260)         6         382         7         117         6         168         6         35         5         6           All accidents (except motor vehicle) (800-802,         840-962)         7         361         6         136         7         159         7         34         7         3         17         7         34         7         34         7         34         8         2         1nfections of kidney (600)         9         188         10         73         8         80	EN LEADING CAUSES		,,,,,,				,				
system (330-334)	Diseases of the heart (410-443)	1	9,533	1	4,033	1	3,638	1	964	1	897
hematopoletic tissues (140-205)	system (330-334)	2	3,930	2	1,366	2	1,655	2	431	2	479
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	mailignant neoplasms, including lymphatic and	3	2.634	3	1.141	3	977	3	295	3	220
Arteriosclerosis (450)	Influenza and pneumonia (480-483,490-493)	4	754	4	314	4		4	85	5	62
All accidents (except motor vehicle) (800-802, 840-962)	Arteriosclerosis (450)	5	628	5	216	5			58	4	63
840-962)     7     361     6     136     7     159     7     34     7     3       Hypertension without mention of heart (444-447)     8     213     9     79     9     71     7     34     8     2       Infections of kidney (600)     9     188     10     73     8     80     -     18     10     1       Motor vehicle accidents (810-835)     10     25     -     1     1     58     6     -     36     10     25     -       Hernia and intestinal obstruction (560,561,570)     -     12     -     42     10     58     -     11     -     1	All accidents (except motor vehicle) (800-802	6	362	/	117	6	168	ь	35	5	62
Infections of kidney (600)	840-962)	7								7	31
Motor vehicle accidents (810-835)	Hypertension without mention of heart (444-447).				79	9		7			29 17
Hernia and intestinal obstruction (560,561,570) 122 - 42 10 58 - 11 - 1	Motor vehicle accidents (810-835)				86	-		10			8
Nephritis and nephrosis (590-594) 125   - 42   - 32   9 29   9 2	Hernia and intestinal obstruction (560,561,570).		122		42		58	-	11		11
				-				9		9	2





Live Births
Fetal Deaths
Infant Deaths
Neonatal Deaths



## SECTION B

# LIVE BIRTHS, FETAL DEATHS, INFANT DEATHS, NEONATAL DEATHS

Table		Page
B-1	Live Births by Area of Occurrence and by Residence, Also Resident Fetal Deaths, with Resident Events Showing Number Born out of Wedlock, Attendant, and Deliveries in Hospitals, by Color: North Carolina Counties and Selected Cities, 1967	36
B-2	Resident Live Births, Infant, Neonatal, Fetal and Perinatal Deaths with Rates and Number of Infant and Neonatal Deaths Occurring in Hospitals, by Color: North Carolina Counties and Selected Cities, 1967	42
B-3	Resident Live Births Showing Total-Birth Order by Color and Age of Mother: North Carolina, 1967	50
B-4	Resident Live Births Showing Birth Weight by Color and Age of Mother: North Carolina, 1967	50
B-5	Resident Fetal Deaths Showing Total-Birth Order by Color and Age of Mother: North Carolina, 1967	51
в-6	Resident Fetal Deaths Showing Birth Weight by Color and Age of Mother: North Carolina, 1967	51
B-7	Resident Infant Deaths by Cause, Age and Color: North Carolina, 1967	52
B-8	Resident Sets of Plural Births by Color and Sex with Number Live Born and Stillborn: North Carolina, 1967	52

TABLE B-1 LIVE BIRTHS BY AREA OF OCCURRENCE AND BY RESIDENCE, ALSO RESIDENT FETAL DEATHS 1
WITH RESIDENT EVENTS SHOWING NUMBER BORN OUT OF WEDLOCK, ATTENDANT, AND DELIVERIES
IN HOSPITALS, BY COLOR: NORTH CAROLINA COUNTIES AND SELECTED CITIES, 1967

	ths		Live	Births to	Reside	ents of	f Area			Fetal [	eaths to	Reside	ents of	Area	
County	Birl	Total	Number	Atte	ended By	,	Place of	Birth	Total	Number	Atter	ided By	,	Place of	Birth
	Live Births Occurring in Area	Number	Out of Wedlock	Physician	Mid- Wife	Other	Hospital	Other	Number	Out of Wedlock	Physician	Mid- Wife	Other	Hospital	Other
NORTH CAROLINA	92353	92600	11162	90426	2063	111	89268	3332	1633	305	1603	24	6	154B	85
WHITE	64068	64177	2371	64120	40	17	64019	158	864	47	864			859	5
NONWHITE	28285	28423	8791	26306	2023	94	25249	3174	769	258	739	24	6	689	80
ALAMANCE WHITE NONWHITE	1678 1353 325	1635 1224 411	168 46 122	1635 1224 411			1626 1224 402	9	32 18 14	7	32 18 14			30 18 12	2
ALEXANDER WHITE NONWHITE	162 128 34	294 257 37	20 11 9	294 257 37			294 257 37		7 5 2	1	7 5 2			7 5 2	
ALLEGHANY WHITE NONWHITE	209 199 10	121 112 9	5 2 3	120 111 9		1	120 111 9	1	3		3			3	
ANSON WHITE NONWHITE	323 110 213	485 181 304	113 5 108	383 179 204	100 2 98	2	381 179 202	104 2 102	14 1 13	4	13 1 12	1		13 1 12	1
ASHE WHITE NONWHITE	302 297 5	337 331 6	20 18 2	336 330 6	1		334 328 6	3	6 6		6			6 6	
AVERY WHITE NONWHITE	307 304 3	223 222 1	17 17	223 222 1			223 222 1		1		1			1	
BEAUFORT WHITE NONWHITE	841 508 333	664 395 269	95 13 82	580 393 187	83 2 81	1	577 391 186	87 4 83	11 5 6	2 1 1	11 5 6			11 5 6	
BERTIE WHITE NONWHITE	302 86 216	381 108 273	80 3 77	379 108 271		2	362 108 254	19 19	6 1 5		6 1 5			5 1 4	1
BLADEN WHITE NONWHITE	339 172 167	478 252 226	79 11 68	455 252 203		23 23	448 252 196	30 30	11 5 6		11 5 6			11 5 6	
BRUNSWICK WHITE NONWHITE	167 71 96	426 246 180	67 6 61	402 246 156	22	2	400 246 154	26 26	10 3 7	3 1 2	10 3 7			9 3 6	1
BUNCOMBE WHITE NONWHITE	2813 2481 332	2458 2145 313	227 110 117	2458 2145 313			2450 2138 312	8 7 1	30 24 6	6	30 24 6			28 24 4	2
BURKE WHITE NONWHITE	1155 1084 71	1039 969 70	68 51 17	1036 966 70	3		1035 965 70	4	16 13 3	3 2 1	16 13 3			16 13 3	
CABARRUS WHITE NONWHITE	1565 1288 277	1323 1039 284	137 43 94	1323 1039 284			1317 1036 281	6 3 3	30 20 10	4	30 20 10			30 20 10	
CALDWELL WHITE NONWHITE	960 846 114	1192 1084 108	71 37 34	1190 1082 108		2	1190 1082 108	2 2	21 20 1	2 2	21 20 1			20 19 1	1
CAMDEN WHITE NONWHITE	5 5	87 52 35	14 1 13	83 52 31	4		82 52 30	5 5	1 1		1 1			1	
CARTERET WHITE NONWHITE	485 355 130	516 430 86	51 23 28	515 429 86	1		514 428 86	2 2	10 7 3	2	10 7 3			10 7 3	
CASWELL WHITE NONWHITE	9	328 141 187	52 7 45	323 141 182	5 5		319 141 178	9	11 2 9	3	11 2 9			11 2 9	
CATAWBA WHITE NONWHITE	1839 1611 228	1700 1472 228	118 53 65	1691 1468 223	9 4 5		1687 1467 220	13 5 8	24 22 2	2 1 1	24 22 2			23 21 2	1
CHATHAM WHITE NONWHITE	345 240 105	486 290 196	72 6 66	483 290 193		3	481 290 191	5 5	11 4 7	4	11 4 7			11 4 7	
CHEROKEE WHITE NONWHITE	296 287 9	290 282 8	10	290 282 8			289 281 8	1	1		1	-		1 1	

<sup>1.</sup> Fetal deaths shown are those of 20 weeks or more gestation reported to the State Board of Health.

Table B-1 continu	ued													
	rths ing ea			Births to	Reside	nts of	Area				eaths to	Residents	of Area	
County	Live Bir Occurri	Total	Number Born	Atte	ended 8y		Place of	Birth	Total	Number Born	Atter	ided By	Place of	Birth
	2000	Number	Out of Wedlock	Physician	Mid- Wife	Other	Hospital	Other	Number	Out of Wedlock	Physician	Mid- Wife Othe	r Hospital	Other
CHOWAN WHITE NONWHITE	317 138 179	186 97 89	34 3 31	176 97 79	10		171 96 75	15 1 14	5 1 4	1	4 1 3	1	1 3	1
CLAY WHITE NONWHITE	2 2	60 60	5 5	60			58 58	2 2	4		4		3	1
CLEVELAND WHITE NONWHITE	1798 1247 551	1470 994 476	148 31 117	1460 994 466	10		1448 991 457	22 3 19	27 16 9	4 2 2	26 18 8	1	26 18 8	1
COLUMBUS WHITE NONWHITE	718 351 367	956 539 417	152 19 133	786 526 260	170 13 157		779 525 254	177 14 163	19 5 14	5	18 5 13	1	18 5 13	1
CRAVEN WHITE MONWHITE	1591 1190 401	1482 1085 397	126 14 112	1467 1085 382	14	1	1456 1084 372	26 1 -25	21 14 7	3	21 14 7		20 14 6	1
CUMBERLAND WHITE NONWHITE	4966 3579 1387	4875 3521 1354	422 112 310	4861 3519 1342	13 2 11	1	4856 3518 1338	19 3 16	84 49 35	13 3 10	84 49 35		84 49 35	
CURRITUCK WHITE NONWHITE	21 2 19	122 75 47	16 2 14	108 75 33	13	1	103 74 29	19 1 18	1 1		1 1		1 1	
DARE WHITE NONWHITE	10 8 2	124 114 10	5 3 2	124 114 10			122 113 9	2 1 1	1 1		1		1	
DAVIDSON WHITE NONWHITE	1130 940 190	1730 1481 249	142 55 87	1730 1481 249			1728 1480 248	2 1 1	26 16 10	4	26 16 10		26 16 10	
DAVIE WHITE NONWHITE	254 215 39	301 250 51	21 8 13	301 250 51			301 250 51		8 4 4	1	8 4 4		8 4 4	
DUPLIN WHITE NONWHITE	493 206 287	689 366 323	120 11 109	686 365 321		3 1 2	678 362 316	11 4 7	8 4 4	1	8 4 4		7 4 3	1
DURHAM WHITE NONWHITE	3139 1793 1346	2219 1352 867	331 56 275	2219 1352 867			2219 1352 867		29 15 14	4 2 2	29 15 14		29 15 14	
EDGECOMBE WHITE NONWHITE	827 244 583	983 379 604	261 10 251	871 379 492	112		738 378 360	245 1 244	31 9 22	9	31 9 22		27 9 18	4
FORSYTH WHITE NONWHITE	4544 3252 1292	3666 2498 1168	587 118 469	3666 2498 1168			3640 2497 1143	26 1 25	61 28 33	10 2 8	61 28 33		60 28 32	1
FRANKLIN WHITE NONWHITE	322 132 190	431 171 260	75 5 70	342 170 172	88	1	331 170 161	100 1 99	10 3 7	2	8 3 5	2	8 3 5	2
GASTON WHITE NONWHITE	2308 1919 389	2866 2378 488	259 91 168	2866 2378 488			2848 2372 476	18 6 12	42 31 11	10 2 8	42 31 11		42 31 11	
GATES WHITE NONWHITE	17	119 27 92	25 25	102 27 75	17		102 27 75	17 17	3	1	2	1	1	2
GRAHAM WHITE NONWHITE		130 119 11	5 4 1	130 119 11			130 119 11							
GRANVILLE WHITE NONWHITE	447 144 303	608 237 371	82 7 75	568 237 331	40		563 237 326	45 45	13 4 9	2	12 4 8	1	12 4 8	1
GREENE WHITE NONWHITE	111 5 106	266 115 151	55 2 53	250 115 135	15 15	1	174 113 61	92 2 90	8 2 6	2	8 2 6		6 2 4	2
GUILFORD WHITE MONWHITE	5319 3941 1378	4885 3468 1417	523 147 376	4881 3467 1414		1 3	4873 3465 1408	12 3 9	79 44 35	19 2 17	79 44 35		78 44 34	1
HALIFAX WHITE NONWHITE	1037 397 640	1163 397 766	249 10 239	927 396 531	233 233	3 1 2	893 394 499	270 3 267	24 6 18	7 1 6	23 6 17	1	17 6 11	7
HARNETT WHITE NONWHITE	785 468 317	863 537 326	124 15 109	809 536 273	49 1 48	5	806 536 270	57 1 56	21 11 10	4	21 11 10		21 11 10	

	s d		Live E	Births to	Reside	ents of	Area			Fetal D	eaths to	Residents o	f Area	
County	Live Births Occurring in Area	Total	Number	T	nded 8y		Place of	Birth	Total	Number	1	ded 8y	Place of	Birth
	in in	Total Number	Out of Wedlock	Physician	Mid- Wife	Other	Hospital	Other	Number	Out of Wedlock	Physician	Mid- Wife Other	Hospital	Other
HAYWOOD WHITE NONWHITE	677 662 15	718 703 15	34 30 4	718 703 15			718 703 15		12	1	12		12	
HENDERSON WHITE NONWHITE	760 706 54	701 660 41	44 30 14	701 660 41			701 660 41		7 7		7 7		7 7	
HERTFORD WHITE NONWHITE	629 235 394	397 125 272	80 3 77	397 125 272			340 123 217	57 2 55	11 3 8	1	11 3 8		10 3 7	1
HOKE WHITE NONWHITE	13	325 94 231	89 3 86	315 94 221	10		309 94 215	16 16	7 1 6	1	7 1 6		7 1 6	
HYDE WHITE NONWHITE	4	87 33 54	25 2 23	83 33 50	1	3	82 33 49	5 5	3		3		3	
IREOELL WHITE NONWHITE	1601 1253 348	1228 937 291	152 36 116	1227 937 290		1	1221 936 285	7 1 6	26 16 10	4	26 16 10		26 16 10	
JACKSON WHITE NONWHITE	282 271 11	272 236 36	14 11 3	271 236 35		1	270 235 35	2 1 1	4 2 2	1	2 2		4 2 2	
JOHNSTON WHITE NONWHITE	816 556 260	1055 747 308	113 28 85	1054 747 307		1	1043 747 296	12	19 11 8	1	19 11 8		19 11 8	
JONES WHITE NONWHITE	10	141 56 85	25 2 23	133 56 77	8		129 56 73	12	5	1	4	1	3	2
LEE WHITE NONWHITE	734 490 244	610 418 192	91 18 73	610 418 192			609 418 191	1	8 5 3	2	8 5 3		8 5 3	
LENOIR WHITE NONWHITE	1266 772 494	1015 586 429	167 20 147	881 582 299	134 4 130		851 579 272	164 7 157	29 9 20	7	22 9 13	7	20 9 11	9
LINCOLN WHITE NONWHITE	542 443 99	581 471 110	38 13 25	580 471 109	1		579 470 109	2 1 1	10 9 1		10 9 1		10 9 1	
MCDOWELL WHITE NONWHITE	457 431 26	523 496 27	23 18 5	523 496 27			521 494 27	2 2	7 6 1	1	7 6 1		7 6 1	
MACON WHITE NONWHITE	151 148 3	209 203 6	9 8 1	209 203 6			209 203 6		2 1 1	1	1 1		2 1 1	
MADISON WHITE NONWHITE	6	253 250 3	13 11 2	249 246 3		4	247 244 3	6	5 5		5 5		4	1
MARTIN WHITE NONWHITE	319 128 191	497 211 286	114 10 104	432 210 222	63 1 62	2	388 210 178	109 1 108	8 3 5	3 1 2	8 3 5		7 3 4	1
MECKLENBURG WHITE NONWHITE	6684 4760 1924	6069 4152 1917	903 191 712	6069 4152 1917			6030 4146 1884	39 6 33	70 32 38	17 2 15	69 32 37	1	66 31 35	1 3
MITCHELL WHITE NONWHITE	277 276 1	246 245 1	18 17 1	246 245 1			246 245 1		1.		1 1		1 1	
MONTGOMERY WHITE NONWHITE	328 210 118	328 225 103	45 6 39	328 225 103			322 223 99	6 2 4	5 4 1		5 4 1		5 4 1	
MOORE WHITE NONWHITE	911 552 359	741 495 246	117 36 81	741 495 246			737 495 242	4	18 14 4	3 2 1	18 14 4		18 14 4	
NASH WHITE NONWHITE	1184 637 547	1048 524 524	194 16 178	903 524 379	144	1	789 524 265	259 259	21 5 16	7 1 6	21 5 16		18 5 13	3
NEW HANOVER WHITE NONWHITE	1699 11 <b>79</b> 520	1368 960 408	200 43 157	1368 960 408			1364 959 405	1 3	18 6 12	5 1 4	18 6 12	-	18 6 12	
NORTHAMPTON WHITE NONWHITE	197 2 195	413 105 308	89 2 87	294 105 189	119 119		221 104 117	192 1 191	11	4	8	3	7 7	4

Table 8-1 contin			Live 8	Births to	Reside	ents of	f Area			Fetal [	leaths to	Residents o	f Area	
County	Births rring Area		Number		nded By		Place of	Birth		Number		ded By		Disab
County	Live Births Occurring in Area	Total Number	Born Out of Wedlock	Physician	Mid-	Other	Hospital	Other	Total Number	Born Out of Wedlock	Physician	Mid- Wife Other	Place of Hospital	Other
ONSLOW WHITE NONWHITE	2546 2096 450	2607 2156 451	127 43 84	2556 2155 401	45 45	6 1 5	2555 2155 400	52 1 51	39 31 8	2 2	39 31 8		39 31 8	
ORANGE WHITE NONWHITE	1043 512 531	972 744 228	102 18 84	972 744 228			971 743 228	1	16 11 5	1	16 11 5		16 11 5	
PAMLICO WHITE NONWHITE	3	132 74 58	14 2 12	132 74 58			127 73 54	5 1 4	1		1		1	
PASQUOTANK WHITE NONWHITE	768 493 275	450 236 214	58 9 49	399 235 164	51 1 50		396 233 163	54 3 51	6 2 4		6 2 4		6 2 4	
PENDER WHITE NONWHITE	321 144 177	325 135 190	68 2 66	307 135 172	17 17	1	300 135 165	25 25	8 3 5	2	6 3 3	2	6 3 3	2
PERQUIMANS WHITE NONWHITE	18	130 73 57	21 1 20	113 73 40	16 16	1	113 73 40	17 17	3	2	3		3	
PERSON WHITE NONWHITE	442 237 205	433 232 201	52 7 45	433 232 201			425 231 194	8 1 7	13 4 9	2	13 4 9		12 4 8	1
PITT WHITE NONWHITE	1479 725 754	1358 692 666	290 34 256	1301 692 609	48 48	9	1286 692 594	72 72	26 9 17	6	26 9 17		25 9 16	1
POLK WHITE NONWHITE	236 196 40	179 150 29	14 6 8	179 150 29			178 150 28	1	6 5 1	1	6 5 1		6 5 1	
RANDOLPH WHITE NONWHITE	1039 911 128	1379 1224 155	87 40 47	1379 1224 155			1377 1223 154	2 1 1	19 15 4	2	19 15 4		19 15 4	
RICHMOND WHITE NONWHITE	669 399 270	731 425 306	114 19 95	730 425 305		1	708 424 284	23 1 22	17 8 9	2 1 1	17 8 9		17 8 9	
ROBESON WHITE NONWHITE	1814 708 1106	2020 633 1387	355 28 327	2015 633 1382		5 5	1985 632 1353	35 1 34	55 10 45	13 2 11	54 10 44	1	53 10 43	2
ROCKINGHAM WHITE NONWHITE	1539 974 565	1421 981 440	136 28 108	1421 981 440			1412 978 434	9 3 6	18 11 7	6	18 11 7		17 11 6	1
ROWAN WHITE NONWHITE	1110 794 316	1425 1110 313	144 49 95	1425 1110 315			1422 1110 312	3	18 12 6	4	18 12 6		18 12 6	
RUTHERFORD WHITE NONWHITE	826 656 170	900 715 185	81 25 56	900 715 185			896 714 182	4 1 3	12 10 2	2	12 10 2		12 10 2	
SAMPSON WHITE NONWHITE	730 367 363	844 436 408	143 11 132	752 435 317	92 1 91		705 434 271	139 2 137	18 5 13	3	16 5 11	2	12 5 7	6
SCOTLAND WHITE NONWHITE	1047 389 658	565 304 261	96 18 78	565 304 261			553 303 250	12 1 11	11 4 7	6 2 4	11 4 7		11 4 7	
STANLY WHITE NONWHITE	625 499 126	682 557 125	60 14 46	680 555 125		2	677 552 125	5 5	15 15		15 15		15 15	
STOKES WHITE NONWHITE	20 17 3	439 381 58	27 10 17	438 380 58		1	437 380 57	2 1 1	6 5 1	1	5 5	1	5	1
SURRY WHITE NONWHITE	1128 1070 58	922 864 58	42 21 21	922 864 58			922 864 58		13 12 1		13 12 1		13 12 1	
SWAIN WHITE NONWHITE	293 198 95	184 127 57	22 9 13	184 127 57			183 127 56	1	2 1 1		2 1 1		2 1 1	
TRANSYLVANIA WHITE NONWHITE	322 307 15	370 354 16	14 8 6	369 353 16		1	369 353 16	1	1 1		1 1		1	
TYRRELL WHITE NONWHITE	44 18 26	52 25 27	15 1 14	45 25 20	7		45 25 20	7						

	ths ng	<u></u>	Live 1	Births to	Reside	nts o	f Area			Fetal [	eaths to	Residents of	Area	
County	Live Births Occurring in Area	Total	Number 8orn	Att	ended By		Place of	8irth	Total	Number 8orn	Atter	nded 8y	Place of	8irth
	Live Occ in	Number	Out of Wedlock	Physicia	Mid~ Wife	Other	Hospital	Other	Number	Out of Wedlock	Physician	Mid- Wife Other	Hospital	Othe
UNION WHITE NONWHITE	1024 697 327	1031 696 335	115 13 102	1031 696 335			1024 696 328	7	22 10 12		22 10 12		22 10 12	
VANCE WHITE NONWHITE	760 368 392	661 285 376	111 5 106	502 283 219	155 2 153	4	501 283 218	160 2 158	22 7 15	3	22 7 15		21 7 14	1
WAKE WHITE NONWHITE	3983 2807 1176	3912 2727 1185	402 86 316	3909 2726 1183	2 1 1	1	3902 2723 1179	10 4 6	72 45 27	14 5 9	72 45 27		71 45 26	1
WARREN WHITE NONWHITE	51 9 42	221 51 170	44 3 41	201 51 150	20		195 50 145	26 1 25	9 1 8	8 1 7	8 1 7	1	8 1 7	1
WASHINGTON WHITE NONWHITE	226 66 160	320 131 189	69 3 66	203 130 73	117 1 116		202 129 73	118 2 116	8 2 6	1	6 2 4	2	6 2 4	2
WATAUGA WHITE NONWHITE	383 373 10	329 320 9	16 12 4	328 319 9		1	328 319 9	1	6		6		6	
WAYNE WHITE NONWHITE	1834 1200 634	1631 1058 573	193 23 170	1625 1058 567		6	1613 1058 555	18 18	22 9 13	3 2 1	22 9 13		19 9 10	3
WILKES WHITE NONWHITE	677 635 42	838 794 44	45 32 13	838 794 44			835 791 44	3	12 10 2	1	12 10 2		12 10 2	
WILSON WHITE NONWHITE	1196 567 629	1003 451 552	205 18 187	999 451 548	1	3	905 447 458	98 4 94	39 9 30	14 1 13	39 9 30		36 9 27	3
YADKIN WHITE NONWHITE	185 162 23	409 373 36	19 7 12	409 373 36			407 371 36	2	8 5 3	1	8 5 3		8 5 3	
YANCEY WHITE NONWHITE	167 164 3	243 239 4	13 11 2	243 239 4			242 238 4	1	2 2		2 2		2 2	
CITIES				Ever	nts repor	ted fi	rom cities	are als	o include	d in coun	ty totals.			
ALBEMARLE WHITE NONWHITE	623 497 126	213 171 42	24 5 19	211 169 42		2	210 168 42	3	4		4 4		4	
ASHEVILLE WHITE NONWHITE	2807 2475 332	1101 841 260	154 60 94	1101 841 260			1099 840 259	2 1 1	16 11 5	5 5	16 11 5		14 11 3	2
BURLINGTON WHITE NONWHITE	1599 1315 284	669 544 125	59 22 37	669 544 125			666 544 122	3	11 7 4	2	11 7 4		11 7 4	
CHAPEL HILL WHITE NONWHITE		304 248 56	32 7 25	304 248 56			304 248 56		7 5 2		7 5 2		7 5 2	
CHARLOTTE WHITE NONWHITE	6676 4758 1918	4475 2863 1612	729 133 596	4475 2863 1612			4445 2851 1584	30 2 28	57 24 33	15 2 13	56 24 32	1	55 24 31	2
CONCORD WHITE NONWHITE	1564 1287 2 <b>7</b> 7	329 233 96	41 13 28	329 233 96			326 231 95	3 2 1	6 4 2	1	6 4 2		6 4 2	
DURHAM WHITE NONWHITE	3139 1793 1346	1660 917 743	296 46 250	1660 917 743			1660 917 743		19 9 10	2 2	19 9 10		19 9 10	
ELIZABETH CITY WHITE NONWHITE	32 32	263 149 114	32 5 27	239 149 90	24		236 147 89	27 2 25	3		3		3	
FAYETTEVILLE WHITE NONWHITE	2276 1451 825	2008 1327 681	236 53 183	1999 1327 672	8	1	1997 1327 670	11 11	37 19 18	9 3 6	37 19 18		37 19 18	
GASTONIA WHITE NONWHITE	2299 1914 385	965 752 213	124 34 90	965 752 213			957 751 206	8 1 7	17 12 5	5 1 4	17 12 5		17 12 5	
GOLDSBORO WHITE NONWHITE	1093 641 452	677 395 282	97 16 81	673 395 278		4	672 395 277	5	14 5 9	3 2 1	14 5 9	-	13 5 8	1
GREENSBORO WHITE NONWHITE	3428 2482 946	2483 1636 847	312 76 236	2479 1635 844		1 3	2478 1534 844	5 2 3	36 15 21	11 1	36 15 21		35 15 20	1

	rths ing		Live &	lirths to	Reside	ents of	Area				leaths to Residents of	of Area	
City	Live Bir Occurr in Are	Total Number	Born Dut of		ded By		Place of		Total Number	Number Born Out of	Attended By	Place of	
			Wedlock	Physician	Wife	Other	HOSPITAL	0ther		Wedlock	Physician Wife Other	Hospital	Other
GREENVILLE WHITE NONWHITE	1070 586 484	473 308 165	90 14 76	463 308 155	9	1	462 308 154	11	5 4 1	1	5 4 1	5 4 1	
HENDERSON WHITE NONWHITE	61 2 59	279 131 148	54 3 51	220 129 91	56 2 54	3	220 129 91	59 2 57	7 3 4	1	7 3 4	7 3 4	
HICKORY WHITE NONWHITE	1414 1268 146	481 396 85	39 19 20	480 395 85	1		480 395 85	1	5 5	1	5 5	5 5	
HIGH POINT WHITE NONWHITE	1887 1459 428	1199 820 379	130 31 99	1199 820 379			1193 819 374	6 1 5	15 6 9	4	15 6 9	15 6 9	
JACKSONVILLE WHITE NONWHITE	629 449 180	497 427 70	40 22 18	491 427 64	5	1	489 427 62	8	8 6 2		6 6 2	8 6 2	
KINSTON WHITE NONWHITE	1202 772 430	483 256 227	98 11 87	411 252 159	72 4 68		398 252 146	85 4 81	14 6 8	3	14 6 8	13 6 7	1
LENOIR WHITE NONWHITE	959 845 114	198 137 61	26 5 21	197 136 61		1	197 136 61	1	5 5		5 5	5 5	
LEXINGTON WHITE NONWHITE	715 624 91	370 288 82	49 20 29	370 268 82			370 288 82		2 1 1		2 1 1	2 1 1	
LUMBERTON WHITE NONWHITE	1790 708 1082	434 252 182	62 10 52	434 252 182			429 251 178	5 1 4	9 3 6	2	9 3 6	9 3 6	
MONROE WHITE NONWHITE	1020 697 323	256 152 104	33 4 29	256 152 104			255 152 103	1	4 2 2		4 2 2	2 2	
NEW BERN WHITE NONWHITE	871 534 337	276 155 121	54 3 51	266 155 111	10		264 155 109	12 12	2		2 2	2 2	
RALEIGH WHITE NONWHITE	3728 2629 1099	2001 1421 560	220 61 159	2001 1421 580			1999 1419 580	2	40 28 12	8 5 3	40 28 12	40 28 12	
REIOSVILLE WHITE NONWHITE	853 523 330	281 166 113	40 9 31	281 168 113			278 168 110	3	5 2 3	2	5 2 3	5 2 3	
ROANOKE RAPIDS WHITE NONWHITE	722 372 350	229 185 44	19 8 11	222 185 37	7		222 185 37	7	7 5 2	2 1 1	7 5 2	7 5 2	
ROCKY MOUNT E WHITE NONWHITE	235 81 154	267 101 166	61 4 57	265 101 164	2		185 101 84	82 82	14 4 10	4	14 4 10	12 4 8	2
ROCKY MOUNT N WHITE NONWHITE	940 629 311	301 225 76	26 7 21	301 225 76			270 225 45	31 31	5 1 4	1	5 1 4	3 1 2	2
SALISBURY WHITE NONWHITE	1110 794 316	337 201 136	57 14 43	337 201 136			334 201 133	3	6 3 3	2	6 3 3	6 3 3	
SANFORD WHITE NONWHITE	733 490 243	275 185 90	49 10 39	275 185 90			274 185 89	1	3 1	1	4 3 1	3	
SHELBY WHITE NONWHITE	1125 762 363	371 226 145	51 13 38	369 226 143	2		366 226 140	5	9 8 1	3 2 1	8 1	8	1
STATESVILLE WHITE NONWHITE	1063 853 210	379 260 119	57 11 46	379 260 119			377 259 118	2 1 1	12 6 6	3	12 6 6	12 6 6	
THOMASVILLE WHITE NONWHITE	414 315 99	280 180 100	46 10 36	280 180 100			279 180 99	1	8 3 5	3	8 3 5	8 3 5	
WILMINGTON WHITE NONWHITE	1399 894 505	849 503 346	164 28 136	849 503 346			846 503 343	3	16 6 10	4 1 3	16 6 10	16 6 10	
WILSON WHITE NONWHITE	22 2 20	497 239 256	100 11 89	495 239 256		2	474 237 237	23 2 21	18 5 13	9 1 8	18 5 13	17 5 12	1
WINSTON SALEM WHITE NONWHITE	4541 3252 1289	2386 1289 1097	530 84 446	2386 1289 1097			2363 1288 1075	23 1 22	49 17 32	8	49 17 32	48 17 31	1

TABLE 8-2 RESIDENT LIVE BIRTHS, INFANT, NEONATAL, FETAL AND PERINATAL DEATHS WITH RATES 1 AND NUMBER OF INFANT AND NEONATAL DEATHS OCCURRING IN HOSPITALS BY COLOR: NORTH CAROLINA COUNTIES AND SELECTED CITIES, 1967

County	Live Birtl		Infa Dea (Under	ths	Neona Dea (Under 2	ths	Fet 0ea		Perin Deat		of De	aths
Country	Number	Rate	Number	Rate	Number	Rate	Number	Ratio	Number	Rate	Under 1 Yr. 2	Under
ORTH CAROLINA	92600	18.8	2469	26.7	1685	18.2	1633	17.6	3318	35.2	1942	159
WHITE	64177	17.3	1281	20.0	977	15.2	864	13.5	1841	28.3	1130	95
NONWHITE	28423	23.4	1188	41.8	708	24.9	769	27.1	1477	50.6	812	63
LAMANCE	1635	17.0	37	22.6	29	17.7	32	19.6	61	36.6	29	2
WHITE NONWHITE	1224	15.3 25.7	22 15	18.0 36.5	19 10	15.5 24.3	18 14	14.7 34.1	37 24	29.8 56.5	19 10	1
LEXANDER	294	17.9	6	20.4	3	10.2	7	23.8	10	33.2	5	
WHITE NONWHITE	257 37	16.8 34.0	4 2	15.6 54.1	2	7.8 27.0	5 2	19.5 54.1	7 3	26.7 76.9	3 2	
		16.3	2	16.5	1	8.3	3	24.8	4	32.3	1	
LLEGHANY WHITE NONWHITE	121 112 9	15.5 44.1	2	17.9	1	8.9	3	26.8	4	34.8	1	
ANSON	485	20.5 14.6	22	45.4 16.6	9	18.6 11.0	14	28.9 5.5	23	46.1 16.5	9	
WHITE NONWHITE	181 304	27.1	19	62.5	7	23.0	1 13	42.8	20	63.1	7	
ASHE	337	18.5	8	23.7	6	17.8	6	17.8	12	35.0	8	
WHITE NONWHITE	331	18.3 42.6	8	24.2	6	18.1	6	18.1	12	35.6	8	
AVERY	223	20.2	9	40.4	6	26.9	1	4.5	7	31.3	7	
WHITE	222	20.3 8.5	9	40.5	6	27.0	1	4.5	7	31.4	7	
BEAUFORT	664	18.9	14	21.1	12	18.1	11	16.6	23	34.1	13	1
WHITE NONWHITE	395 269	17.7 20.9	7 7	17.7 26.0	6	15.2 22.3	5	12.7 22.3	11	27.5 43.6	7 6	
BERTIE	381	16.7	10	26.2	6	15.7	6	15.7	12	31.0	7	
WHITE NONWHITE	108 273	11.5 20.3	1 9	9.3 33.0	1 5	9.3 18.3	1 5	9.3 18.3	10	18.3 36.0	1 6	
BLADEN	478	16.9	19	39.7	10	20.9	11	23.0	21	42.9	12	1
WHITE NONWHITE	252 226	15.7 18.5	6	23.8 57.5	4 6	15.9 26.5	5 6	19.8 26.5	9	35.0 51.7	5	
BRUNSWICK	426	20.3	13	30.5	9	21.1	10	23.5	19	43.6	10	
WHITE	246	17.9	7	28.5	5	20.3	3	12.2	8	32.1	6	
NONWHITE	180	24.7	6	33.3	4	22.2	7	38.9	11	58.8	4	
BUNCOMBE WHITE	2458	18.3 17.7	61 50	24.8 23.3	45 36	18.3 16.8	30	12.2 11.2	75	30.1 27.7	55	
NONWHITE	313	23.6	11	35.1	9	28.8	6	19.2	15	47.0	10	
BURKE	1039	17.9 18.0	15	14.4 13.4	9	8.7 8.3	16	15.4 13.4	25	23.7 21.4	13	
WHITE NONWHITE	969 70	17.6	13	28.6	8	14.3	13	42.9	21	54.8	11 2	
CABARRUS	1323	18.6	36	27.2	27	20.4	30	22.7		42.1		
WHITE NONWHITE	1039 284	17.4 24.5	29	27.9 24.6	22	21.2 17.6	20	19.2 35.2	42 15	39.7 51.0	27	
CALDWELL	1192	22.1	36	30.2	26	21.8	21	17.6	47	38.7	29	
WHITE	1084	21.6	31	28.6	22	20.3	20	18.5	42	38.0	25	2
NONWHITE	108	27.8	5	46.3	4	37.0	1	9.3	5	45.9	4	
CAMDEN WHITE	87 52	14.8 15.9	5	57.5 57.7	3	34.5 57.7	1 1	11.5 19.2	4	45.5 75.5	3 2	
NONWHITE	35	13.4		57.1							1	

<sup>42 1.</sup> Live birth rates are per 1,000 population. Infant and neonatal death rates and fetal death ratios are por 1,000 live births. Perinatal rates are the sum of fetal and neonatal deaths per 1,000 deliveries.

Table B-2 continued

County	Liv Birt		Dea	ant oths r 1 Yr)		iatal iths 28 Days)	Fe1 Dea	tal ths	Perin Dea		of De	aths
bount,	Number	Rate	Number	Rate	Number	Rate	Number	Ratio	Number	Rate	Under 1 Yr. 2	Under
CARTERET	516	14.1	9	17.4	6	11.6	10	19.4	16	30.4	9	6
WHITE	430	13.4	4	9.3	2	4.7	7	16.3	9	20.6	4	2
NONWHITE	86	19.1	5	58.1	4	46.5	3	34.8	7	78.7	5	4
CASWELL	328	17.1	8	24.4	7	21.3	11	33.5	18	53.1	7 4 3	7
WHITE	141	14.2	4	28.4	4	28.4	2	14.2	6	42.0		4
NONWHITE	187	20.1	4	21.4	3	16.0	9	48.1	12	61.2		3
CATAWBA	1700	20.9	53	31.2	41	24.1	24	14.1	65	37.7	43	39
WHITE	1472	20.0	39	26.5	30	20.4	22	14.9	52	34.8	33	29
NONWHITE	228	29.6	14	61.4	11	48.2	2	8.8	13	56.5	10	10
CHATHAM	486	17.5	7	14.4	3	6.2	11	22.6	14	28.2	5	3
WHITE	290	15.1	3	10.3	1	3.4	4	13.8	5	17.0	1	1
NONWHITE	196	22.8	4	20.4	2	10.2	7	35.7	9	44.3	4	2
CHEROKEE WHITE NONWHITE	290 282 8	19.4 19.5 18.4	8 8	27.6 28.4	7 7	24.1	1	3.4 3.5	8	27.5 28.3	8	7 7
CHOWAN	186	16.7	9	48.4	5	26.9	5	26.9	10	52.4	8	5
WHITE	97	17.1	2	20.6	2	20.6	1	10.3	3	30.6	2	2
NONWHITE	89	16.3	7	78.7	3	33.7	4	44.9	7	75.3	6	3
CLAY WHITE NONWHITE	60 60	11.6 11.7	2 2	33.3 33.3	1	16.7 16.7	4	66.7 66.7	5 5	78.1 78.1	2 2	1
CLEVELAND	1470	21.9	47	32.0	34	23.1	27	18.4	61	40.7	40	34
WHITE	994	19.1	28	28.2	22	22.1	18	18.1	40	39.5	26	22
NONWHITE	476	31.1	19	39.9	12	25.2	9	18.9	21	43.3	14	12
COLUMBUS	956	20.0	28	29.3	17	17.8	19	19.9	36	36.9	23	16
WHITE	539	17.6	13	24.1	9	16.7	5	9.3	14	25.7	12	9
NONWHITE	417	24.4	15	36.0	8	19.2	14	33.6	22	51.0	11	7
CRAVEN	1482	22.5	42	28.3	32	21.6	21	14.2	53	35.3	33	29
WHITE	1085	22.5	19	17.5	16	14.7	14	12.9	30	27.3	17	15
NONWHITE	397	22.2	23	57.9	16	40.3	7	17.6	23	56.9	16	14
CUMBERLAND	4875	26.2	123	25.2	87	17.8	84	17.2	171	34.5	101	87
WHITE	3521	25.6	67	19.0	54	15.3	49	13.9	103	28.9	59	54
NONWHITE	1354	27.8	56	41.4	33	24.4	35	25.8	68	49.0	42	33
CURRITUCK WHITE NONWHITE	122 75 47	17.7 15.8 21.8	3 1 2	24.6 13.3 42.6	1	8.2 13.3	1	8.2 13.3	2 2	16.3 26.3	1	1
DARE WHITE NONWHITE	124 114 10	19.6 19.4 23.4	2 2	16.1 17.5			1	8.1 8.8	1	8.0 8.7	1 1	
DAVIDSON	1730	18.8	45	26.0	29	16.8	26	15.0	55	31.3	37	29
WHITE	1481	18.1	31	20.9	21	14.2	16	10.8	37	24.7	27	21
NONWHITE	249	24.2	14	56.2	8	32.1	10	40.2	18	69.5	10	8
DAVIE WHITE NONWHITE	301 250 51	17.0 16.0 25.3	9 6 3	29.9 24.0 58.8	6 5 1	19.9 20.0 19.6	8 4 4	26.6 16.0 78.4	14 9 5	45.3 35.4 90.9	6 5 1	6 5 1
DUPLIN	689	17.4	12	17.4	9	13.1	8	11.6	17	24.4	10	9
WHITE	366	14.9	6	16.4	5	13.7	4	10.9	9	24.3	6	5
NONWHITE	323	21.4	6	18.6	4	12.4	4	12.4	8	24.5	4	4
DURHAM	2219	18.6	45	20.3	38	17.1	29	13.1	67	29.8	40	36
WHITE	1352	16.5	20	14.8	20	14.8	15	11.1	35	25.6	19	19
NONWHITE	867	23.0	25	28.8	18	20.8	14	16.1	32	36.3	21	17

County	Live Births		Dea	ant ths 1 Yr)	Neon Dea (Under 2	ths	Fet Dea		Perin Dea		Num of D in Hos	
	Number	Rate	Number	Rate	Number	Rate	Number	Ratio	Number	Rate	Under	Under 28 Days
EDGECOMBE	379 1	7.5	35	35.6	26	26.4	31	31.5	57	56.2	28	23
WHITE		4.0	11	29.0	9	23.7	9	23.7	18	46.4	10	8
NONWHITE		0.8	24	39.7	17	28.1	22	36.4	39	62.3	18	15
FORSYTH		6.6	87	23.7	66	18.0	61	16.6	127	34.1	77	64
WHITE NONWHITE	2498 1	4.5 3.9	42	16.8 38.5	34 32	13.6 27.4	28	11.2	62 65	24.5 54.1	39 38	33 31
FRANKLIN	171 1	6.0	26	60.3	20	46.4	10	23.2	30	68.0	19	18
WHITE		1.2	10	58.5	10	58.5	3	17.5	13	74.7	10	10
NONWHITE		2.3	16	61.5	10	38.5	7	26.9	17	63.7	9	8
GASTON	2378 1	0.6	64	22.3	37	12.9	42	14.7	79	27.2	42	33
WHITE		9.7	44	18.5	28	11.8	31	13.0	59	24.5	31	25
NONWHITE		7.3	20	41.0	9	18.4	11	22.5	20	40.1	11	8
GATES		3.2	7	58.8	4	33.6	3	25.2	7	57.4	5	3
WHITE NONWHITE		6.7 8.3	7	76.1	4	43.5	3	32.6	7	73.7	5	3
GRAHAM WHITE NONWHITE	119 2	1.3 0.5 7.7	3	23.1 25.2	2 2	15.4 16.8			2 2	15.4 16.8	3	2 2
GRANVILLE	237 1	7.8	13	21.4	10	16.4	13	21.4	23	37.0	12	10
WHITE		2.2	4	16.9	4	16.9	4	16.9	8	33.2	4	4
NONWHITE		5.4	9	24.3	6	16.2	9	24.3	15	39.5	8	6
GREENE	115 1	6.8	16	60.2	9	33.8	8	30.1	17	62.0	8	6
WHITE		5.6	3	26.1	3	26.1	2	17.4	5	42.7	3	3
NONWHITE		7.9	13	86.1	6	39.7	6	39.7	12	76.4	5	3
GUILFORD	3468 1	7.0	112	22.9	84	17.2	79	16.2	163	32.8	102	8 4
WHITE		5.4	58	16.7	48	13.8	44	12.7	92	26.2	58	4 8
NONWHITE		2.9	54	38.1	36	25.4	35	24.7	71	48.9	44	3 6
HALIFAX	397 1	9.6	50	43.0	31	26.7	24	20.6	55	46.3	36	28
WHITE		4.5	12	30.2	10	25.2	6	15.1	16	39.7	10	8
NONWHITE		3.9	38	49.6	21	27.4	18	23.5	39	49.7	26	20
HARNETT	537 1	7.7	35	40.6	30	34.8	21	24.3	51	57.7	25	24
WHITE		5.5	8	14.9	8	14.9	11	20.5	19	34.7	8	8
NONWHITE		3.1	27	82.8	22	67.5	10	30.7	32	95.2	17	16
HAYWOOD WHITE NONWHITE	703 1	7.4 7.5 6.0	16 16	22.3 22.8	12 12	16.7 17.1	12 12	16.7 17.1	24 24	32.9 33.6	14 14	12 12
HENDERSON WHITE NONWHITE	660 1	7.5 7.3 1.6	16 14 2	22.8 21.2 48.8	13 11 2	18.5 16.7 48.8	7 7	10.0 10.6	20 18 2	28.2 27.0 48.8	13 11 2	13 11 2
HERTFORD	125 1	6.8	10	25.2	8	20.2	11	27.7	19	46.6	9	8
WHITE		2.7	2	16.0	2	16.0	3	24.0	5	39.1	2	2
NONWHITE		9.7	8	29.4	6	22.1	8	29.4	14	50.0	7	6
HOKE	94 1	9.4	17	52.3	11	33.8	7	21.5	18	54.2	13	11
WHITE		2.5	1	10.6	1	10.6	1	10.6	2	21.1	1	1
NONWHITE		4.9	16	69.3	10	43.3	6	26.0	16	67.5	12	10
HYDE WHITE NONWHITE	33 1	6.6 0.9 4.3	6 1 5	69.0 30.3 92.6	4 1 3	46.0 30.3 55.6	3	34.5 55.6	7 1 6	77.8 30.3 105.3	5 1 4	4 1 3
IREDELL	937 1	8.3	34	27.7	23	18.7	26	21.2	49	39.1	26	23
WHITE		7.0	17	18.1	11	11.7	16	17.1	27	28.3	13	11
NONWHITE		4.3	17	58.4	12	41.2	10	34.4	22	73.1	13	12

Table B-2 continued

County	Live Birth		Dea	ant ths r 1 Yr)	Dea	natal aths 28 Days)		tal ths	Perin Dea			ber eaths pitals
country	Number	Rate	Number	Rate	Number	Rate	Number	Ratio	Number	Rate	Under	Under 28 Days
JACKSON WHITE NONWHITE	236	16.3 16.0 18.5	7 5 2	25.7 21.2 55.6	5 3 2	18.4 12.7 55.6	4 2 2	14.7 8.5 55.6	9 5 4	32.6 21.0	5 3 2	5 3 2
JOHNSTON WHITE NONWHITE	747	17.4 16.0 22.0	29 19 10	27.5 25.4 32.5	22 15 7	20.9 20.1 22.7	19 11 8	18.0 14.7 26.0	41 26 15	38.2 34.3 47.5	26 17 9	22 15 7
JONES WHITE NONWHITE	56	12.8 9.8 16.0	3	21.3 35.3	1	7.1 11.8	5	35.5 58.8	6	41.1 66.7	2	1
LEE WHITE NONWHITE	418	21.2 18.2 33.4	14 6 8	23.0 14.4 41.7	10 4 6	16.4 9.6 31.3	8 5 3	13.1 12.0 15.6	18 9 9	29.1 21.3 46.2	12 6 6	10 4 6
LENOIR WHITE NONWHITE	586	16.4 15.2 18.4	23 11 12	22.7 18.8 28.0	14 9 5	13.8 15.4 11.7	29 9 20	28.6 15.4 46.6	43 18 25	41.2 30.3 55.7	16 10 6	13 9 4
LINCOLN WHITE NONWHITE	471	19.5 18.0 30.9	23 18 5	39.6 38.2 45.5	14 12 2	24.1 25.5 18.2	10 9 1	17.2 19.1 9.1	24 21 3	40.6 43.8 27.0	14 12 2	12 11 1
MCDOWELL WHITE NONWHITE	496	19.0 19.0 20.4	11 9 2	21.0 18.1 74.1	8	15.3 16.1	7 6 1	13.4 12.1 37.0	15 14 1	28.3 27.9 35.7	10 9 1	8
MACON WHITE NONWHITE	203	14.9 14.7 23.5	3	14.4 14.8	1	4.8 4.9	2 1 1	9.6 4.9 166.7	3 2 1	14.2 9.8 142.9	2 2	1
MADISON WHITE NONWHITE	250	17.1 17.0 41.7	7 5 2	27.7 20.0 666.7	6 5 1	23.7 20.0 333.3	5 5	19.8 20.0	11 10 1	42.6 39.2 333.3	6 5 1	6 5 1
MARTIN WHITE NONWHITE	211	18.7 15.8 21.7	14 2 12	28.2 9.5 42.0	12 2 10	24.1 9.5 35.0	8 3 5	16.1 14.2 17.5	20 5 15	39.6 23.4 51.5	11 2 9	9 2 7
MECKLENBURG WHITE NONWHITE	6069 4152 1917	18.6 16.8 24.2	149 76 73	24.6 18.3 38.1	107 57 50	17.6 13.7 26.1	70 32 38	11.5 7.7 19.8	177 89 88	28.8 21.3 45.0	123 68 55	102 56 46
MITCHELL WHITE NONWHITE	246 245 1	18.9 18.9 27.8	9	36.6 36.7	8	32.5 32.7	1	4.1 4.1	9	36.4 36.6	8	7 7
MONTGOMERY WHITE NONWHITE	328 225 103	17.0 15.8 20.4	10 6 4	30.5 26.7 38.8	9 5 4	27.4 22.2 38.8	5 4 1	15.2 17.8 9.7	14 9 5	42.0 39.3 48.1	10 6 4	9 5 4
MOORE WHITE NONWHITE	741 495 246	18.8 17.1 23.8	16 10 6	21.6 20.2 24.4	11 9 2	14.8 18.2 8.1	18 14 4	24.3 28.3 16.3	29 23 6	38.2 45.2 24.0	14 10 4	10 9 1
NASH WHITE NONWHITE	1048 524 524	17.0 13.7 22.3	37 7 30	35.3 13.4 57.3	20 5 15	19.1 9.5 28.6	21 5 16	20.0 9.5 30.5	41 10 31	38.4 18.9 57.4	19 7 12	14 5 9
NEW HANOVER WHITE NONWHITE	1368 960 408	17.6 16.6 20.3	34 14 20	24.9 14.6 49.0	20 10 10	14.6 10.4 24.5	18 6 12	13.2 6.3 29.4	38 16 22	27.4 16.6 52.4	25 11 14	19 10 9
NORTHAMPTON WHITE NONWHITE	413 105 308	16.1 11.2 18.9	14 2 12	33.9 19.0 39.0	5 2 3	12.1 19.0 9.7	11	26.6 35.7	16 2 14	37.7 19.0 43.9	7 2 5	4 2 2

County	Live Births	Infant Deaths (Under 1 Yr)	Neonatal Deaths (Under 28 Days)	Fetal Deaths	Perinatal Deaths	Number of Deaths in Hospitals
oduney	Number Rate	Number Rate	Number Rate	Number Ratio	Number Rate	Under Under 1 Yr. 28 Days
ONSLOW	2607 23.2	57 21.9	41 15.7	39 15.0	80 30.2	53 40
WHITE	2156 22.0	41 19.0	29 13.5	31 14.4	60 27.1	40 29
NONWHITE	451 31.8	16 35.5	12 26.6	8 17.7	20 43.6	13 11
ORANGE	972 19.8	25 25.7	17 17.5	16 16.5	33 33.4	21 16
WHITE	744 19.7	12 16.1	10 13.4	11 14.8	21 27.8	12 10
NONWHITE	228 20.1	13 57.0	7 30.7	5 21.9	12 51.5	9 6
PAMLICO WHITE NONWHITE	132 13.5 74 12.3 58 15.6	2 15.2 2 34.5	1 7.6 1 17.2	1, 7.6 1 17.2	2 15.0 2 33.9	1 1
PASQUOTANK	450 16.9	11 24.4	7 15.6	6 13.3	13 28.5	8 5
WHITE	236 14.9	2 8.5	2 8.5	2 8.5	4 16.8	2 2
NONWHITE	214 19.9	9 42.1	5 23.4	4 18.7	9 41.3	6 3
PENDER WHITE NONWHITE	325 17.5 135 14.0 190 21.3	8 24.6 8 42.1	5 15.4 5 26.3	8 24.6 3 22.2 5 26.3	13 39.0 3 21.7 10 51.3	5 4
PERQUIMANS WHITE NONWHITE	130 14.7 73 15.3 57 13.9	4 30.8 4 70.2	2 15.4 2 35.1	3 23.1 3 52.6	5 37.6 5 83.3	1
PERSON	433 15.5	14 32.3	7 16.2	13 30.0	20 44.8	9 6
WHITE	232 13.0	4 17.2	2 8.6	4 17.2	6 25.4	4 2
NONWHITE	201 20.2	10 49.8	5 24.9	9 44.8	14 66.7	5 4
PITT	1358 18.3	26 19.1	17 12.5	26 19.1	43 31.1	18 16
WHITE	692 16.0	9 13.0	6 8.7	9 13.0	15 21.4	8 6
NONWHITE	666 21.4	17 25.5	11 16.5	17 25.5	28 41.0	10 10
POLK	179 15.9	9 50.3	6 33.5	6 33.5	12 64.9	6 6
WHITE	150 15.2	6 40.0	5 33.3	5 33.3	10 64.5	5 5
NONWHITE	29 21.3	3 103.4	1 34.5	1 34.5	2 66.7	1 1
RANDOLPH	1379 19.9	21 15.2	16 11.6	19 13.8	35 25.0	19 16
WHITE	1224 19.3	18 14.7	13 10.6	15 12.3	28 22.6	16 13
NONWHITE	155 27.1	3 19.4	3 19.4	4 25.8	7 44.0	3 3
RICHMOND	731 18.8	31 42.4	15 20.5	17 23.3	32 42.8	19 14
WHITE	425 15.6	11 25.9	7 16.5	8 18.8	15 34.6	8 7
NONWHITE	306 26.3	20 65.4	8 26.1	9 29.4	17 54.0	11 7
ROBESON	2020 22.4	67 33.2	35 17.3	55 27.2	90 43.4	43 33
WHITE	633 17.6	14 22.1	10 15.8	10 15.8	20 31.1	12 9
NONWHITE	1387 25.6	53 38.2	25 18.0	45 32.4	70 48.9	31 24
ROCKINGHAM	1421 19,4	38 26.7	22 15.5	18 12.7	40 27.8	27 22
WHITE	981 17.1	18 18.3	15 15.3	11 11.2	26 26.2	15 15
NONWHITE	440 27.7	20 45.5	7 15.9	7 15.9	14 31.3	12 7
ROWAN	1425 16.2	31 21.8	23 16.1	18 12.6	41 28.4	26 22
WHITE	1110 15.1	21 18.9	17 15.3	12 10.8	29 25.8	18 16
NONWHITE	315 21.4	10 31.7	6 19.0	6 19.0	12 37.4	8 6
RUTHERFORD	900 20.4	24 26.7	14 15.6	12 13.3	26 28.5	18 14
WHITE	715 18.3	17 23.8	12 16.8	10 14.0	22 30.3	15 12
NONWHITE	185 35.6	7 37.8	2 10.8	2 10.8	4 21.4	3 2
SAMPSON	844 18.1	22 26.1	15 17.8	18 21.3	33 38.3	11 10
WHITE	436 15.2	6 13.8	6 13.8	5 11.5	11 24.9	6 6
NONWHITE	408 22.6	16 39.2	9 22.1	13 31.9	22 52.3	5 4
SCOTLAND	565 23.2	22 38.9	15 26.5	11 19.5	26 45.1	18 15
WHITE	304 21.3	10 32.9	9 29.6	4 13.2	13 42.2	10 9
NONWHITE	261 25.9	12 46.0	6 23.0	7 26.8	13 48.5	8 6

County	Live Births	(i	Infant Deaths Under 1 Yr)	De	onatal eaths 28 Days)		tal aths	1	natal aths	of D	ber eaths pitals
	Number Ra	te Num	nber Rate	Numbe	r Rate	Number	Ratio	Number	Rate	Under	Under 28 Days
STANLY WHITE NONWHITE	682 15.6 557 14.3 125 26.7	22 12 10	2 21.5	15 10 5	22.0 18.0 40.0	15 15	22.0 26.9	30 25 5	43.0 43.7 40.0	20 12 8	15 10 5
STOKES WHITE NONWHITE	439 19.2 381 18.7 58 23.1	13	23.6	8 6 2	18.2 15.7 34.5	6 5 1	13.7 13.1 17.2	14 11 3	31.5 28.5 50.8	9 6 3	8 6 2
SURRY WHITE NONWHITE	922 18.4 864 18.3 58 19.6	37		27 26 1	29.3 30.1 17.2	13 12 1	14.1 13.9 17.2	40 38 2	42.8 43.4 33.9	32 31 1	27 26 1
SWAIN WHITE NONWHITE	184 25.3 127 23.0 57 32.5		2 10.9 1 7.9 1 17.5	1	5.4 17.5	2 1 1	10.9 7.9 17.5	3 1 2	16.1 7.8 34.5	1	1
TRANSYLVANIA WHITE NONWHITE	370 21.8 354 21.8 16 16.8		8 21.6 8 22.6	5	13.5 14.1	1	2.7 2.8	6	16.2 16.9	7 7	5 5
TYRRELL WHITE NONWHITE	52 12.6 25 11.2 27 14.2										
UNION WHITE NONWHITE	1031 22.3 696 18.8 335 34.3	3° 1° 2°	4 20.1	19 11 8	18.4 15.8 23.9	22 10 12	21.3 14.4 35.8	41 21 20	38.9 29.7 57.6	27 12 15	17 10 7
VANCE WHITE NONWHITE	661 20.3 285 15.3 376 27.6		3 10.5	19 3 16	28.7 10.5 42.6	22 7 15	33.3 24.6 39.9	41 10 31	60.0 34.2 79.3	17 3 14	14 3 11
WAKE WHITE NONWHITE	3912 20.3 2727 18.3 1185 25.3	4	0 14.7	64 33 31	16.4 12.1 26.2	72 45 27	18.4 16.5 22.8	136 78 58	34.1 28.1 47.9	73 36 37	64 33 31
WARREN WHITE NONWHITE	221 13. 51 8. 170 16.		<ul><li>6 27.1</li><li>6 35.3</li></ul>	1	4.5 5.9	9 1 8	40.7 19.6 47.1	10 1 9	43.5 19.2 50.6	4	1
WASHINGTON WHITE NONWHITE	320 23. 131 17. 189 29.		7 21.9 1 7.6 6 31.7	1 3	12.5 7.6 15.9	8 2 6	25.0 15.3 31.7	12 3 9	36.6 22.6 46.2	3 1 2	2 1 1
WATAUGA WHITE NONWHITE	329 19. 320 19. 9 37.	1	3 39.5 2 37.5 1 111.1	8 7 1	24.3 21.9 111.1	6	18.2 18.8	14 13 1	41.8 39.9 111.1	11 10 1	8 7 1
WAYNE WHITE NONWHITE	1631 17. 1058 16. 573 17.	1	4 20.8 9 18.0 5 26.2	24 12 12	14.7 11.3 20.9	22 9 13	13.5 8.5 22.7	46 21 25	27.8 19.7 42.7	30 17 13	23 11 12
WILKES WHITE NONWHITE	838 18. 794 18. 44 16.	2	27.4 3 29.0	13	15.5 16.4	12 10 2	14.3 12.6 45.5	25 23 2	29.4 28.6 43.5	17 17	12 12
WILSON WHITE NONWHITE	1003 16. 451 12. 552 22.	5	5 24.9 5 11.1 20 36.2	18 4 14	17.9 8.9 25.4	39 9 30	38.9 20.0 54.3	57 13 44	54.7 28.3 75.6	19 4 15	16 3 13
YADKIN WHITE NONWHITE	409 17. 373 16. 36 31.	3	0 24.4 7 18.8 3 83.3	10 7 3	24.4 18.8 83.3	8 5 3	19.6 13.4 83.3	18 12 6	43.2 31.7 153.8	10 7 3	10 7 3
YANCEY WHITE NONWHITE	243 19. 239 19. 4 40.	5	4 16.5 4 16.7	4 4	16.5 16.7	2 2	8.2 8.4	6	24.5 24.9	4 4	4

City	Liv Birt		Dea	ths r 1 Yr)		atal ths 28 Days)		tal ths	Perin Dea		of 0	ber eaths pitals
	Number	Rate	Number	Rate	Number	Rate	Number	Ratio	Number	Rate	Under 1 Yr.	Under 28 Days
ALBEMARLE WHITE NONWHITE	213 171 42	16.9 15.8 24.0	5 1 4	23.5 5.8 95.2	3 1 2	14.1 5.8 47.6	4	18.8 23.4	7 5 2	32.3 28.6 47.6	5 1 4	3 1 2
ASHEVILLE	1101	16.8	34	30.9	26	23.6	16	14.5	42	37.6	31	26
WHITE	841	15.4	25	29.7	18	21.4	11	13.1	29	34.0	23	18
NONWHITE	260	24.3	9	34.6	8	30.8	5	19.2	13	49.1	8	8
BURLINGTON	669	17.0	21	31.4	18	26.9	11	16.4	29	42.6	19	18
WHITE	544	15.1	14	25.7	14	25.7	7	12.9	21	38.1	14	14
NONWHITE	125	35.2	7	56.0	4	32.0	4	32.0	8	62.0	5	4
CHAPEL HILL	304	20.2	6	19.7	6	19.7	7	23.0	13	41.8	5	5
WHITE	248	18.3	4	16.1	4	16.1	5	20.2	9	35.6	4	4
NONWHITE	56	38.4	2	35.7	2	35.7	2	35.7	4	69.0	1	1
CHARLOTTE	4475	17.9	124	27.7	89	19.9	57	12.7	146	32.2	102	85
WHITE	2863	15.9	60	21.0	44	15.4	24	8.4	68	23.6	55	44
NONWHITE	1612	23.0	64	39.7	45	27.9	33	20.5	78	47.4	47	41
CONCORD	329	17.5	11	33.4	7	21.3	6	18.2	13	38.8	10	7
WHITE	233	16.3	6	25.8	3	12.9	4	17.2	7	29.5	6	3
NONWHITE	96	21.4	5	52.1	4	41.7	2	20.8	6	61.2	4	4
DURHAM	1660	19.9	34	20.5	28	16.9	19	11.4	47	28.0	31	27
WHITE	917	17.2	15	16.4	15	16.4	9	9.8	24	25.9	14	14
NONWHITE	743	24.7	19	25.6	13	17.5	10	13.5	23	30.5	17	13
ELIZABETH CITY WHITE NONWHITE	263 149 114	17.5 16.3 19.3	7 2 5	26.6 13.4 43.9	6 2 4	22.8 13.4 35.1	3	11.4 26.3	9 2 7	33.8 13.4 59.8	5 2 3	5 2 3
FAYETTEVILLE	2008	35.8	43	21.4	30	14.9	37	18.4	67	32.8	34	30
WHITE	1327	36.5	21	15.8	16	12.1	19	14.3	35	26.0	18	16
NONWHITE	681	34.5	22	32.3	14	20.6	18	26.4	32	45.8	16	14
GASTONIA	965	20.3	26	26.9	14	14.5	17	17.6	31	31.6	17	13
WHITE	752	19.0	13	17.3	8	10.6	12	16.0	20	26.2	10	8
NONWHITE	213	26.6	13	61.0	6	28.2	5	23.5	11	50.5	7	5
GOLDSBORO	677	19.8	14	20.7	12	17.7	14	20.7	26	37.6	12	11
WHITE	395	19.1	8	20.3	7	17.7	5	12.7	12	30.0	6	6
NONWHITE	282	20.8	6	21.3	5	17.7	9	31.9	14	48.1	6	5
GREENSBORO	2483	16.3	64	25.8	50	20.1	36	14.5	86	34.1	59	50
WHITE	1636	14.5	31	18.9	26	15.9	15	9.2	41	24.8	31	26
NONWHITE	847	21.3	33	39.0	24	28.3	21	24.8	45	51.8	28	24
GREENVILLE	473	17.3	12	25.4	7	14.8	5	10.6	12	25.1	9	
WHITE	308	16.2	7	22.7	4	13.0	4	13.0	8	25.6	6	
NONWHITE	165	20.0	5	30.3	3	18.2	1	6.1	4	24.1	3	
HENDERSON WHITE NONWHITE	279 131 148	19.9 15.5 26.7	7 1 6	25.1 7.6 40.5	5 1 4	17.9 7.6 27.0	7 3 4	25.1 22.9 27.0	12 4 8	42.0 29.9 52.6	6 1 5	5 1 4
HICKORY WHITE NONWHITE	481 396 85	21.2 20.3 26.7	16 14 2	33.3 35.4 23.5	12 11 1	24.9 27.8 11.8	5 5	10.4 12.6	17 16 1	35.0 39.9 11.8	13 12 1	11
HIGH POINT	1199	15.4	22	18.3	15	12.5	15	12.5	30	24.7	20	8
WHITE	820	12.7	11	13.4	8	9.8	6	7.3	14	16.9	11	
NONWHITE	379	28.4	11	29.0	7	18.5	9	23.7	16	41.2	9	
JACKSONVILLE	497	24.4	11	22.1	7	14.1	8	16.1	15	25.7	11	
WHITE	427	22.0	9	21.1	5	11.7	6	14.1	11	25.4	9	
NONWHITE	70	73.4	2	28.6	2	28.6	2	28.6	4	55.6	2	
KINSTON	483	16.4	13	26.9	7	14.5	14	29.0	21	42.3	8	5
WHITE	256	13.8	5	19.5	5	19.5	6	23.4	11	42.0	5	
NONWHITE	227	20.6	8	35.2	2	8.8	8	35.2	10	42.6	3	

City	Live Birth		De	fant aths r l Yr)	De	natal aths 28 Days)		etal aths		natal aths		ber eaths pitals
·	Number	Rate	Number	Rate	Number	Rate	Number	Ratio	Number	Rate	Under	Under 28 Days
LENOIR WHITE NONWHITE	137	16.5 14.1 26.6	8 7 1	40.4 51.1 16.4	7 6 1	35.4 43.8 16.4	5 5	25.3 36.5	12 11 1	59.1 77.5 16.4	7 6 1	7 6 1
LEXINGTON	288	20.6	9	24.3	5	13.5	2	5.4	7	18.8	7	5
WHITE		19.5	5	17.4	4	13.9	1	3.5	5	17.3	5	4
NONWHITE		25.7	4	48.8	1	12.2	1	12.2	2	24.1	2	1
LUMBERTON	252	22.0	12	27.6	8	18.4	9	20.7	17	38.4	9	7
WHITE		17.4	5	19.8	4	15.9	3	11.9	7	27.5	4	3
NONWHITE		34.7	7	38.5	4	22.0	6	33.0	10	53.2	5	4
MONROE WHITE NONWHITE	152	22.4 19.0 30.5	12 3 9	46.9 19.7 86.5	6 3 3	23.4 19.7 28.8	4 2 2	15.6 13.2 19.2	10 5 5	38.5 32.5 47.2	9 3 6	6 3 3
NEW BERN WHITE NONWHITE	155	17.6 16.6 19.2	9 4 5	32.6 25.8 41.3	8 4 4	29.0 25.8 33.1	2	7.2 16.5	10 4 6	36.0 25.8 48.8	8 4 4	8 4 4
RALEIGH	1421 1	17.5	40	20.0	26	13.0	40	20.0	66	32.3	30	26
WHITE		15.9	17	12.0	13	9.1	28	19.7	41	28.3	15	13
NONWHITE		23.0	23	39.7	13	22.4	12	20.7	25	42.2	15	13
REIDSVILLE WHITE NONWHITE	168 1	17.4 15.4 21.7	8 4 4	28.5 23.8 35.4	6 4 2	21.4 23.8 17.7	5 2 3	17.8 11.9 26.5	11 6 5	38.5 35.3 43.1	6 4 2	6 4 2
ROANOKE RAPIDS	185	13.4	7	30.6	5	21.8	7	30.6	12	50.8	7	5
WHITE		12.6	5	27.0	3	16.2	5	27.0	8	42.1	5	3
NONWHITE		18.2	2	45.5	2	45.5	2	45.5	4	87.0	2	2
ROCKY MOUNT E	101 1	16.1	13	42.3	10	28.2	14	33.5	24	59.6	8	7
WHITE		13.8	6	30.7	5	21.5	4	15.3	9	36.3	5	4
NONWHITE		20.7	7	57.9	5	37.2	10	57.9	15	89.8	3	3
ROCKY MOUNT N WHITE NONWHITE		cIuded bove	11 4 7	Included Above	6 2 4	Included Above	5 1 4	Included Above	11 3 8	Included Above	6 4 2	4 2 2
SALISBURY	201	15.2	7	20.8	6	17.8	6	17.8	12	35.0	7	6
WHITE		13.0	2	10.0	1	5.0	3	14.9	4	19.6	2	1
NONWHITE		20.3	5	36.8	5	36.8	3	22.1	8	57.6	5	5
SANFORD WHITE NONWHITE	185	19.8 16.4 34.9	5 1 4	18.2 5.4 44.4	3 1 2	10.9 5.4 22.2	4 3 1	14.5 16.2 11.1	7 4 3	25.1 21.3 33.0	3 1 2	3 1 2
SHELBY WHITE NONWHITE	226	19.2 15.4 31.6	10 4 6	27.0 17.7 41.4	7 3 4	18.9 13.3 27.6	9 8 1	24.3 35.4 6.9	16 11 5	42.1 47.0 34.2	9 4 5	7 3 4
STATESVILLE	260	17.2	14	36.9	12	31.7	12	31.7	24	61.4	13	12
WHITE		15.0	7	26.9	6	23.1	6	23.1	12	45.1	7	6
NONWHITE		25.4	7	58.8	6	50.4	6	50.4	12	96.0	6	6
THOMASVILLE WHITE NONWHITE	180	15.5 12.9 34.3	12 6 6	42.9 33.3 60.0	9 4 5	32.1 22.2 50.0	8 3 5	28.6 16.7 50.0	17 7 10	59.0 38.3 95.2	11 6 5	9 4 5
WILMINGTON	503	19.6	27	31.8	17	20.0	16	18.8	33	38.2	20	16
WHITE		19.1	12	23.9	9	17.9	6	11.9	15	29.5	10	9
NONWHITE		30.4	15	43.4	8	23.1	10	28.9	18	50.6	10	7
WILSON	239	15.1	11	22.1	8	16.1	18	36.2	26	50.5	9	7
WHITE		11.7	3	12.6	2	8.4	5	20.9	7	28.7	2	1
NONWHITE		20.7	8	31.0	6	23.3	13	50.4	19	70.1	7	6
WINSTON SALEM	1289	18.6	63	26.4	47	19.7	49	20.5	96	39.4	56	47
WHITE		15.4	20	15.5	17	13.2	17	13.2	34	26.0	19	17
NONWHITE		24.7	43	39.2	30	27.3	32	29.2	62	54.9	37	30

TABLE B-3 RESIDENT LIVE BIRTHS SHOWING TOTAL-BIRTH ORDER BY COLOR AND AGE OF MOTHER:
NORTH CAROLINA, 1967

Color and				Total-6	irth Ord	er (Inc	ludes P	revious	Deliver	ies of	Fetal	Oeaths	)		Not
Age of Mother	Total	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th	11th	12th	13th & Over	Stated
NORTH CAROLINA	92600	33616	23082	13842	8491	5002	3039	1959	1240	793	542	360	247	384	3
WHITE	64177	24730	17254	9941	5708	3039	1611	880	476	224	151	63	50	48	2
10 - 14	64	63	1												
15 - 19	12148	9427	2216	425	67	8	4								1
20 - 24	25561	11491	8524	3497	1356	467	156	43	23	1	2	1			_
25 - 29	15079	2936	4703	3543	2002	1018	471	228	105	43	20	5	3	2	
30 - 34	7202	581	1358	1733	1469	909	530	302	157	76	52	16	9	10	
35 ~ 39	3239	189	392	610	646	510	334	232	142	72	51	23	24	14	
40 - 44	844	41	58	130	166	120	110	72	45	31	24	17	12	18	
45 & OVER	37	2	1	3	2	6	6	3	4	1	2	1	2	4	
NOT STATED	3		1			1							_		1
NONWH1TE	28423	8886	5828	3901	2783	1963	1428	1079	764	569	391	297	197	336	1
10 - 14	305	297	8												
15 - 19	8913	5657	2286	752	173	35	7	2					1		
20 - 24	9506	2443	2587	1979	1284	730	315	115	41	9	2		-		1
25 - 29	4698	371	647	766	839	693	554	401	221	123	43	27	8	5	
30 - 34	2725	82	213	276	319	330	337	337	268	220	152	97	59	35	
35 - 39	1642	28	73	111	136	147	165	178	156	160	132	117	86	153	
40 - 44	593	6	13	15	31	27	47	45	77	53	60	54	40	125	
45 & OVER	37		1	1	1	1	2	1	1	4	2	2	3	18	
NOT STATED	4	2		1			1								

TABLE B-4 RESIDENT LIVE BIRTHS SHOWING BIRTH WEIGHT BY COLOR AND AGE OF MOTHER: NORTH CAROLINA, 1967

							Birth W	eight in	Grams					
Color and Age of Mother	Total	Pr	emature	(2500 (	Grams o	or Less	)		Matu	re (2501	Grams or	More)		Not
age of mother		Total	500 or Less	501 to 1000	1001 to 1500	1501 to 2000	2001 to 2500	Total	2501 to 3000	3001 to 3500	3501 to 4000	4001 to 4500	4501 and Over	Stated
NORTH CAROLINA	92600	8764	101	503	768	1726	5666	83794	19654	35859	22058	5249	974	42
VH1TE	64177	4848	47	248	400	940	3213	59309	12110	25155	17058	4234	752	20
10 - 14	64	11			1	4	6	53	20	20	12	1		
15 - 19	12148	1118	10	72	95	246	695	11026	2516	4869	2923	617	101	4
20 - 24	25561	1840	18	90	148	337	1247	23715	4851	10262	6804	1561	237	6
25 - 29	15079	1002	9	47	92	186	668	14071	2694	5872	4202	1090	213	6
30 - 34	7202	538	6	31	38	93	370	6662	1259	2692	1980	597	134	2
35 - 39	3239	269	2	6	20	61	180	2968	586	1142	909	281	50	2
40 - 44	844	68	2	2	6	12	46	776	175	287	216	83	15	
45 & OVER NOT STATED	37 3	2				1	1	35 3	8	11	10	4	2	
NONWHITE	28423	3916	54	255	368	786	2453	24485	7544	10704	5000	1015	222	22
10 - 14	305	53	1	3	8	10	31	252	92	113	43	4		
15 - 19	8913	1425	16	82	151	295	881	7478	2671	3415	1206	169	17	10
20 - 24	9506	1304	25	79	112	250	838	8195	2554	3629	1630	325	57	7
25 - 29	4698	533	6	45	45	90	347	4162	1155	1783	958	222	44	3
30 - 34	2725	314	6	22	24	60	202	2411	601	970	619	167	54	
35 - 39	1642	212		19	17	59	117	1428	339	573	385	97	34	2
40 - 44	593	70		5	11	20	34	523	121	208	152	29	13	
45 & OVER NOT STATED	37 4	5				2	3	32	10	11	6	2	3	

TABLE B-6 RESIDENT FETAL DEATHS SHOWING BIRTH WEIGHT BY COLOR AND AGE OF MOTHER: NORTH CAROLINA, 1967

0.1			Т	otal-Bi	rth Orde	r (Incl	udes Pre	vious [	Dellveri	es of I	Fetal	Deaths)	)		Not
Color and Age of Mother	Total	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th	11th	12th	13th & Over	State
NORTH CAROLINA	1633	569	296	212	159	110	87	52	41	32	20	20	10	25	
WHITE	864	345	172	129	96	49	35	13	9	4	6	6			
10 - 14 15 - 19	2 161	2 136	19	5	1										
20 - 24	294	144	78	43	18	5	3	2	1						
25 - 29	206 119	48	49 18	45 23	27 30	17 16	15 13	2 6	1		1 1	1			
30 - 34 35 - 39	57	8 6	5	11	14	9	2	2	3	2	3	1			
40 - 44 45 & OVER NOT STATED	22	1	2	1	6	2	1	1	1	2	1	4			
NONWHITE	769	224	124	83	63	61	52	39	32	28	14	14	10	25	
10 - 14 15 - 19	5 207	139	1 50	15	3										
20 - 24	174	54	43	33	20	13	9	1	1						
25 - 29 30 - 34 35 - 39	145 96 84	16 7 3	18 6 2	12 14 3	21 8 8	30 12 4	16 11 11	15 5 13	10 11 6	4 10 9	1 4 6	2 4 5	3	1	
40 - 44 45 & OVER NOT STATED	52 6	1	4	6	2	2	4	4 1	4	5	1 2	3	3	13 1	

TABLE B-5 RESIDENT FETAL DEATHS SHOWING TOTAL-BIRTH ORDER BY COLOR AND AGE OF MOTHER:
NORTH CAROLINA, 1967

							Birth W	eight in G	rams					
Color and	Total	Pre	emature	(2500 0	rams o	r Less)			Matur	e (2501	Grams or	More)		Not
Age of Mother		Total	500 or Less	501 to 1000	1001 to 1500	1501 to 2000	2001 to 2500	Total	2501 to 3000	3001 to 3500	3501 to 4000	4001 to 4500	4501 and Over	Stated
NORTH CAROLINA	1633	1050	94	304	258	184	210	511	202	160	85	37	27	72
WHITE	864	549	51	158	137	101	102	280	109	100	47	12	12	35
10 - 14 15 - 19 20 - 24	2 161 294	1 114 184	7 13	40 57	1 37 50	16 31	14 33	1 43 94	1 20 36	11 35	8 15	2 5	2	4 16
25 - 29 30 - 34 35 - 39	206 119 57	129 74 38	16 7 6	37 14 9	24 14 9	23 19 10	29 20 4	66 44 17	27 17 1	22 17 11	15 5 2	2 1 1	4 2	1 1 1 2
40 - 44 45 & OVER NOT STATED	22	7 2	2	1	1	2	1	15	7	4	2	1	1	1
NONWHITE	769	501	43	146	121	83	108	231	93	60	38	25	15	37
10 - 14 15 - 19 20 - 24	5 207 174	148 123	1 11 14	1 58 38	2 32 30	23 17	24	1 42 46	1 16 23	14 11	10 5	1 5	1 2	17
25 - 29 30 - 34 35 - 39	145 96 84	89 58 46	9 2 4	22 12 13	22 19 7	12 16 10	24 9 12	50 35 34	24 11 7	11 10 11	8 5 6	5 5 5	2 4 5	6 3 4
40 - 44 45 & OVER NOT STATED	52 6	31 2	2	2	9	5	13 2	19 4	9 2	2	4	3 1	1	2

Cause of Oeath	Unde	r 1 0	ay	Unde	r 7 0	ays	Unde	r 28	Days	Unde	r 1 Y	ear
(International Code Number Follows Each Cause)	Total	W	NW	Total	W	NW	Total	W	NW	Tota1	W	NW
IORTH CAROLINA	942	546	396	1508	891	617	1685	977	708	2469	1281	1188
yphilis (020-029)	-	-	-	1	-	1	1	-	1	1	-	1
Septicemia and pyemia (053)		_	_	1	1	_	2	1	1	18	7	11
.eukemia and aleukemia (204)	-	-	-	-	-	-	-	-	-	3	1	2
Iner †as (290-293)	-	-	-	-	-	-	1	-	1	4	1	3
Memorrhagic conditions (295,296)	-	-	-	~	-	-	-	-	-	1	-	1
deningitis, except meningococcal and tuberculous (340)	-	-	-	-	-	-	3	1	2	15	8	
Otitis media and mastoiditis (391-393)	_	_	_	_		_	_		_	16	4	12
nfluenza and pneumonia, except pneumonia of newborn (480-483,												
490-493)	-	-	-	-	-	-	-	-	-	222	65	157
dernia and intestinal obstruction (560,561,570)	3	2	1	8	7	1	10	8	2	16	12	-
Oysentery, gastritis, enteritis, and colitis, except diarrhea of newborn (045-048,543,571,572)	-	_	_	_	_	_	_	_	_	60	13	4
Rephritis and nephrosis (590-594)	-	-	-	-	-	-	1	1	-	2	2	7
Congenital malformations (750-759)	88	70	18	161	123	38	218	163	55	342	237	10
Spina bifida and meningocele (751)	7	6	1	13	12	1	24	22	2	42	35	
Congenital malformations of circulatory system (754)	18	16 48	15	69 79	53 58	16 21	90 104	68 73	22 31	149	105 97	41 51
All other congenital malformations (750,752,753,755-759)	زه	40	15	79	50	21	104	/3	از	151	9/	2,
Birth injuries (760,761)	118	83	35	163	113	50	167	114	53	167		5.
Postnatal asphyxia and atelectasis (762)Pneumonia of newborn (763)	231	122	109	366 28	205 15	161	370 54	207	163 32	372 54		16 3
Diarrhea of newborn (764)	-	-	-	-	-	-	10		10	10		í
other infections of newborn (765-768)	8	2	6	20	7	13	31	12	19	32	12	21
Hemolytic disease of newborn (770)	19	19	-	26	22	4	26	22	4	27	23	
All other defined diseases of early infancy (769,771,772)	9	6	. 3	22	15	7	26	15	11	36		20
mmaturity (774,776)	272	132	140	369	181	188	383	189	194	391	191	200
Symptoms and ill-defined conditions (773,780-793,795)	184	106	78	327	196	131	352		146		238	21
All other diseases (residual)	2	1	1	8	4	4	15	10	5	94	48	4
NII accidents (800-962)	2	-	2	7	1	6	13	5	8	119		6
Accidental poisonings (870-888,890-895)	-	-	-	-	-	-	-	-	-	6	2	
material (916)	_	-	-	-	_	_	-	-	-	5	2	
Inhalation and ingestion of food or other object causing												
obstruction or suffocation (921,922)		_	1	3	-	3	6	2	4	40 25		2
All other causes of accidental death (residual)			1	3	1	2	6.	3	3			1
domicide (964,980-984)	1	1	-	1	1	-	2	1	1	3	1	

TABLE B-8 RESIDENT SETS OF PLURAL BIRTHS BY COLOR AND SEX, WITH NUMBER LIVE BORN AND STILLBORN: NORTH CAROLINA, 1967

	ex and Status at Birth	Sets of	Plural	Births		Sets of	Plural	Births
	ex and status at birth	Tota1	White	Non- white	Sex and Status at Birth	Tota1	White	Non- white
TWINS	Total Sets of Twins  Two males One male, one female Two females  Both live born Two males One male, one female Two females	903 321 271 311 837 293 261 283	197 153 192 510 181 149 180	361 124 118 119 327 112 112 103	One live born, one stillborn Two males One male, one female Two females Both stillborn Two males One male, one female Two females	47 16 8 23 19 12 2 5	23 8 4 11 9 8	24 8 4 12 10 4 2
TRIPLETS	Total Sets of Triplets Three males Two males, one female Three females  All live born Three males Two males, one female Three females	13 3 3 7 10 3 2 5	9 2 2 5 7 2 2 3	1 1 2 3 1 - 2	One liveborn, two stillborn Two males, one female Two liveborn, one stillborn Three females	1 1 2 2 2	2 2 2	1 1

VITAL STATISTICS
1967
Section C





Deaths

(excluding fetal deaths)



## SECTION C

## DEATHS (EXCLUDING FETAL DEATHS)

Table		Page
C-1	Resident Deaths (Excluding Fetal Deaths) from Each Cause by Age Group, Color and Sex: North Carolina, 1967	56
C-2	Deaths by Area of Occurrence and by Residence, with Resident Events Showing Deaths in Hospitals and Other Institutions and Deaths from 16 Selected Causes, by Color: North Carolina Counties and Selected Cities, 1967	74
C-3	Accidental Deaths Occurring in the State from Each Cause with Rates Per 100,000 Total Population, and Number by Color and Sex: North Carolina, 1967	80
C-4	Accidental Deaths Showing Vehicle Involved in Transportation Accidents, and Place of Other Accidents, by County and City Where Death Occurred:  North Carolina, 1967	81

# TABLE C-1 RESIDENT DEATHS (EXCLUDING FETAL DEATHS) FROM EACH CAUSE BY AGE GROUP, COLOR AND SEX: NORTH CAROLINA, 1967

	Not	18	- 1 -	17 8	1 1 1 1 1	1 1 1 1 1	1 1 1 1	1	ı	1 1 1 1	1	ŧ	1 1 1 1 1	ı	ı	1.1.1	1
	SF & Cver	0407	3512 1383 2129	558 257 301	20000	0 6 4 4 4	1 1 1 1	1	1	11	1	1	1111	1	1	1 1 1	1
	80-84	3940	3373 1531 1842	567 293 274	<u>_</u>	<i>w</i> = 1 0/0	1 1 1 1	1	1	1 1 1 1	1	1	-11-1	1	1	1 1 1	1
	75-79	4685	3797 1908 1889	888 462 426	26 8 8 6 2 4	40040	1 1 1 1	1	1	1 1 1 1	1	t	1 1 1 1 1	1	1	~~ - 1	1
	70-74	8467	3751 2173 1578	1227 688 539	47 17 6 18 6	00 6 - 6 -	1 1 1 1	ı	1	-11-	1	1	1 N M M	ı	1	111	1
	5,1-33	4501	3186 2006 1180	1315 711 604	32 14 9 9 9	£0€41	1 1 1 1	ı	1	1 1 1 1	1	1	12130	1	1	1.1.1	1
	FC-64	3833	2747 1922 825	1086 611 475	30 17 27 27 27 27 27 27 27 27 27 27 27 27 27	49000	11	-	1	- 1 - 1	1	-	77107	I	1	1 1 1	1
82	55-59	3399	2387 1636 751	1012 627 385	28086	~ ∞ ~ ~ ~	-1-1	1	F	- 1 - 1	1	ı	かるホート	1	1	1 1 1	ı
IN YEARS	50-54	2676	1772 1231 541	904 577 327	E 2 2 2 2 E	47 9 1 6 1	1 1 1 1	ı	1	~ 1 ← ←	ŧ	1	1111	1	-	1 1 1	1
DEATH I	45-49	1954	1270 854 416	684 404 280	21 6 6 7	04-201	1 1 1 1	1	1	N 1	1	1	0 = 1 1 <del>+</del>	1	1	1 1 1	1
ΑT	40-44	1441	898 621 277	543 334 209	22 4 20 40	0 - 2 9 -	1 1 1 1	1	1	1 1 1 1	1	1	0 <del>-</del> 1 1 <del>-</del>	1	1	- 1 -	ı
AGE	35-39	902	504 349 155	398 234 164	91148	ω11α←	1111	t	1	1 1 1 1	1	ı		1	1	1 1 1	1
	30-34	628	339 230 109	289 185 104	20 1 - 22 22	01-1-	1111	1	1	- 1 - 1	1	1	-11-1	1	ı	1 1 1	1
	25-29	595	329 233 96	236 151 85	13 13	-111-	1 1 1 1	1	1	1 1 1 1	,	1		-	ı	1 1 1	1
	20-24	677	434 328 106	243 184 59	8-11-	1 1 1 1 1	-11-	1	1	1111	1	1	11111	1	'	1 1 1	'
	15-19	009	413 318 95	187 131 56	00WW-	1111	- 1 - 1	1	1	1 1 1 1	1	1	11111	1	1	1 1 1	-
	10-14	251	167 110 57	84 49 35	011	11111	1 1 1 1	1	1	1111	ı	1	11111	1	1	1 1 1	1
	5-9	277	164 87 77	113	£ 2429	1111	- 1- 1	1	1	1 1 1 1	1	<u>'</u>	11111	<u>'</u>	-	111	
	1-4	397	225 125 100	172 88 84	26 27 4 2	1 1 1 1 1	1111		'	1 1 1 1		'					
	Under	5469	1281 746 535	1188 668 520	38	11111	1111	ı	1	1111	_	1		1	1	1 1 1	1
- C	Deaths	42261	30550 17791 12759	11711 6728 4983	393 130 85 115 63	131 50 16 52 52	<i>v</i> ← <i>w</i> ←	_	-	0 ← v w	-	-	34 14 11 5	-	-	27	2
Color	and	TOTAL	-Total Male Female	Total Male	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F	NW F	NW F	TOTAL W F NW M NW F	NW F	M	TOTAL W M W F NW M	NW F	NW M	TOTAL W F NW M	M M
	Cause of Death	NORTH CAROLINA	White~'	Nonwhite-Total Male Female	INFECTIVE AND FARASITIC DISEASES	Of respiratory system	Tuberculosis of meninges and central nervous system	Tuberculosis of intestines, peritoneum, and mesenteric glands	Tuberculosis of bones and joints	Tuberculosis, all other forms	Congenital syphilis	General paralysis of insane	All other syphilis	Gonococcal infection	Lymphogranuloma	Other Salmonella infections	Bacillary dysentery
Seventh	Revision				i	001-008	010	011	012,013	017-019	020	025	022,023,	030-035	037	270	970

1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1	1	1 1 1	1 1 1 1	1	1-1-1	1 1 1	1 1 1 1 1	1 1 1 1	1 1 1 1	1111
1 1 1	90011	1111	1 1 1 1	ı	1 1 1	1 1 1 1	1	1 1 1	1 1 1	01011	1111	1 1 1 1	-11-1
1 1 1	9277	1111		1	1 1 1	1111	1	1 1 1	1 1 1	1111	1111	1 1 1 1	1111
1 1 1	824	1111	- 1- 1	1	1 ( 1	1111	1	1 1 1	1 1 1	1111	1 1 1 1	1 1 1 1	N 1 ← 1 ←
1 1 1	11 8 4 4	-11-1	11	1	1 1 1	← 1 ← 1	ı	1 1 1	1 1 1	-11-1	1 1 1 1	← 1 ← 1	∞ ← 1 ← 1
1 1 1	∞ m cs − cs	-1-11	11	ı	1	1 1 1 1	1	1 1 1	1 1 1	1111	1 1 4 1	-11-	ellel
111	8-1-1	11111	F   F	1	1 1 1	1   1	ı	1 1 1	1 1 1	1 1 1 1 1	1111		ellel
1 1 1	94181	1111	11	_	1 1 1	1 1 1 1	1	1 1 1	1 1 1	N ← ← 1 1	11	1 1 1 1	EE
1 1 1	12747	elell	1111	ı	1 1 1	11	1	1	1 1 1	1111	-1-1	-1-1	4
1 1 1	w1-10	11111	1111	1	1 1 1	-1-1	-	1 1 1	1 1 1	N11	1 1 1 1	1 1 1 1	11111
1 1 1	W I-	11111	1111	1	1 1 1	1 1 1 1	,	1 1 1	1 1 1	α- I- I		1 1 1 1	w 1 – 1 v
1 1 1	-111-	1111	1111	1	1 1 1	1 1 1 1	1	1 1 1	1 1 1	1111	1 1 1 1	-11-	1111
1 1 1	1 1 1 1 1	1111	1 1 1 1	ı	r 1 1	1 1 1 1	1	1 1 1	1 1 1	1 1 1 1 1	1 1 1 1	1 1 1 1	-111-
111	w1−10	11111	1 1 1 1	1	- 1-	w 1 - 0	1	1.1.1	1 1 1	-111-	1111	11	-11-1
111	EE	11111	1111	1	1 1 1	1 1 1 1	'	1 1 1	1 1 1	1 1 1 1 1	1 1 1 1	1 1 1 1	1111
1.1.1	11011	011	1 1 1 1	1	1 1 1	- 1 - 1	1	1 1 1	1 1 1	11111	1111	1 1 1 1	N ← 1 1 ←
1 1 1	11111	11111	1 1 1 1	1	1 1 1	-11-	1	1 1 1	1 1 1	11111	-11-	1 1 1 1	1111
111	w-110	wa+11			1 1 1	-1111	1	212	<del>- 1 -</del>	1111	11		
111	W 14-1	-22227	11	'	111	- 1-1			400		-11-	1111	0 MM 1 F
m ~ −	842347	1-124-1	1 1 1 1	1	1 1 1	1 1 1 1	1	1 1 1	N I N	1111	1 1 1 1	1111	F 1 W W W
W 57 -	93 30 25 14 25 25	20000-	7447	-	~	Ø ← n w	<b>-</b>	400	200	0w48r	2730	9888	£ 90 8 6
TOTAL NW M NW F	TOTAL W W W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	NW M	TOTAL W M W F	TOTAL W M W F NW F	NW M	TOTAL W M NW M	TOTAL W M W F	TOTAL W M W F NW M	TOTAL W M W F	TOTAL W M W F NW M	TOTAL W M W F NW M
047,048 Other forms of dysentery	Septicemia and pyemia	Meningococcal infections	Tetanus	Gas gangrene	Late effects of acute poliomyelitis	Acute infectious encephalitis	Late effects of acute infectious encephalitis	Measles	Chickenpox	Infectious hepatitis	Rocky Mountain spotted fever	Mycosis	All other diseases classified as infective and parasitic
047,048	053	750	061	063	081	082	083	085	087	092	104	131–134	049,054, 064,073, 074,088, 093,096, 120-122, 135-138,

	Not	m 1 1 − α	1 1 1 1 1	1111	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1111	← 1 1 ← 1	1 1 1 1 1	1 1 1 1 1
	85 & Cver	281 104 138 21 18	7 7 6 - 1	4-01-	50 52 41	77 - 1	F 0 8 1 F	6-01-	מומות	686-1	441
	80-84	386 148 180 34 24	w ← ⋈ I I	₩-010	82522	221 288 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	₩~~~~I	90011	6-01-	13.9	NINII
	75-79	603 265 228 73 37	41 7 9 1 1	1 www	15 9 9 9 5	46 20 3 6	E 9 T 0 0	12001	41505	18884	811
	70-74	809 34.2 289 107	9 6 7 8 1	there a	27 11 2	255.73	22 11 28	<u>40€</u> 4	<b>た</b>	30 80 9 9	0.11
	62-69	811 364 242 111	12 12 23 24	1 20 6 7 8	22 27 27 27 27 27 27 27 27 27 27 27 27 2	62 27 27 9	23 10 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	L 44L 0	<i>₽₩8−−</i>	27,72	w - α I I
	60-64	759 333 226 114 86	∞40 K I ←	20 11 20 20 1	E1000	48 17 17 9	<u>0</u> ∞0π1	∞~~~~ N I	12411	20 19 10 3	1 1 1 1 1
RS RS	55-59	720 274 266 1111 69	₩ m m m m l	24 7 2 4 1 1 1 2 1	2222	36 10 20 20 20 20 20 20 20 20 20 20 20 20 20	ŭ≈4α-	0 10 − 01 −	₩~~~~ N	35	w10-1
IN YEAD	50-54	562 229 187 75	0,0000	07 0 1 4 1	22 10 4 2	35	∞ ~ ~ ~ ←	11000	4-161	28,5000	N ← ← 1 1
DEATH 1	45-49	397 140 153 48 56	04444	#0 I I 40 KV	\$2 r m 9 m	28 15 15 15 15	∠ 0 <p< td=""><td>m 1 ≈ − 1</td><td>ω ← 1 ⋈ 1</td><td>7109 1-</td><td>Q = 1 1 =</td></p<>	m 1 ≈ − 1	ω ← 1 ⋈ 1	7109 1-	Q = 1 1 =
AT	40-44	223 711 86 28 38	1 mmm	W1-	£ € 40 I	04212	11100	α ← Ι Ι ←	α <del>-</del> 1 1 +	84	
AGE	35-39	113 36 39 12 26	0-11-	111	<b>←</b> ← 1 1 1	01410	e le 1 l		% ← 1 1 ←	1 N N → O	1111
	30-34	57 22 22 3 3	11111	1111		Q IQ I I	111	1111	Q I Q I I		1111)
	25-29	43 17 14 6	1111	1111	- 1- 11	α <del>-</del> 1 1 <del>-</del>	-11-1	11111	11111	111	11111
	20-24	125	1111	11111	1111	111 00	<del>~</del> ← 1 1 1	11111	11111	1111	11111
	15-19	28 14 4 5	-11-1	11111	11111	- 1 1 - 1	11111	1111	1 (1,11	11111	1111
	10-14	26 14 14 14 14 14 14 14 14 14 14 14 14 14	1 1 1 1 1	11111	1 1 1 1 1	1 1 1 1 1	1111	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1
	8-6	37 12 12 6	11111	11111	11111	11111		11111	1111	1 1 1 1 1	1 1 1 1 1
	1-4	39 13 3	1111	1111	11111	11111	11111	~-111	1111	11111	
	Under	61641	11111	11111	11111	1111	11111	11111	1:11	11111	11111
5	Deaths	5933 2420 2123 767 623	129 63 40 17	115 47 21 37	281 97 78 72 34	438 145 203 39 51	156 65 57 25 9	282 79	69 23 22 14	340 151 119 44 26	101 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
Color	Sex	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M NW F	TOTAL W M W F NW M
	Cause of Death	NEOPLASMS	Malignant neoplasm of buccal cavity and pharynx	Malignant neoplasm of esophagus	Malignant neoplasm of stomach	Malignant neoplasm of intestines, except rectum	Malignant neoplasm of rectum	Malignant neoplasm of biliary passages and of liver (stated to be primary)	Malignant neoplasm of liver not specified whether primary or escondary	Wlignant neoplasm of pancreas	Malignant neoplasm of peritoneum and of unspecified digestive organs
Seventh	Revision	ii.	140–148	150	151	152,153	154	155	156.1	157	158,159

1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	NILIN	3 1 1	1.1.1	1.1.1	1-1-1	1 1 1	1 1 1	1 1 1 1 1	1 1 1 1 1
0011	01101	52201	111	4 1 1 4	040	957-	mm 1	I	46	<del></del> 1	W 01 − 1 1	200-1-1
11	<i>ΦMWM←</i>	608-1	NIINI	2021-	r 46	10 W M	10 to 1	1	47 35 12	1 99	9991-	00011
ממוו	201	27 7 8 8 2	-1-11	34	10 2	2000	15	46-	91 26	-1-	∞ w 4 − 1	5501-
241-	33	8 22 22 1	<i>⊳∞⊢⊢ ⊢ ⊢</i>	38 - 6	25	392	72.7	201	32 22	m 01 ←	<del>2</del> 89-1	24 1 2 3 8
1-67	178 37	122 86 122 13 6		37	11 23	11 5	13	1	19 29	1 1 1	0 E 4 s t	30 46 88 8
80 10 100	1952	112 27 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	51	23 23	23	72 27	1	36		50001	4014-
9410	1 7 2 38	217	4-8-1	63	29	489	31	400	28 12 16	W 12 -	12 2 2 2 1	8 7 4 9 1
wα + 1	133835	85 55 20 1	~ ~ ~ ~ 1	17 60 17	2 = 2	9109	200	~	r 4w	N	∞ r - 1 1	80 F I I F
N1	19 19 1	3333	-11-1	62 48 - 41 - 48 - 48 - 48 - 48 - 48 - 48 -	12 6 51	04N	13	1.1.1	- 1 -	~	99111	N 1 W
-11-	~w-∞1	30 2 2 2 3	11111	33	25 10	m m 1	to to 1	-1-	1	1 1 1	011-120	111
1111	w 1 α ⊏ 1	201 41	-111-	8 12 13	11 4	- 1-	mm 1	1 1 1	1 1 1	લલ 1	N N I I I	1111
1111	-1-11	NNIII	1111	01014	m m 1	1 1 1	1 1 )	1 1 1	1 5 1	1.1.1	1 1 1 1 1	1111
1111	111	1 1 1 1 1	1111	41010	750	111	111	111	1 1 1	N	1111	1111
1111	11111	11111	11111	1 1 1 1 1	t	1.1.1	1	1 1 1	1 1 1	1	1 1 1 1 1	1111
1111	1111	11111	1111	11111	1 1 1	1.1.1	1 1 1	1 1 1	1	I	1111	11111
1111	1 3 1 1 1	11111	11111	1 1 1 1 1	1 1 1	1.1.1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1 1 1	1 1 1 1 1
1111		1 1 1 1 1	13111	11111	1 1 1	111	1 1 1	1 1 1	1 1 1	1		11111
1111	11111	1111	←	1 3 1 1 1	1.1.1	1 1 1	1 1 1	1.1.1	1 1 1	111	111	1 1 1 1 1
1111	11111	1111	11111	11111	1 1 1	1 1 1	1 1 1	111	1 1 1	1 1 1	11111	11111
37	269 185 29 51 4	706 470 91 121 24	26 10 9 19	513 402 2 108	212	113	168 142 26	17	390 252 138	23	104 66 25 10	35 4 E E
TOTAL W W F	TOTAL W M W F NW M	V M W F W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W F	TOTAL W F	TOTAL W F	TOTAL W F	TOTAL W M NW M	TOTAL W M NW M	TOTAL W M W F NW M	TOTAL W M W F NW M
Malignant neoplasm I	Malignant neoplasm of traches, and of bronchus and of lung specified as primary	Malignant neoplesm of lung and bronchus, unspecified as to whether primary or secondary	Malignant neoplesm of other parte of respiratory system	Malignant neoplesm of breast	Malignant neoplasm of cervix uteri	Malignant neoplasm of other and unspecified parts of uterus	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	Malignant neoplasm of other and unspecified female genital organs	Malignant neoplasm of prostate	Malignant neoplasm of testis, and other and unspecified male genital organs	Malignant neoplasm of kidney	Malignant neoplasm of bladder and other urinary organs
161	162	163	160,164	170	171	172-174	175	176	177	178,179	180	181

	1	Not	1111	1.1.1	1 1 1 1 1	1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1.1.1.1
	-	85 & Over	4-611	1 1 1	-1-11	← 1 ← 1	-1-11	mm 1 1 1	W1-	55	00011	L 4 9 1 L
		80-84	<i>E</i> ≈ ≈ − 1	1 1 1	וואוא	1 1 1 1	40011	w-011	9881-	34 15 15 15 15 15 15 15 15 15 15 15 15 15	00811	6.2411
		75-79	E w n u u -	1 1 )	40011	-1-1	0-211	4€1⊏1	400 K I I	50 24 44 6	258	22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
		70-74	द्यक्ता।	1 1 1	99111	r-mm-	9mm11	11111	r 4w 1 1	63 21 20 6 16	32 10 2 2	141
		69-69	F0W41	1 1 1	97 2 1 1	- 1- 1	ωα-11	41411	W	252	26 10 10 1	118
	-	60-64	E 2 W - 1	1	77 - 1	~ 1 ← ←	04011	-111-	V 2 1 L L	29 174 175 175 175 175 175 175 175 175 175 175	18 2 2 2 1	2 t t t t t t t t t t t t t t t t t t t
5	2	55-59	11 m m	1 1 1	21.911	~ 1 ← ←	7 N N T -	01011	98	73 31 10 5	66661	27 8 8 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
COV WE	- 1	50-54	2741-	111	01 9	1111	α <del>-</del> 1 1 -	1111	0-6	14 51 59 4	689941	8 t t 4 k
	DEATH	45-49	<i>₽₽888 8 8 8 8 8 8 8 </i>	1 1 1	0 8 8 1 1	- 1 I -	~~ III	-111-	<del></del>	72 6 52 8 8	200411	22 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
E	¥	40-44	F-20-1-	1.1.1	098-1	1111	-11-1	1111	α ← 1 ← 1	0 m m 1 m	V-101-	9r 4ce
ρ ς «	AG	35-39	06-11	111	mα1−1	1111	1111	α-11-	m 1 α ← 1	# ← N N M	w 1 − 1 w	04-1-
	Ì	30-34	£ 0011	1 1 1	9 N M ← I	1111	-111-	1111		W1-	216	4011-
		25-29	11004	1 1 1	α <del>-</del> - 1 1	1 ) 1 1	N 1 1	11111	-111-	w 1 1 % <del>-</del>	9~~-I	10 2 2 7 1
		20-24	11111	111	-1-11	1.1.1.1	1111	11111	מומוו	1111	8 % 4	11 20 00
		15-19	-1-11	1 1 3	-111-	1111	α 1 – – 1	111	11111	-111-	04-8-	40-1-
	ľ	10-14	11111	111	w-011	1111	0 1 ← 1 ←	-1-11	11111	111	± ∞ ~ − 1	4 € 1 ← 1
	Ī	5-9	11111	111	0 6 6 6 6 6	1111	1111	11111	11111	% <del>-</del> 1 1 <del>-</del> −	12667	Q = 1 1 =
		1-4	11111	-1-	0000−−	1111		1111		11111	£60000	νω i
		Under	11111	1 1 1	-1-11	FILL		1111		11111	w 1 ← α 1	11111
	Total	Deaths	122 68 43 7	N	149 86 51 6	20084	19 19 4	22 6 6 7 8	54 22 18 7	453 174 165 54 60	279 122 108 30 19	317 132 28 27
	-	Sex	TOTAL W M W F NW M	TOTAL W M NW M	TOTAL W M W F NW M	TOTAL W M W F NW F	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL V M W F NW M
Table C-1 continued	i i	Cause of Death	Malignant neoplasm of skin	Malignant neoplasm of eye	Malignant neoplasm of brain and other parts of nervous system	Malignant neoplasm of thyroid gland	Malignant neoplasm of bone (including jaw bone)	Malignant neoplasm of connective tissue	Malignant neoplasm of other specified sites, not stated to be secondary	Malignant neoplasm of unspecified site	Leukemia and aleukemia	Lymphosarooma and other neopleams of Lymphacto and hematopoletic tissues
- 1	Seventh	Revision	190,191	192	193	194	196	197	195,	156.2, 165,198, 199.2	504	205,205

1111	1 1 1 1	1 1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1 1	ı	1 1 1 1	ı	1 1 1 1 1	ı	1	1 1 1 1 1	1 1 1 1 1
NUN-1	51 25 4 25	111	1111	1111	39 22 22 2	1	1111	1	111	-	1	9 1 1 1 1 1 1	
41411	8432	2-411	- 1 - 1	1 1 1 1	68 36 7	1	1111	1	- 1 - 1 1	ı	ı	4	ωνω11
98411	124 28 65 13	C ∨ √ 1	-11-	1111	100 21 54 16	1	1111	ı	111	1	1	w 1 % ← 1	04661
<u>E001   </u>	141 33 85 85 83	50001	1 1 1 1	1111	111 27 46 19	1	1 1 1 1	1	-111-	1	1	w1-0/1	78780
1-200	163 53 34 34	02 27 1	-11-	1111	136 136 143 133 134	'	1 1 1 1	1	111	1	1	α 1 1	N11
<u> </u>	131 28 19 32	25 4 5 1	1 1 1 1	1111	91 17 17 17	1	-1-1	ı	1111	1	1	≈ × 1	40011
<u> </u>	112 26 21 21 25	86469	11	-1-1	277	1	1111	1	α-1-1	1	1	- I I - I	9881-
48000	30 30 18 20 20	~1v11	0 I	1111	57 25 10 71	1	1 I	1	1111	1	'	1111	8-11-
588254	62 118 21 9	\$ 07 W F 03	1 1 1 1	1 1 1 1	22 23	1	-11-	ı	-1-11	1	-	w 1 1 - 0	4-0-1
V4814	279	24113	~ l ~ l	1111	80000	1	1111	1	1111	1	1	11111	<i>1</i> 0 ← 1 <i>1</i> 0 ←
W1	26997	410	1 1 1 1	-11-	29-4-	1	1 1 1 1	1	-11-1	1	1	11111	w ← 0.1.1
N N N ← I	238447	4	- 1 - 1	1 1 1 1	4222	1	1111	ı	1 1 1 3 1	1	1	1111	-11-1
1111	5 € 4 L 8	410	1111	1111	∞ - m - m	ı	1111	1	11111	1	ı	11111	NIIIN
46-11	20440	410	1111	1111	<b>← ← 1 1 1</b>	-	1111	1	11111	ı	4	11111	∾ – 1 – 1
40116	V 01 - 14	01 - 1 1 <del>-</del>	1111	1111		1	1 1 1 1	1	1111	1	1	1111	1111
4-611	02221	11111	1111	1111	m 1m 1 1	1	1111	1	1111	1	1	11111	€ - CS -
WWW11	£ 2001-W	11111	1111	1111	-1-11	1	1111	-	1111	1	1	11111	w-110
11 NWW	20000	E1E11	1111	r11	-111-	1	1111	1	11111	1	1		∞ 1 U U V 4
w1-w1	€0084	F	1111	1111	1111	1	1 1 1 1	ı	11111	1	1	11111	41-01
129 121 121	1132 354 388 162 228	118 42 24 20 41	8-46	W	782 247 271 94 170	-	w	-	0400-	-	-	8 6 8 7 5	25 20 20 15
TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW F	TOTAL W M W F NW F	TOTAL W M W F NW M	NW F	TOTAL W M W F NW M	NW M	TOTAL W M W F NW M	N N	W F	TOTAL W W W F NW M	TOTAL W M W F NW M
Benign neoplasms and neoplasms of unspecified nature	ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES, AND DISEASES OF THE BLOOD AND BLOOD FORVING ORGANS	Asthma	Thyrotoxicosis with or without goiter	Myxedema, cretinism, and other diseases of thyroid gland	Mabetes mellitus	Diseases of parathyroid gland	Diseases of pituitary gland	Diseases of thymus gland	Diseases of adrenal gland	Pellagra	Scurvy	Avitaminosis and other deficiency states	Anomias
210-239	and IV.	24.1	252	253,254	560	271	272	273	71.7	281	282	285,286	290-293

	& Not		11111	0-4-1	0-4-1	1 3 1 1 1	11111			11111	,
	-84 85 & Over	1111		L 4 4 1 L	L 4 4 1 L	1111	11111	837 936 303 286 415 519 62 49 57 82	822 928 294 283 410 514 62 49 56 82	w 1 -	1
	75-79 80-	1111	NINII	4-81-	4-01-	1111	11111	886 293 409 4 80 104	870 286 402 402 78 104	1111	-
	70-74 7	1111	<i>₩</i> − <i>₩</i> 1 −	9-22-	4-01-	01101	11111	767 281 248 122 116	745 270 241 121 113	9	2
	69-99	1111	£44-0	45cc2-	04811	≈-141	1111	636 217 165 124 130	623 213 160 130		1
	60-64	-1-11	r-2011-	622	8461-	-887-I	1111	424 138 100 22	398 126 95 88	401	1
EBS.	55-59	N11	401	36 11 2 2 2	0 4 4 4 4	26 12 19 19	11111	330	295 81 67 64	α ← 1 ← 1	5
IN YEARS	10	WIIWI	9881-	23 23 23 24 25 26 27	~ W U	20 79	11111	577 63 63 87 87 69	222 58 51 77 36	W1-	2
DEATH	1 0	NULLI	21-14	29 11 4	46141	252	1111	172 40 40 40 40 40	145 33 33 34 45 35 36 37	w 1 % 1 ←	7
ΤA	-44	11111	041	82422	w ⋈ 1 ← 1	33	1111	56 42 53 53	17 24 17	W I	4
AGE	35-39	WINIW	<i>∾−∞−</i> 1	25 2 4 5 6 6	4-161	24 13 13 8	1111	51 15 13	100111111111111111111111111111111111111	-11-1	1
	30-34	1111	w111w	40 1 44	241-1	r-1ww	α <del>-</del> 1 1 <del>-</del>	86 4 25	7000	W1-	2
	25-29	-111-	ee111	0 2 1 9 1	-1-11	0110-	w ⋈ 1 ← 1	22 - 2 - 2 - 2 - 2 - 2	£ 4 € 4 € 4	1 1 1 1 1	'
	20-24	-11-1	ω 1 α <del>-</del> 1	011	11111	N 1 1	11111	23	0444	- 1- 11	'
	15-19	-111-	e 1 e 1 1	0 - 1 I -	111	1111	-111-	25 7 4 7 7 4 7 4 7 4 7 4 7 4 7 4 7 4 7 4	101 LW	01110	-
	10-14	1:111	0 1 1	1 1 1 1 1	1 1 1 1 1	11111	11111	5 r u 4 w	NU	α <b>- 1 - 1</b>	'
	6-9	111	NW-1-		1111	11111	F - 1 1 1	20 46 6 1	-1-11	01101	'
	1-4	11111	4-8-1	4	1 1 1 1 1	1111	4	27 8 4 9 8	22111	F 21 - 22 -	'
	Under		0-2-1	<del>← 1 ← 1 1</del>	11311	11111	-1-11	80000	מווומ	だんとんい	
	Total	\$£ 2445		253 104 40 80 80	23.3.7.	168 67 15 67	52000	5583 1825 2114 849 795	5236 1702 2017 770 747	88 12 17 13 13	77
100	and	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M NW F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL
lable tel continued	Cause of Death	Hemorrhagic conditions	Allergic disorders; all other endocrine, metabolic and blood diseases	MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	Psychoses	Alcoholism	Mental deficiency	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	Vascular lesions affecting central nervous system	Meningitis, except meningococcal and tuberculous	Multiple sclerosis
- 1	Revision Number	295,296	240, 242-245, 270, 275-277, 287-289, 294,	ν.	300-309	322	325	VI.	330-334	340	345

1 1 1 1	11111	1 1 1 1	1111	61164	1111	11111	41100	1 1 1 1 1	1111	W 1 1 + W
W 01 - 1	11111	1111	₩₩ 411	2131 733 1121 124 153	1 1 1 1	1 1 msn	1148 417 600 58 73	w ← 1 1 0	296 104 160 160	134 39 69 10 16
0001	11111	1 1 1 1	wα←11	2046 804 965 137		9 m 0 1 -	1236 516 595 65 65	481	226 72 114 20 20	120 62 35 12 11
1000	-11-1	1 1 1 1	0 - 4 - 1	2350 981 937 221 211	1 1 1 1	WW5-1	1519 688 616 112 103	77470	191 59 86 28 18	138 62 40 15
C4W1	111	1111	25-11	2451 1134 777 285 255	1 1 1 1	₹ 200 ← 1	1668 841 549 155 123	044-1	158 60 53 16 29	744 61 22 23 23
2000-	-1-11	1111	1 8880	2070 1004 524 296 246	1 1 1 1	22 6 1 - 1 - 1 - 2 6 7 - 1	1434 773 368 169 124	27 6 1 8	30 30 26 27 17	145 68 28 27 22
24-1	-11-1	-1-1	20400	1821 1031 335 261 194	1111	8 - 8	1291 807 248 161 75	7777	34 Kg 2 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	141 61 23 25 25
ww 1 1	1 2220	1 1 1 1	68581	1486 844 233 252 157	1 1 1 1	12 0 0 x w	1045 674 162 137	11 22 21	38 17 6 7 8	129 64 20 31 14
1111	クトージー	-11-	50480	1074 571 152 226 125	1 7 3 1	29 4 4	737 452 102 119 64	24114	\$400m	101 41 15 31
1111	81-46	1 1 1 1	\$ 1 1 W M	668 361 90 133 84	1 1 1 1	32778	767 767 769 800 700	w 1 ⋈ ← 1	r4-01	64 29 12 11 12
1 1 1 1	8 4 0	1111	4	764 242 58 96 68	1 1 1 1	<u></u>	302 185 31 33	481	84	54 25 9 111
1111	W411-	11	928€1	198 78 17 58 45	1 1 1 1	€0WGG	105 52 88 28 17	111	011	56 20 00 00 00 00 00 00 00 00 00 00 00 00
1 1 1 1	W 1 - W W	1 1 1 1	40101	98 11 33 26	2 ← ← 1	444	97 18 17 8		1111	2 - 2 - 2
1111	13-20	1111	20-10	04 62 62 62 62	← 1 ← 1	461-1	20160	1 1 1 1 1	111	r00
1111	0-061	1111	V4	36 12 10 10 8	-11-		# W W W C	11111	W 1 1 W F	E 0 100
1111	9-4-1	1111	<u> </u>	14 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	-1-1	w ~ − 1 1	01101	111	1111	40101
1111	1 1 1 1 1	1 1 1 1	0.4-0.0	4-1-8	-11-	-111-	11111	11111	1 1 1 1 1	∾ - 1 - 1
1 1 1 1	-1-11	1 1 1 1	04121	0.10.11	1111	11111	1111	1 1 1 1 1	1111	0.10.11
1 1 1 1	-111-	1111	F 4 W W L	12 M I W	1111	11111	11111	11111	1111	1 1001 0
1111	11111	- 1- 1	₩ W W W W	120004	1 1 1 1	1111	0 1 ← ← 1	11111	81118	22770
12	59 14 15 20 10	4-2-	162 59 47 38 18	16976 7844 5239 2157 1736	r 22 M 22	210 92 88 16 22	11030 5730 3338 1161 801	35	1129 391 461 142 135	1262 541 296 233 192
TOTAL W M W F	TOTAL W M W F NW M	TOTAL W M NW M NW F	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M NW M	TOTAL W W W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M
Paralysis agitans	Epilepsy	Otitis media and mastoiditis	Other diseases of nervous system and sense organs	DISEASES OF THE CIRCULATORY SYSTEM	Rheumatic fever	Chronic rheumatic heart disease	Arteriosclerotic heart disease, including coronary disease	Chronic endocarditis not specified as rheumatic	Other myocardial degeneration	Other diseases of heart
350	353	391-393	341-344, 351,352, 354-369, 380-384, 386, 388-390, 394-398	VII.	400-402	410-416	750	421	755	430-434

	Not	1111	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1	1 1 1 1 1	1 1 1 1 1	41-0-	1 1 1 1 1	1 1 1 1 1
	ee &	193 49 109 16	24286	284 94 155 21 14	789 I K	1 1 1 1	-111-	42013	23.1 101 110 9	1   1   1	∞ w 4 − 1
	80-84	217 59 1111 22 25	34 10 27 25	145 54 722 6	23 17 28	N ← 1 ←	W 0 1 1 -	75 6 7 8	187 94 75 9	1111	~~- 1 ←
	75-79	245	25 6 8 E	121 39 11 16	26 41 8 1	-11-	11 2000	48 18 18 4	253 146 80 21 6	1111	481
	70-74	227 54 63 59	41 20 6 8	33,4	25 25 1	0101	なるとなっ	34 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	273 161 59 40 13	00111	w1
	69-69	212 45 45 56 63	25	133	47 34 22	1 1 1 1	∞ ~ ~ ~ I	22 20 6 4	203 128 31 35	1 1 1 1 1	4-01-
	40-64	170 57 25 36 52	Wowon	20 1 8 1 4	30 71 4	1 1 1 1	±00−1−	23 14 23 24 24 24 24	141 90 29 17	1111	I I I
ARS	55-59	147 31 19 54 43	82 4 00 6	€ & - a a	<u>64</u> 244	1111	44111	15 2 3 3 8	124 77 21 18	1111	N I F I N
IN YEA	50-54	108 24 7 50 27	25 48 4 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	N-11-	F9-6+	1 1 1 1	P 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	82123	111 213 33 123	1111	1111
DEATH 1	45-49	60 4 7 17	409	-1-11	04110	1 1 1 1	V 141W	L 40	32 32 11 11 11 11 11 11 11 11 11 11 11 11 11	-111-	
AT	40-44	33	28232	40101	00111	1 1 1 1	W 1	<del>E</del> www0	44 51 41 5	1111	1111
AGE	35-39	202	F0w	1111	-11-1	1111	WW	₩- 1 W W	11111	-111-	111
	30-34	41	9-1-89	1111	1 1 1 1 1	1111	01110	21272	23 23	-1-11	ellel
	25-29	α ← 1 ← 1	N 1 1 F F	11111	1 1 1 1 1	1111	w 1 ← 1 ⋈	4-01-	<u> </u>	1 1 1 1 1	1111
	20-24			1111	1111	1111	01110	1 22 22 0	40000	1 1 1	1111
	15-19	1 1 1 1 1	11111	11111	1111	1111		N 1 1 FF	44 9 13 13	1111	1111
	10-14	1111	1 1 1 1 1	1111	1 1 1 1	1 1 1 1	1 1 1 1 1	11111	r- m 02 -	1111	1 1 1 1 1
	5-9	1 1 1 1 1	11111	11111	1111	1111	1 1 1 1 1	1111	7 6 8 3 4	e i le i	8-1-1
	1-4	1 1 1 1 1	1111	1111	1111	1111	1111	11111	60 15 12 14	48-1-	w 1
	Under	11111	11111	1 1 1 1 1	1111	1111	1111	111	274 42 41 106 85	5-250	Ø 1 ← M Ø
E	Deaths	1639 415 482 382 360	313 89 67 83 74	722 251 336 65	230 147 48 15 20	£ C C C C	72 32 4 7 7	288 118 94 47 35	2099 994 527 364 214	20000	45 5 0 C C C C C C C C C C C C C C C C C
Color	sex	TOTAL W M W F NW M	TOTAL V M W F NW M	TOTAL W M W F NW M	TOTAL W W W W F NW M	TOTAL W M W F	TOTAL W M W F NW M	TOTAL V M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M
	Cause of Death	Hypertension with heart disease	Hypertension without mention of heart disease	General arteriosclerosis	Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm	Gangrene of unspecified cause	452-454, Other arterial diseases	Diseases of veins and other diseases of circulatory system	DISEASES OF THE RESPIRATORY SYSTEM	Acu's upper respiratory inf.etions	Influenza
Seventh	Revision	440-443	177-777	057	451	455	452-454,	897-097	VIII.	470-475	480-483

	1 1 1 1 1	ω 1 1 α <del>-</del>	1 1 1 1 1	1 1 1 1	1 1 1 1 3		1 1 1 1 1	1	- 1 - 1 1	e 1 1 e 1	<del>- 1 1 - 1</del>	1.1.1.1.1
	80 M W	37,77	39 46 29 20 20 20 20 20 20 20 20 20 20 20 20 20	-11-	00 8 - 1	ı	1111	1	21 12	104 30 60 7	W-W11	0414
-	100 00 1	59 23 4 4	331	1 1 1 1	00011	1	0.0111	1	222	103 38 52 7	<i>0.40.4</i> − 1	2-22-2
_	87878	33 33 33 34 35 33	47 20 23 4	-1-1	153	1	NIINI	1	85 64 16 1	139 59 59 12 9	₩ <u>+</u> ≈ 1 1	1 24 - 1 2
-	79 67-	63 28 17 6	59 22 21 12 4	1 1 1 1	67	ı	w 01 − 1 1	ı	110 83 71 71	129 55 112 11	52041	00111
_	0 2 4 - 1	4 8 2 2 3	8 E E E C C	1 1 1 1	16 23	1	W1	-	86,000	149 69 50 10	50010	<u>_</u> &
	41-61	25 11 2 25	82226-	11	27-41-	1	wa1⊷1	1	77 288 111	124 60 32 15	02241	r 40x-1
_	0,∞ ← 1.1	17 6 4 9 0	7.9998	1.1.1.1	5 € C C L I	1	111	1	54 40 8 7	136 74 30 24 8	26-41	00 4 - 01 -
-	20-0-	20 7 7 9 9	€8600	1 1 1 1		1	N I I N I	1	4800w	120 57 31 17	W011-1	40011
_	F w w w w	£8 + 5 E	04000	1 1 1 1	4-611	ı	W110-	1	424	140 62 30 28 20	1 NWW 00	~ 1 1
	\$0 N I N ←	<u> </u>	046	- 1 - 1	481	t	← 1 ← 1 1	-	0 m m − v	97 47 19 12	11 N W W	241←1
-	4	8014	04010	1 1 1 1	111	1	1111	1	V 02 W	60 24 13 8	NNIII	111
_	-11-1	₹C ← 4 1 1	8416-	1111	1111	1		1	90100	127	1111	111
	W1	W1120	0 11	1 1 1 1	11111	ı	1 1 3 1 1	1	w 01 − 1 1	69 48 1	σ ← ← ← 1	← 1 ← 1 1
	W 1 1 - 0	8-1-1	4-8-1	1 1 1 1	11111	1	3 1 1 1 1	1	44111	V+000	1 1 1 1 1	0 ← 1 1 ←
Ī	N ← I ← I	W 1	1 -1220	1111	- 1 - 1 1	1	1 + 1 + 1	1	N 1 1	± − 0.0 m	3 1 1 1 1	1111
Ī	11111	811	w1-	1111	11111	1	1111	1	~ 1 ← ← 1	27273	1111	11111
_	11111	≈- 1-w	9 07 - 10 1	- 1-1	-111-	2	111	1	- 111	4-611	11111	1 1 1 1 1
_	w 1	50040	92000	1 1	0.110.1	1	11111	1	NN	₩w44	1	1 1 1 1 1
_	<u>r</u> w4rw	23 8 23 21 23	140 25 17 54 44	- 1 1-	9010	1	-11-1	1	28 7 7 7 7 7 7 7 7	85 20 12 28 25	1111	-111-
_	148 53 37 42 16	518 206 147 94 71	576 195 181 124 76	~ N M N	141 95 32 9	CZ	23	2	613 411 107 67 28	1475 620 461 214 180	101 54 28 16	200,000
-	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW F	TOTAL W M W F NW F	TOTAL W M W F NW M	M M	TOTAL W M W F NW M	M M	TOTAL W M W F NW M	TOTAL W M W F NW M NW F	TOTAL W M W F NW M	TOTAL W M W F NW M
	Lobar pneumonia	Bronchopneumonla	Primary atypical, other and unspecified pneumonia	Acute bronchitis	Bronchitis, chronic and unqualified	Hypertrophy of tonsils and adenoids	Empyema and abscess of lung	Pleurisy	511-517, All other respiratory 520, 522-527	DIGESTIVE SYSTEM	Ulcer of stomach	Ulcer of duodenum
	7490	167	492,493	200	501,502	510	518,521	519	511-517, 520, 522-527	IX.	540	541

Table C-1 continued

	Not	11111	F F F F F	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	-111-
	85 & Over	11111	11111	720 100 100 100 100 100 100 100 100 100 1	11111	∞0-1	0-11	04911	0 6 6 7 - 1	25 77 77	23872
	80-84	1111	4-8-1	23	1 1 1 1 1	9261-	0 0 0 1 1	rw411	0 6 9 1 -	28 47 4 - 1	34 31 13 8
	75-79	1111	40011	78 57 50	11111	₩-M-1	120011	66677	04511	3 4 6	372
	70-74	1111	mm	48544	1111	-1-11	61911	222	21 02 10	39 16 16 4	105 471 20 13
	62-69	11111	← I ← I I	20000	11111	0-11-	11 mm	25 5 5 5 5	4541W	36 27 24 24 24 24 24 24 24 24 24 24 24 24 24	35 28 19 15
	60-64	α-1-1	011	F0464	1 1 1 1 1	⊗ I ← I ←	00-10	45 24 27 8 7	9881-	720 10	36 17 13
RS	55-59	-1-11	-1-11	₩ 2444+	11111	ellle	4-601	24084	461-1	10 12 12 12 12 12 12 12 12 12 12 12 12 12	25,511
IN YEARS	50-54	11111	40101	52 6 1 4	1111	1111	α I I	61 33 17 4	W-411	111 27 2	7227
DEATH	45-49	111	-11-1	<b>Φ</b> ₩₩4−	1111	1 1 1 1 1	40101	70 41 12 4	0.1←←1	43 12 11 14 6	45855
AT	40-44	w1104-		46-11	1111	1111	41877	57 30 12 7	1 1 1 1 1	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	86118
AGE	35-39	1111		α-II-	1 1 1 1 3		α <del>-</del> 1 <del>-</del> 1	38 4 6 4 6	-1-11	4 2333	E 246 E
	30-34	11111	11111		11111	11111	-111-	0 r 4 n w	-1-11	∞ w - w -	δααα4
	25-29		mm 1 1 1	N 1 1	11111	α ← 1 ← 1		w 1 1 m 1		€ F F C F F	20044
	20-24	11111	-11-1	11111	+1+1+		11311	-111-		w 1 0 ← 1	04444
	15-19	11111	~ 1 1	1 1 1 1 1	1111	1111	1111	-111-	11171	<i>~~~~~</i>	081
	10-14	11111	81118	111	11111	-1-11	1111	0.4411	1 1 1 1 1	-11-1	w 1
	5-9	1111	-1-11	1 1 1 1 1	1 1 1 3 1	0.10.11	1111		11111	11111	4-1-0
	1-4	1111	ee 1 1 1	1111	NN - NN	w 1 + 0 1	11111	- 1 - 1 1		1111	011
	Under	11111	ee111	500441	55 6 6 22 22		α <del>-</del> 1 1 <del>-</del>	1111	11111	04081	%←← I I
4	Deaths	r ~ - ~ -	24 6 8 8 5	205 72 77 29 29	62 23 24 24	34 81 5 5	73 27 34 2	4111-	67 25 31 3	363 131 128 64 40	832 324 231 146 131
Color	snd	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M NW F	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M
	Cause of Death	Gastritis and duodenitis	Appendicitis	560,561, Hermia and intestinal	Gastro-enteritis and colitie (except ulcerative) (ages between 4 weeks and 2 years)	Gastro-enteritis and colitis (except ulcerative) (ages 2 years and over)	Chronic enteritis and ulcerative colitis	Cirrhosis of liver	Cholelithiasis and cholecystitis	536-539, Other diseases of 536-539, Other diseative system 545, 44, diseative system 545, 583, 583, 583, 585, 587,	DISEASES OF THE GENITO-URINARY SYSTEM
Seventh	Revision	543	550-553	560,561,.	571.0	571.1	572	581	584,585	536–539, 542,544, 545, 573–580, 582,583, 586,587	×

_	11111	1111	-111-	11111	1111	1 1 1	11111	1 + 1	1-1-1	1.1.1	1	1.1.1	1	1 1 1
	1 1 1 1 1	11	23	32 18 1	01011	23 19 4	2081	1 1 1	1 1 1	1.1.1	1	1 1 1	1	1 1 1
	11111	1111	400 mm	27 1 25 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	0-1-1	10	896-8	111	111	111	1	1.1.1	1	111
_	11111	1111	42010	18 12 4 1	90010	200	0222	11)	111	1.1.1	1	1 1 1	1	1.1.1
_	01-1-	1111	72 8 7 8 4	41 15 16 5 5	80 07 4	£ 8 €	5 8 W W G	111	1 1 1	111	1	1 1 1	ı	1 1 1
_	wα1←1	1111	0,000	02 4 5 6 5 1	wa-11	134	14077	1.1.1	1.1.1	1.1.7	ı	1 1 1	ı	1.1.1
-	w-1	0 I	37 6 6 9 9	28 10 27 7	24-11	50 70 70	74	111	1 1 1	1.1.1	1	1 1 1	ı	1.1.1
-	~ ~ 1 1 1	-1-1	20000	5 4 4 4 2 5	W I	8-8	00011	1.1.1	1 1 1	1 1 1	1	1 1 1	ı	111
-	00111	1111	65483	89226	0.10.11	F 1	86-41	1 1 1	1 1 1	1 1 1	1	1.1.1	ı	
-		1 1 1 1	2 4 4 7 2 8 8 7	2-226	11111	111	01010	1.1.1	1 1 1	1 1 1	ı	111	ı	111
-	01 - 1 -	1 1 1 1	16 2 4 4	£ 52 4 52 5	01-1-	1.1.1	₹01	400	1 1 1	- 1 -	ı	111	1	1
-	1 1 1 1 1	1111	65055	± 4444	1111	1.1.1	~111~	w 1 w	1 1 1	- 1 -	1	111	-	1 1 1
-	-111-	1 1 1 1	\$ F C C C C	- 11-1	0111-	1 1 1	4-6011	~~~	1 1 1	221	CV.	r 1	1	1.1.1
	11111	FF 1 1	04-44	N ← 1 1 ←	111	1.1.1	01-1-	4-6	- 1 -	2	ı	1.1.1	ı	← I ←
	11111	1111	044-V	-11-1	11111	1.1.1	1111	000	N	0110	-	-1-	1	1 1 1
_	111	1111	941	1 1 1 1 1	1 1 1 1 1	1 1 1	ww111	2000	W 55 F	- 1 -	- 1	1.1.1	1	1.1.1
-	1111	1111	w 1	11111	1111	1 1 1	1111	111	1.1.1	1.1.1	1	1.1.1	1	1.1.1
-	LEFF	07 F 1 F		-111-	1 1 1 1 1	1 1 1	11111	1.1.1	111	1.1.1	1	1.1.1	1	1 1 1
-	11111	1 / 1 /	-1-11	111	1111	1.1.1	1111	1 1 1	1 1 1	1 1 1	1	1 1 1	r	1.1.1
	1111	1111	N11	1111	1111	1 1 1	1111	1 1 1	111	1 1 1	1	1.1.1	1	1 1 1
_	2 2 2 2 3 4	7247	303 109 68 53	296 98 106 37 55	36 77 8 8 9	71 71	11 38 12 13 13	213	900	000	6	2	-	2
	TOTAL W M W F NW M	TOTAL W M NW M NW F	TOTAL W W F NW W M	TOTAL W W F W F NW M	TOTAL W M W F NW M	TOTAL W M NW M	TOTAL W M W F NW M	TOTAL W NW	TOTAL W NW	TOTAL W NW	MN	TOTAL W NW	NW	TOTAL
	Acute nephritie	Nephritis with edema, including nephrosis	Ohronic and unspecified nephritie and other renal scierosis	Infections of kidney	Calcull of urinary system	Hyperplasia of prostate	601,603, Other diseases of 605-609, genito-urinary system 617-67,		Sepsis of pregnancy, thildbirth, and puerperium (except sepsis of abortion)	Toxemias of pregnancy and puerpertum, except abortion with toxemia	Hemorrhage of pregnancy	Ectopic pregnancy	Abortion without mention of sepsis or toxemia	Abortion with sepsis
	290	591	592-594	009	602,604	610	601,603, 605–609, 611–617, 622–637	XI.	640,641, 861, 681, 684	642,685,	643,644,	645	650	651

	Not	1.1.1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1	1 1 1 1	1	1111	1 1 1 1 1	1111	1.1.1.1.1
	85 & Cver	111	01611	1111	41411	ı	1 1 1 1	ı	0121-	1111	11111	1111
i.	80-84	111	2-8-4	1111	21-411	1	1111	1	14-14	11111	11111	1111
	75-79	1.1.1	8 6 7 - 1	w 1-	C4W11	1	1 1	-	1 1386		3 1 1 1 1	ee 1 1 1
	70-74	1 1 1	40016	111	04011	ı	1 1 1 1	1	4-11W	-1-11	11111	1111
	69-69	1.1.1	72 8 EL U U	01011	45001	1	0.1	1	0441-	~     -	1111	
	60-64	1.1.1	5-w8ww	1111	V-W-W	1	-1-1	1	0 M 20 ← −	~~ ~ ~ I	11111	ee111
53	55-59	1 1 1	- 49 1 -	1111	11 12 13 6	1	I i	1	41411	00101	11111	₩ Ø 1 1 ←
IN YEARS	50-54	1.1.1	£ 2000	011	864-1	-	1111	1	01410	w1	11111	1 1 1 1 1
DEATH	45-49	1 1 1	64811	1111	01 I - I -	'	1 1 1 1	1	r 401 1	48-1-	11111	α ← ← Ι Ι
AGE AT I		2	9-618	11111		1	1111	1	~- ~ 1 −	ww111	11111	00111
AG	35-39	-1-	21-14	<del></del>		ı	1 7 1 1	1	41-16	98111	1 1 1 1 1	W 01 ← 1 1
	30-34	1 1 1	4-1-4	-11-1		1	1 1 1 1	1	0 <del>-</del> 1 1 <del>-</del>	-1-11	11111	-1-11
	25-29	1 1 1	4811	11111	11111	1	1 1 1 1	1	4811	w+ \(\alpha\)   1	11111	w-011
	20-24	W 51 E	NIINI	1111	11111	1	1111	1	N I I N I	£4500	11111	∞ ~ ~ ~ ~
	15-19	- 1-	08-18	1111	11111	1	1 1 1 1	1	98-18	8 8 5 4 1	1 1 1 1 1	20-4-
	10-14	111	22-11	11111	1 1 1 1 1	ı	I I	•	N 1 1	45001	1 1 1 1 1	rw411
	5-9	1 1 1	01110	11111	11111	1	1111	1	01110	2000-0	FIFT	0 40 14
	1-4	1 1 1	81616	1111	1111	'	1 1 1 1	1	01-1-	12 8 22 8 21	0.10.11	50000
	Under 1	1 1 1	111	11111	11111	ı	1111	1	111	342 127 110 59 46	4 223 4	149 65 70 70 70 70 70
	Total	r m 4	170 47 78 14	01 2 4 2 2 2	64 20 33 4 4	-	982-	1	88 21 40 6 21	481 174 156 84 67	44 24 3 4	33 63 53 33 33 33 33 33 33 33 33 33 33 33 33
1000	sex	TOTAL W NW	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	[E4 ]38	TOTAL W M NW M	мм	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M
	Cause of Death	646-649, Other complications of 660,673-pregnancy, childbirth, 680,683, and pherperium	DISEASES OF THE SKIN AND CELLULAR TISSUE; AND DISEASES OF THE BONES AND ORGANS OF MOVEMENT	Infections of skin and subcutaneous tissue	720-725 Arthritis and spondylitis	Muscular rheumatism and rheumatism, unspecified	Osteomyelitis and periostitis	Ankylosis and acquired musculoskeletal deformities	700-716, All other diseases of skin 731-736, and musculoskeletal system 738-744	congenital malformations	Spina bifida and meringocele	Congenital malformations of circulatory system
S the state of the	Revision	646-649, 660,673- 680,683, 687-689	XII. and XIII.	869-069	720-725	726,727	730	737,	700-716, 731-736, 738-744	XIV.	751	754

11111	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1	1-1-1-1-1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1
1111	1111	11111	1111	1111	1 1 1	1111	11111	1 1 1 1 1	11111	1 1 1 1 1
1 1 1 1 1	1 1 1 1 1	11111	1 1 1 1 1	1 1 1 1 1	1.1.1	1111	1111	1 1 1 1 1	1 1 1 1 1	1111
-11-1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 3	1 1 1 1 1	1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1111
-1-11	1111	1111	1 1 1 1 1	1111	1 1 1	1111	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1
11111	11111	1 1 1 1 1	11111	1111	1 1 1	11111	1111	1111	1 1 1 1 1	1 1 1 1 1
481		1111		1111	1 1 1		1111	11111	1111	1 1 1 1 1
94181	11111	1111	11111	11111		11111			11111	11111
W1	1111	11111	1 1 1 1 1	1 1 1 1 1	1 1 1	1 1 1 1 1	11111	1111	1 1 1 1 1	11111
α-11-	11111	11111	1111	11111	111	11111	11111	1111	1 1 1 1 1	1111
	1 1 1 1 1	1111	1 1 1 1 1	11111	1 1 1	11111	1111	11111	11111	1 3 1 1 1
w ← 1 ← ←	1111	11111	1111	1 1 1 1 1	+ 1 1	1 1 1 1 1	1 1 1 1 1	1111	1111	1 1 1 1
1 1 1 1 1	11111	11111	1 1 1 1 1	1111	1 1 1	(   1   1   1	1111	1111	1 1 1 1 1	1 1 1 1 1
11111	1111	1111	11111	1111	1 1 1	11111	1 1 1 1 1	1 1 1 1 1	11111	1111
10 - 10 - 1	1 1 1 1 3	1111		11111	1.1.1	1111	1 1 1 1 1	1111	1111	1111
00411	1111	1 1 1 1 1	11111	11111	1 1 1	1 1 1 1 1	1111	1111	1 1 1 1 1	1 1 1 1 1
-2222	1111	1111	1111	1111	1.1.1	1111	11111	1111	1111	1111
014-1	1111	1 1 1 1 3	1 1 1 1 1	11111	1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1111	1 1 1 1 1
20000	1 1 1	111	1111	1111	1.1.1	1 1 1 1 1	1 1 1 1 1	1111	1 1 1 1 1	1111
151 49 48 32 22	1440 480 313 357 290	167 68 46 27 26	372 124 84 89 75	54 10 13 13	5 5	32 7 5 1 1 9	27 27 27 27	36	351 72 85 59	04000
217 69 69 48 31	1441 481 313 357 290	168 69 46 27 26	372 124 84 89 75	75 10 13 13	0 2 2	25 27 21 6	100 100 13	36	351 135 72 85 59	64850
TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL NW M NW F	TOTAL W M W F NW M	TOTAL W W W F NW M	TOTAL W W W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M
750,752, All other congenital 753, malformations 755-759	CERTAIN DISEASES OF EARLY INFANCY	Birth injuries	Postnatal asphyxla and atelectasis	Pneumonia of newborn	Marrhea of newborn	All other infections of newborn	Hemolytic disease of newborn (erythroblastosis)	779, 771, All other defined diseases 772 of early infancy	ill-defined diseases peculiar to early infency	Immeturity with mention of any other subsidiary condition
750,752, 753, 755–759	XV.	760,761	762	763	792	765-768	770	769,771,	773	477

	Not State.	3 1 1 1 1	1 1 1 1 1		1 1 1 1 1	1 1 1 1 1	11111	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1
	85 & Cyer	11111	33 19 19 19	\$ 9 E 9 E	25 SE	115 38 65 7 5	11111	1111	NNIII	00 m ← 1	1 1 1 1 1
	80-84	3 1 1 1 1	29 11 11 11	848	60 25 10 10	105 41 52 52 7	11111	1 1 1 1 1	5 rv w u u	F20011	-1-11
	75-79	1 1 1 1 1	23 23 23 23	W1W	92 29 28 15	111 50 42 13	1111	1111	50121	<u> </u>	4 € 1 ← 1
	70-74	11111	107 40 15 35	22-	102 39 14 33	128 63 33 22 10	FF	F 1 F 1 1	22 0 22 0	26 11 2 2 3 3 3	₩₩ 1
	65-69	1 1 1 1 1	123 34 25 33	w ← 1 1 ⋈	120 33 25 33 29	175 75 42 40 18	elle	0.110.1	52282	12 4 1	0 N W - 1
	6C-64	11111	113 49 14 30 20	1111	113 49 14 30 20	168 102 27 31 8	241-1	<del>- 1 - 1 1</del>	46000-	26 15 15 17	- raa 1
RS	55-59	1111	96 35 13 26 22	-111-	95 35 13 26 21	239 126 51 49 13	wwill	mm   1	72000	261138	85000
IN YEAR	50-54	11111	72 25 7 28 12	11111	72 25 7 28 12	273 145 40 72 16	111	01 - 1 1 -	66-81	100 4	15 15 17
ATH	45-49	1111	65 20 11 19	11111	65 20 11 19	277 139 44 70 18	4-161	N ← ← 1 1	44180	47 26 12 5	77 4 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
E AT DE	40-44	1111	17 17 18	1111	45 17 18 7	314 151 50 96 17	w← 1 ⋈ 1	111	24-61	04 16 16 16 16 16 16 16 16 16 16 16 16 16	2229
AGE	35-39	1111	27 6 8 11	1 ) 1 ( )	27 6 6 11 11 11 11 11 11 11 11 11 11 11 11	315 160 41 95 19	461-1	w ← 0/1/1	101 mm	253	2333
	30-34	1 1 1 1 1	92 - 48 6	11111	9 - 48 E	297 132 43 98 24	0.11	401	92222	23 9 8 2 8	21 21 15
	25-29	1 1 1 1 1	∞ 1 mm N	( 1 1 1 1	1 mmn	352 171 46 105 30	00101	40011	0 2 - 5 2	73 42 12 4	3 22 4 22 3
	20~24	11111	10	11111	01 - 2 & 4	508 274 60 147 27	W-1	40011	21 2 1 2 1	105 69 19 15	146 96 31 4
:	15-19	1111	27750	1 1 1 1 1	24-126	44.8 261 61 101 25	00111	461-1	27 + 1 8 8	85 55 19 6	157 99 24 30 4
	10-14	1111	41	11111	41	155 75 27 32 21	11100	01110	27 6 9 7 5	31 16 7	8 0 4 - 6
	5-9	11111	w 1 ← α 1	1 1 1 1 1	W 1 - W 1	145 47 31 39 28	11111	- 1- 11	52 11 22	72421	V 11 - 11 - 1
	1-4	1111	<u>=</u> m \( \delta \( \delta \)	11111	T 6040	33 33 33 33 33 33 33 33 33 33 33 33 33	-1-11	01-1-	28 12 4 4 7 4 5	50801	20110
	Under	372 111 73 103 85	105 22 42 32 32	1111	22 22 42 32 32	122 32 21 21 21 21	11111	1111	1 1 1 1 1	12411	∾ 1 1
To+97	Deaths	372 111 73 103 85	1065 336 186 312 231	05 27 61	1015 323 169 303 220	4398 2138 807 1107 346	27 27 22 22	36 11 4 2	296 119 39 39	673 363 179 96 35	633 395 80 134 24
_	sex	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M NW F	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M
	Pause of Death	Imma turity, unqualified	SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	Semility without mention of psychosis	780-793, Symptoms, 111-defined 795, and unknown causes	ACCIDENTS, POISONINGS, AND VIOLENCE	Railway accidents	Motor vehicle traffic accident involving collision with reilway train	Motor vehicle traffic accident to pedestrian	819,813- Otter motor vehicle traffic 819 accident involving collision	Motor vehicle noncollision traffic accidents
Seventh	Revision	9.1.2	XVI.	764	780-793,	XVII.	800-802	810	812	811,813-	820-824

	1 1 1 1 1	1 1 1 1 1	1 1 1	1 1 1 1	1 1 1 1	1 1 1 1 1	1.1.1.1.1	11111	1.1.1.1.1	1 1 1 1 1	1111	1 1 1 1
	1111	111	1 1 1	1111	1111	11111	+ 1 1 1 1	00010	58511	330	1 1 1 1	1 1 1 1
-	111	1111	1 1 1	1111	1111	1111	1111	11000	72211	2 1 1 3 8	1111	0011
•	-1-11	11111	1 1 1	1 1 1 1	1111	1111	111	rws	40811	25 19 25 25	1 1 1 1	mm11
-	1111	-11-1	111	-1-1	1 1 1 1	111	1 1 1 1 1	<u>+</u> 0 2 4 1	84001	₹ 2 2 4 4 4 4	1 1	mm11
-	r40r1	-1-11	1 1 1	1 1	1 1 1 1	-1-11	1111	-WWW-	NU	44444	I I	ww11
-	≈ 1 1		1	1 1 1 1	F = 1 1	2222	1111	V-2/	1111	∞~1~~	N - 1 -	01 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
•	40101	ωα1-1	1 1 1	1199	- 1 - 1	∞4m 1−	1 1 1 1 1	20100	-11-1	0-46-	461-	0 1 1 9
	\$ ~ ~ ~ ~	1111	1	m ~ − 1	1 1 1 1	525641	1 1 1 1 1	04441	N11	w ~ ~ 1	0110	6611
	48-1-	461-1	111	1 1 1 1	N 1	~~~ I ~	111	α ← 1 ← 1	111	N-1-1	11	w 4 I 4
٠	481	00111	1 1 1	1 1 1 1	m ~ − 1	0-681	401	202121	401-1	4 W 1 1 ←	11	9911
-	w1	1111	1 1 1	10 10 1 I	4411	1 2 - 2 2	10 N N N I	44111		-111-	₩81F	r v 1 v
-	4611-	111	1 1 1	4€ 1	-1-38	0w-	22111	20 C C C I	- : : : -	N ← I ← I	0011	241-
-	N-1-1	1 1 1 1 1	111	± 50 € €	7700	401	₩ W-	-11-1	22111	- 1 1 - 1	ww 1 1	-11-
-	6129	202111	1 1 1	957-1	15	4	27-1-7	461←1	1111	1111	4016	1188
-	5.80 − 5.4 1.1	I I I	- 1 -	20 m 0 1	257	13111	401	40101	E	3 1 1 1 1	241+	202011
-												
-								-1-11				0416
-	8-1-1	~~~~ I	111	11	-1-1	11111	-11-1	w   w   I		111	- 1 - 1	1 1 1 1
-	-11-1	<i>₽₩₩</i> -₩	111	1111	- 1-1	12000		4	1 1 1 1 1	11111	11	
	0.11	-11-1	111	1 1 1 1	1111	98141	11111	% <del>-</del> - 1 1	11111		1111	1 1 1 1
	45 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	20 99 20 99 20 99	2002	37 288	58 42 4	74 28 18 20 8	42000	38 39 30 27 9	30 6 43 9	186 61 91 19	32 24 7	93
·	TOTAL W M W F NW M	TOTAL W W W F NW M	TOTAL W M W F	TOTAL W M NW M NW F	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W W W F NW M
	Motor vehicle traffic accident of unspecified nature	Motor vehicle nontraffic accidents	Other road vehicle accidents	Water transport accidents	Aircraft accidents	Accidental poisoning by solid and liquid substances	Accidental poisoning by gases and vapours	Fall from one level to another	Fall on same level	Unspecified falls	Blow from falling object	Accident caused by machinery
	825	830-835	840-845	850-858	860-866	870-888	890-895	900-905	903	706	910	912

20	Cause of Death	q	Color	Total									5  -	DEA	N I	YEARS		6				8	102
	Sex Deaths	Deaths			Under 1	1-4 5	5-9 10	-14 15		24 .25-	29 30-34	35	9 40-44	4 45-49	50-54	55-59	60-64	69-69	70-74	75-79	80-84	Cver	Stated
### 11   ###	Accident caused TOTAL 34 by electric current W F 7 NW F 7 NW F 9		34 23 1		elell	0 <del>- 1 - 1</del>	1111	1111	241-1					e = 1 1 1	-11-1	ee 111	11111	011	11111	11111	11111	1111	1111
644400       11111       86440       41144       11111       111       80000       1         64114       11111       84104       4441       11111       111       4648       1       1         81444       11441       11441       11441       11441       11441       1       1       4648       1       1         84444       11441       11441       11441       11441       14444       1 </td <td>Accident caused by fire and TOTAL 114 explosion of combustible W F 20 conflagration) WW F 20 NW F 18</td> <td>114 47 20 29 18</td> <td></td> <td>. , , , , ,</td> <td></td> <td>∞ ~ ~ ~ ~</td> <td>να I ← α</td> <td>₩ 1</td> <td></td> <td>N=11=</td> <td>48414</td> <td></td> <td></td> <td></td> <td>06.16.1</td> <td>r m a a 1</td> <td>101W</td> <td>8 4 5 9 E</td> <td>4m 1 1 =</td> <td>r m m m 1</td> <td>80 4 03</td> <td>0 1 1 F F</td> <td>11111</td>	Accident caused by fire and TOTAL 114 explosion of combustible W F 20 conflagration) WW F 20 NW F 18	114 47 20 29 18		. , , , , ,		∞ ~ ~ ~ ~	να I ← α	₩ 1		N=11=	48414				06.16.1	r m a a 1	101W	8 4 5 9 E	4m 1 1 =	r m m m 1	80 4 03	0 1 1 F F	11111
1	Accident caused TOTAL 136 5 by conflagration W F 23 11 NW M F 27 1	136 40 23 24 27		44-		985 62	7222	α <del>-</del> 1 1 <del>-</del>	- 1- 1 I		W 1 1 % -	5.4444.1		F21-1-	0~~~1	0 4 - 4 -	∞~~-~ N I	911111111111111111111111111111111111111	≈-411	Q-11-	1111	N ← I ← I	1 1 1 1 1
8 4 - 5	Accident caused by hot TOTAL 10 substance, corrosive liquid, W M 4 steam and radiation W F 2 NW F 1	040WL	· · · · · · · · · · · · · · · · · · ·	11111		011	1111	13111			-11-1				11111	111	1111	e = 1 1 1	01011	11111	11111	1111	1 1 1 1 1
2	Accident caused 107AL 119 by firearm W M 66 NW M 33 NW F 10 NW F	65 90 01 80 01		1111		78-8-									99111	041	111	w 01 1 ← 1	11111	1111	111	1111	1 1 1 1 1
11111 111	Inhalation and ingestion of TOTAL 86 40	27 27 26 15		40 4 7 10		VWV	N 1 1		811		46114			ww111	0 E I I E	1 1 4 2 3	0 <del></del> 1 1	eelll	w ~ − 1 1	w 1 α ← 1	011	011	1 1 1 1 1
1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Accidental mechanical NVM 2 25 auffocation in bed and NVM 3 5 5 cradie NVM 16 13 NW 7 5 4	29 29 29 29	29 29 29 29	25 E 24		4116	11(11	1 2 1 1 1	11111	11111					11111	11111	11111	1111	1 1 1 1 1	1111	11111	1111	1 1 1 1 1
20	Accidents caused by TOTAL 4 venomous animals and W M 3 - insects W F 1 -	461		1 1 1		1.1.1	1 1 1		111						1 1 1	8	<b>←</b> ← 1	1 1 1	1 1 1	1.1.1	1.1.1	1 1 1	1-1-1
	Accidental drowning TOTAL 185 W M 88 W F 177 NW M 69 NW F 69 NW F 111 NW F 69	•	•	1111		0811-					82121	-0-+101			84141	m 02 ← 1 1	4 ← 1 W I	40101		mα-11	11111	α ← 1 ← 1	1.1.1.1.1
	Excessive heat NW M 1 -		-	1		1	1		1		<u> </u>			<u>'</u>	<u> </u>	1	1	1	1	1	1	1	t
	Lightening W M 2 -	N M		1		1	1								1	1	1	1	1	1	1	ı	1

1 1 1 1 1	11111	1 1 1 1	11111	1111	1111	11111	1 1 1 1 1	11111	1	1
111	m1	1 ( ) (	11111	e e 1 1 1		1 1 1 1 1	11111	- 1-11	1	1
w1w11	4	1111		mmili	1111	1111	11111	1 1 1 1 1	ı	1
-1-11	W101F	1 ( 1 1		V-01	N ← I ← I	00111	1111	1111	1	t
← ← 1 1 1		1111	m 01 − 1 1	20121	1111	201		-11-1	1	1
w1w11	~~~~~	% <b>←</b> ← 1	00111	52	0.110.1	41-61	-11-1	11 12	1	ı
	941	9881	mm 1 1 1	13	44111	WW 1 W 1	-11-1	r-0.6-	ı	ı
N←←11	20-0-	04-1	-1-11	388	N ← ← 1 1	₩44 <i>w</i> α	w ⋈ 1 ← 1	w ⋈ 1 ← 1	1	t
011	∞ ~ ~ ~ ~	1200	NINII	36	200011	23	40101	₩ 0.1 1-1	1	t
wα 1 − 1	50100	0 m m 1	111	88 85 80 1	4-611	11 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	V-01-W-	222	1	1
N 1 ← 1 ←	24 - 48	~ ← ~ ←	<b>Φ</b> νω← I	36	e 1 1 e 1	25.53.5	4	00000	1	-
1111	04⊏	F40.1	4011-	32 32 9	4	99 98	201	N 1 1 ← ←	-	1
1111	±0.51.20 €	4001	w 0. 1 ← 1	26 12 29 12 12 12 12 12 12 12 12 12 12 12 12 12	-1-11	71 20 36 6	01170	∞ ww	ı	t
	988-1	C 4 E I	40011	23	1 1 1 1 1	58 35 11	£1-04	N ← I ← t	1	1
01-1-	0m1m1	0411	1111	18 3 3 4 5 2 5 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	3 1 1 1 1	99 27 48 47 48 48	± 1.4€	W-1W-	-	2
N ← I ← I	V-2/	0401	1 1 1	£0 € 4 1	-111-	26 15 2 3 6	10 W W W 00	1111	ı	1
1 I I	ww.111	1111		11111	1111	1 -1 -1	-111-	N I I	i	1
-1-11	N-1-1	1111	1111	11111	1111	~-11-	1 1 1 1 1		1	1
-1-11	₩ 1 W 1	1111	1111	11111	1 1 1 1 1	w 1	11111	4-01-	1	1
1111	3 88 2 3	1111	11111	11111	11111	1111	11111	w 1	ı	1
27 27 4 4 4 4	137 61 14 48 14	62 37 24	23.33	349 256 54 33	27	428 106 41 231 50	80 11 6 47 149	59 17 17 13	2	m
TOTAL W M W F NW M	TOTAL W M W F NW M NW F	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	TOTAL W M W F NW M	MW M	M WN
Complications due to medical procedures	11 other accidents	Suicide by poisoning	Suicide by hanging and strangulation	Suicide by firearms and explosives	Suicide by all other means	Assault by firearms and explosives	Assault by cutting and piercing instruments	Assault by other means	Injury by intervention of police	965,990- Injury resulting from operations of war
640-076	911,913, 915,920, 923,925, 926,928, 930,932- 934,936, 960-962	970-973	974	976	963,975,	981	982	964,980,	786	965,990-

TABLE C-2 DEATHS BY AREA OF OCCURRENCE AND BY RESIDENCE, WITH RESIDENT EVENTS SHOWING DEATHS IN HOSPITALS AND OTHER INSTITUTIONS AND DEATHS FROM 16 SELECTED CAUSES, BY COLOR: NORTH CAROLINA COUNTIES AND SELECTED CITIES, 1967

	TOTAL	DEATHS		NUI	RIH C.	AROLI	NA C	0014	116.		SIDEN	_			TIES	, 1	76/					
	TUTAL	_	PLAC	E OF D	EATH					N.E.	—		_		OF D	EATH						
COUNTY	OCCURRING IN AREA	TO RESIDENTS OF AREA	HOSPITAL	OTHER MSTITUTION	HOME & NON-	- HEART	INTRACRANIAL ON VASCULAR LESIONS	ARTERIO- SCIEROSIS BYTO	NEPHRITIS -	OTHER C V R	CANCER, LEUKEMIA, HODGKIN'S DIS	DIABETES MELUTUS	TUBERCULOSIS	SYPHIUS	DIARRHEA & ENTERITIS	INFLUENZA & PNEUMONIA	VEHICLE ACTOR	HOME & FARM	OTHER	SUICIDE	HOMICIDE	ALL OTHER CAUSES
NORTH CAROLINA	42507	42261	23651			15339	5236	722	325	914	5804	782	147	36	186	1284	1749	840	764	473	569	7091
WHITE	30762	30550	17586	4014	8950	11879	3719	587	195	616	4434	518	71	19	107	844	1280	543	506	423	193	4616
NONWHITE	11745	11711	6065	1043	4603	3460	1517	135	130	298	1370	264	76	17	79	440	469	297	258	50	376	2475
ALAMANCE WHITE NONWHITE	632 503 129	777 620 157	343 295 48	97 83 14	337 242 95	296 255 41	76 60 16	20 17 3	4	19 15 4	113 89 24	18 16 2	2 2		4	22 18 4	33 26 7	12	10 7 3	5 3 2	10	133 93 40
ALEXANDER WHITE NONWHITE	104 90 14	148 130 18	80 73 7	15 15	53 42 11	40 37 3	24 21 3	4 3 1		5 5	17 15 2	1	1			7 6 1	8 6 2	3	1	1	2	34 29 5
ALLEGHANY WHITE NONWHITE	99 97 2	84 83 1	57 57	2	25 24 1	31 31	25 <b>25</b>			3 2 1	12 12	2 2				1		3				7 7
ANSON WHITE NONWHITE	196 104 92	257 139 118	134 77 57	29 21 8	94 41 53	87 65 22	30 15 15	6 4 2		9 3 6	26 12 14	1 3			3 1 2	19 10 9	7 2 5	5 3 2	6 5 1	3	4	48 15 33
ASHE WHITE NONWHITE	167 161 6	198 192 6	119 115 4	14	65 63 2	88 85 3	17 17	6	2 2	2 2	20	1	1		1	9	10	4	4	1		32 29 3
AVERY WHITE NONWHITE	150 148 2	119 116 3	87 85 2	7 6 1	25 25	46 44 2	7 7		2 2	4	17 17	3			2 2	4	1	1	3	2 2	1	26 25 1
BEAUFORT WHITE NONWHITE	443 300 143	393 254 139	214 147 67	44 32 12	135 75 60	128 89 39	78 50 28	5 1 4	1	10 8 2	54 36 18	8 3 5	1	1		9 7 2	10 7 3	9 8 1	4 3 1	5 3 2	4 2 2	66 37 29
BERTIE WHITE NONWHITE	192 68 124	256 118 138	148 69 79	22 17 5	86 32 54	88 46 42	52 26 26	2 2	2	3	29 13 16	8 5 3	1			9 3 6	11 4 7	10 2 8	1	1	3 1 2	34 15 19
BLADEN WHITE NONWHITE	209 121 88	270 164 106	146 103 43	24 18 6	100 43 57	88 59 29	45 30 15	9 6 3	5 4 1	4 2 2	19 13 6	6 4 2				14 9 5	13 7 6	5 2 3	6 2 4		6	50 26 24
BRUNSWICK WHITE NONWHITE	141 89 52	215 147 68	111 82 29	18 15 3	86 50 36	67 53 14	28 16 12	7 5 2	1	5 3 2	23 18 5	5 2 3		1	1	3 2 1	8 5 3	5 4 1	10 8 2	3 3	2	46 26 20
BUNCOMBE WHITE NONWHITE	1869 1600 269	1479 1268 211	796 693 103	280 242 38	403 333 70	550 490 60	213 183 30	34 29 5	11 9 2	39 27 12	229 198 31	10 8 2	9 6 3		2 2	46 42 4	34 28 6	23 18 5	20 16 4	13 11 2	7 4 3	237 197 40
BURKE WHITE NONWHITE	785 711 74	434 377 57	239 208 31	57 51 6	138 118 20	157 139 18	43 35 8	12		14 12 2	55 47 8	14 11 3	1		1 1	12 11 1	29 28 1	10 9 1	9	6	6 2 4	65 54 11
CABARRUS WHITE NONWHITE	619 513 106	633 512 121	409 328 81	72 61 11	152 123 29	246 211 35	78 60 18	14 11 3	3	23 16 7	82 63 19	6 5 1	2 1 1		2 2	17 13 4	22 17 5	10 8 2	11	4	7 3 4	106 84 22
CALOWELL WHITE NONWHITE	313 280 33	436 393 43	277 249 28	27 24 3	132 120 12	150 140 10	54 47 7	4	4	9 6 3	45 38 7	9 7 2	2 1 1		3	10 9 1	35 33 2	11	7 5 2	9	12 10 2	72 66 6
CAMDEN WHITE NONWHITE	8 7 1	42 26 16	29 16 13	2 1 1	11 9 2	15 14 1	6 3 3	1	1	2 1 1	2	1				1 1	1	1 1			1	9 4 5
CARTERET WHITE NONWHITE	252 214 38	271 234 37	162 145 17	31 29 2	78 60 18	124 113 11	14 10 4	3	1	2 1 1	46 40 6	6 5 1	1 1		1 1	10	6 4 2	1 1	8 7 1	3	3	39 34 5
CASWELL WHITE NONWHITE	64 35 29	156 88 68	70 40 30	18 13 5	68 35 33	55 38 17	21 8 13	3 1 2	1	5 1 4	23 11 12		1			10 4 6	12 9 3	1 1	1 1	1	3	17 12 5
CATAWBA WHITE NONWHITE	632 561 71	713 639 74	409 374 35	83 81 2	221 184 37	270 251 19	77 72 5	14 13 1	6	16 15 1	88 77 11	26 25 1	1		1	17 15 2	41 38 3	7 7	10 8 2	8	9 4 5	122 98 24
CHATHAM WHITE NONWHITE	204 156 48	251 182 69	128 95 33	29 26 3	94 61 33	105 80 25	27 19 8	4	2 2	5 4 1	36 31 5	1		1	1	6 5 1	12 8 4	11 5	3 1 2	2 2	1	30 20 10
CHEROKEE WHITE NONWHITE	162 160 2	165 163 2		19 19	47 46 1	50 49 1 in 16	18 18 Select	3 3	3 3 auses	of Dea	25 25	4 4	2 2	1		6 5 1	9		2 2	1	2 2	38 38

<sup>13 - (870-936,</sup>digits 0,1,7) 14 - (800-802,840-962) 15 - (963,970-979) 16 - (964,980-985)

Table C-2 continu	_	DEATHS								RE	SIOEN	T DE	ATHS						_			
		(TS	PLAC	E 0F D		CA	RDIOVAS	CHAP	- RENA	ī	SE	LECT	D CA	USES	OF D	EATH	AC	CIDENT				
COUNTY	OCCURRING IN AREA	TO RESIDENTS OF AREA	HOSPITAL	OTHER INSTITUTION	HOME & NON-	1 HEART	INTRACRANIAL N VASCULAR LESIONS	ARTERIO. SCIEROSIS	* NEPHRITIS	2 OTHER CVR	CANCER, OF LEUKEMIA, HODGKIN'S DIS	olabetes weurfus	TUBERCULOSIS	SYPHIUS O	DIARRHEA & ENTERITIS	INFLUENZA &	NOTOR VEHICLE	HOME &	OTHER ACCIDENTS	SUICIDE	HOMICIDE	AU OTHER CAUSES
CHOWAN WHITE NONWHITE	127 63 64	117 61 56	60 34 26	11 7 4	46 20 26	28 18 10	17 10 7	5 2 3	3	1	14 12 2	2	3	1	2	6 3 3	3	2 1 1		1	1	28 10 18
CLAY WHITE NONWHITE	16 15 1	56 55 1	32 32	5 5	19 18 1	27 26 1	7 7		1		6	2 2				5 5	3		1			4
CLEVELAND WHITE NONWHITE	659 504 155	670 514 156	422 316 106	60 54 6	188 144 44	244 190 54	85 61 24	12 10 2	3 2 1	13 8 5	96 81 15	6 3 3	3 2 1		1 3	28 21 7	27 23 4	14 11 3	9 8 1	8	14 6 8	104 79 25
COLUMBUS WHITE NONWHITE	329 208 121	468 301 167	246 169 77	60 38 22	162 94 68	170 120 50	62 44 18	1	3 1 2	3 2 1	57 37 20	7 6 1	2 1 1		3 1 2	13 9 4	25 16 9	17 10 7	8 7 1	2 1 1	16 4 12	79 41 38
CRAVEN WHITE NONWHITE	447 274 173	476 291 185	262 169 93	45 33 12	169 89 80	164 103 61	54 33 21	8 6 2	6 2 4	7 4 3	82 55 27		1		2 1 1	17 5 12	21 16 5	6 2 4	7 5 2	6	11 1 10	84 52 32
CUMBERLAND WHITE NONWHITE	1309 856 453	1003 648 355	531 353 178	149 97 52	323 198 125	274 194 80	80 58 22	14 13 1	6 4 2	20 9 11	127 92 35	16 8 8			12 7 5	33 22 11	68 53 15	21 10 11	28 16 12	12 10 2	17 6 11	275 146 129
CURRITUCK WHITE NONWHITE	33 17 16	75 47 28	40 29 11	13 7 6	22 11 11	31 21 10	9 3 6	1		1	10 7 3					6 2 4	1	1		1 1		14 9 5
DARE WHITE NONWHITE	45 40 5	82 75 7	46 42 4	7 6 1	29 27 2	34 30 4	10 10	2 2		4 3 1	18 17 1	2 2	1			1	1	1				8 7 1
DAVIDSON WHITE NONWHITE	604 518 86	698 597 101	392 334 58	119 107 12	187 156 31	272 237 35	98 83 15	10	3 2 1	11 11	88 77 11	10	3 2 1		5 4 1	17 13 4	32 27 5	14 11 3	14 13 1	9 7 2	13 8 5	99 82 17
DAVIE WHITE NONWHITE	131 110 21	156 131 25	78 70 8	23 21 2	55 40 15	58 49 9	22 18 4	2 2	1	5 4 1	19 18 1	4	1	1		2 1 1	6	5	7 5 2	2 2		21 15 6
OUPLIN WHITE NONWHITE	238 141 97	349 227 122	165 117 48	44 28 16	140 82 58	133 94 39	58 33 25	2 2	4 1 3	7 5 2	38 26 12	8 5 3	1	1	1	7 6 1	16 12 4		4 4	2 1 1	5	62 36 26
DURHAM WHITE NONWHITE	1984 1275 709	1118 710 408	588 386 202	171 116 55	359 208 151	404 274 130	137 83 54	22 19 3	15 6 9	30 12 18	185 119 66	25 13 12	3	1	5 2 3	19 11 8	38 28 10	16 9 7	22 9 13	9	6 3 3	181 113 68
EDGECOMBE WHITE NONWHITE	404 185 219	518 268 250	271 156 115	59 38 21	188 74 114	167 101 66	76 28 48	8 7 1	9 1 8	10 7 3	74 49 25	5 3 2	4 2 2	1	5 2 3	28 16 12	9 5 4	21 5 16	8 3 5	5 4 1	13 5 8	75 30 45
FORSYTH WHITE NONWHITE	2275 1674 601	1763 1187 576	1030 645 385	204 165 39	529 377 152	713 484 229	187 139 48	25 20 5	10 6 4	38 23 15	266 188 78	28 17 11	11 1 10	1	3	45 29 16	52 40 12	42 32 10	26 16 10	23 21 2	26 8 18	266 160 106
FRANKLIN WHITE NONWHITE	177 107 70	272 163 109	153 102 51	28 13 15	91 48 43	91 58 33	29 18 11	3	2	7 6 1	40 27 13	3	2 1 1			10 5 5	5 4 1	13 6 7	1 3	1	5 1 4	56 32 24
GASTON WHITE NONWHITE	856 688 168	1120 925 195	645 541 104	122 107 15	353 277 76	410 350 60	133 108 25	14 11 3	8 7 1	29 22 7	185 157 28	22 19 3	1	4 3 1	7 5 2	38 29 9	42 36 6	21 14 7	20 17 3	15 14 1	21 9 12	150 124 26
GATES WHITE NONWHITE	35 15 20	97 50 47	49 26 23	14 9 5	34 15 19	37 22 15	15 8 7	2 1 1		3 1 2	11 7 4	1 1	1			3 1 2	2 2		2	1	2	17 6 11
GRAHAM WHITE NONWHITE	21 18 3	54 50 4	29 28 1	2 2	23 20 3	21 19 2	4	1	2 2	3	4	2 2				1	2 2	1	2 2	2 2		9 7 2
GRANVILLE WHITE NONWHITE	352 227 125	286 160 126	155 94 61	31 23 8	100 43 57	129 75 54	26 11 15	4 4	5 2 3	3	40 24 16	4 3 1		2 1 1	1	9 5 4	16 9 7	2 2	5 1 4	4	2	32 16 16
GREENE WHITE NONWHITE	44 24 20	113 67 46	60 37 23	10 7 3	43 23 20	36 29 7	14 9 5	1 1		3	17 9 8	2 1 1			1	2	2 2	5	1 3	5	1	18 7 11
GUILFORD WHITE NONWHITE	2135 1606 529	2101 1557 544	1233 885 348	315 271 44	553 401 152	720 565 155	289 217 72	19 18 1	11 7 4	50 31 19	336 263 73	35 17 18	3 1 2	3 2 1	13 9 4	74 48 26	83 62 21	35 28 7	29 22 7	19 19	21 7 14	361 241 120
HALIFAX WHITE NONWHITE	581 294 287	582 297 285	284 167 117	71 42 29	227 88 139	180 109 71	73 35 38	20 15 5	9 1 8	16 8 3	71 47 24	7 4 3	1 3		6 2 4	19 6 13	29 11 18	13 4 9	14 6 8	2 2	12 4 8	105 42 63
HARNETT WHITE NONWHITE	446 322 124	510 362 148	257 193 64	75 59 16	178 110 68	204 163 41	57 39 18	1 1	1	4 2 2	58 43 15	18 14 4				14 9 5	30 23 7	9 6 3	4 3 1	4 4	14 4 10	92 50 42

	TOTAL	DEATHS								RE	SIDEN	T DE	ATHS									
	(5)	TS	PLAC	E OF D		C.	RDIOVAS	CLILAD	- RENA		SE	LECTE	D CA	USES	OF C	HTA3	**	CIDENT				_
COUNTY	OCCURRING IN AREA	TO RESIDENT OF AREA	HOSPITAL	OTHER INSTITUTION	HOME & NON-	T HEART	INTRACRANIAL NO VASCULAR LESIONS	M SCLEROSIS	- KENA	OTHER C V 8	CANCER, T. LEUKEMIA, HODGKIN'S DIS	DIABETES MEUITUS	⊕ TUBERCULOSIS	D SYPHILIS	DIARRHEA &	I INFLUENZA &	NOTOR VEHICLE	HOME &	OTHER	SUICIDE	HOMICIDE	ALL OTHER CAUSES
HAYWOOD WHITE NONWHITE	433 422 11	401 390 11	251 245 6	46 45 1	104 100 4	131 130 1	68 66 2	10 10	5 4 1	19 17 2	52 52	9	2		1	14 13 1	6 5 1	6	5 4 1	12	3	58 56 2
HENDERSON WHITE NONWHITE	538 494 44	429 391 38	283 260 23	36 33 3	110 98 12	184 176 8	47 45 2	18 15 3	3	13 10 3	61 52 9	6	2 2			11 10 1	9	5 4 1	5 4 1	5	3 2 1	57 48 9
HERTFORD WHITE NONWHITE	262 129 133	199 91 108	99 46 53	28 16 12	72 29 43	87 40 47	16 5 11		1	3 2 1	31 19 12	4			1	2	10 3 7	8 4 4	1	1 3	2 1 1	29 11 18
HOKE WHITE NONWHITE	131 54 77	131 44 87	65 27 38	16 7 9	50 10 40	40 20 20	14 4 10	2 1 1	1	2 1 1	15 8 7	5 1 4				4	9 4 5	5	6 1 5	1	3	24 4 20
HYDE WHITE NONWHITE	23 12 11	64 37 27	38 25 13	3 1 2	23 11 12	18 15 3	14 7 7			1	10 6 4	2 1 1				2 1 1	1	2	1		2 1 1	11 3 8
IREDELL WHITE NONWHITE	639 517 122	608 491 117	351 282 69	76 62 14	181 147 34	232 195 37	94 77 17	11 9 2	3 2 1	17 12 5	75 64 11	14 10 4	2 1 1			13 12 1	25 22 3	14 12 2	7 4 3	10	5 3 2	86 58 28
JACKSON WHITE NONWHITE	150 146 4	169 158 11	97 90 7	13 13	59 55 4	75 70 5	16 16	8	1	1	21 20 1	4 3 1			1	6	3	1	5 4 1	2 2	1	24 21 3
JOHNSTON WHITE NONWHITE	463 347 116	660 502 158	344 278 66	81 59 22	235 165 70	275 224 51	55 44 11	8 5 3	4 3 1	8 6 2	87 69 18	13 10 3	4 3 1		1	12 10 2	30 20 10	13	10 4 6	5 5	12 4 8	123 81 42
JONES WHITE NONWHITE	42 30 12	87 55 32	40 27 13	10 7 3	37 21 16	38 25 13	10 8 2	2		2 2	2 2	2 1 1	1		1	1	8 6 2	1	3 1 2		2	12 8 4
LEE WHITE NONWHITE	321 244 77	272 197 75	159 122 37	27 19 8	86 56 30	112 86 26	21 11 10	6	2 2	10 6 4	37 28 9	5 3 2	2 1 1		1	6 4 2	16 11 5	5 4 1	2 2	4	5	38 28 10
LENOIR WHITE NONWHITE	493 290 203	460 256 204	203 136 67	57 32 25	200 88 112	177 101 76	64 26 38	3	6 1 5	6 3 3	61 41 20	14 5 9	2	2 1 1	1	14 6 8	14 10 4	6 3 3	11 7 4	7 7	5 1 4	67 40 27
LINCOLN WHITE NONWHITE	203 177 26	256 230 26	154 141 13	26 26	76 63 13	88 79 9	37 32 5	4	2 1 1	4	38 35 3	1			1	16 14 2	6	3	4	3	1	48 44 4
MCDOWELL WHITE NONWHITE	195 182 13	244 224 20	124 112 12	34 31 3	86 81 5	86 80 6	37 36 1	3	1	6 5 1	29 25 4	2 2			1	10 8 2	6 5 1	5 3 2		4		54 51 3
MACON WHITE NONWHITE	150 150	175 174 1	109	17 16 1	49 49	61 61	23 23	11	2 2	8	27 27	3	1		1	3	6	5	3	2 2		19 18 1
MADISON WHITE NONWHITE	72 71 1	184 175 9	82 74 8	30 30	72 71 1	80 78 2	34 33 1	2 1 1	1	2 2	25 24 1	3 1 2			1	1	5	4 4		2 2		24 22 2
MARTIN WHITE NONWHITE	184 87 97	270 136 134	162 90 72	22 13 9	86 33 53	95 54 41	26 14 12	4	3 1 2	1 3	46 27 19	7 1 6			1	6 2 4	12 7 5	11 5 6	8 1 7	3 1 2	3	41 18 23
MECKLENBURG WHITE NONWHITE	2662 1922 740	2365 1634 731	1414 955 459	289 254 35	662 425 237	947 677 270	225 145 80	28 25 3	19 8 11	43 29 14	355 281 74	39 26 13	6 3 3	1	9 4 5	83 42 41	75 56 19	38 26 12	37 25 12	35 30 5	58 9 49	367 247 120
MITCHELL WHITE NONWHITE	107 105 2	144 140 4	78 77 1	22 21 1	44 42 2	48 47 1	23 22 1			4	21 21	1	3		1	4	5	2 2	1		1	30 29 1
MONTGOMERY WHITE NONWHITE	179 138 41	207 159 48	111 90 21	29 22 7	67 47 20	67 57 10	21 12 9	1	2 2	5 4 1	28 23 5	5 4 1		1	1	6	13 10 3	7 4 3	7 7	1	3 2 1	39 27 12
MOORE WHITE NONWHITE	439 294 145	363 254 109	202 154 48	45 30 15	116 70 46	139 98 41	55 38 17	5	1	9 5 4	46 37 9	7 3 4	3 1 2	1	5 3 2	5	19 12 7	5 1 4	3	2 2	2	55 39 16
NASH WHITE NONWHITE	619 385 234	550 346 204	259 188 71	82 56 26	209 102 107	211 139 72	83 57 26	6 3 3	9 5 4	12 8 4	69 50 19	6 5 1	2 2		1 3	23 8 15	23 19 4	15 3 12	8 6 2	2 2	4	71 38 33
NEW HANOVER WHITE NONWHITE	878 627 251	780 563 217	464 339 125	109 102 7	207 122 85	241 199 42	96 67 29	18 11 7	7 5 2	24 19 5	117 93 24	16 10 6	3 1 2	1	3 2 1	23 20 3	28 16 12	20 14 6	16 9 7	6 6	9 4 5	152 87 65
NORTHAMPTON WHITE NONWHITE	142 58 84	295 128 167	136 70 66	46 23 23	113 35 78	101 52 49	42 19 23	7 3 4	3	7 2 5	44 24 20	2 2	2 2		3	3 1 2	10 3 7	5 3 2	6 1 5	5 4 1	3	50 14 36

	TOTAL	DEATHS								RE	SIDEN	T DE	ATHS									
		TS	PLAC	E OF D		C.	RDIOVAS	C1 11 4 0	0511		SE	LECTE	D CA	JSES	OF D	EATH		CIDENT				
COUNTY	OCCURRING IN AREA	TO RESIDENT OF AREA	HOSPITAL	OTHER INSTITUTION	HOME & NON- INSTITUTION	THEART	INTRACRANIAL  N VASCULAR  LESIONS	SCLEROSIS STERIO	& NEPHRITIS	OTHER C V R	CANCER, P LEUKEMIA, HODGKIN S DIS	J DIABETES MELLITUS	∞ TUBERCULOSIS	SYPHILIS O	DIARRHEA &	INFLUENZA &	NOTOR VEHICLE	HOME &	F ACCIDENTS	30ICIDE	HOMICIDE	ALL OTHER CAUSES
ONSLOW WHITE NONWHITE	397 308 89	435 339 96	302 235 67	20 15 5	113 89 24	112 97 15	38 26 12	7 5 2		1	46 38 8	3	1		1	10 7 3	58 42 16	10 7 3	39 33 6	4 3 1	10 7 3	94 69 25
ORANGE WHITE NONWHITE	675 421 254	341 235 106	145 100 45	51 39 12	145 96 49	119 94 25	41 28 13	6 3 3	1	8 4 4	38 24 14	1 3			1	8 3 5	18 16 2	5 3 2	10 4 6	8	3	71 45 26
PAMLICO WHITE NONWHITE	28 16 12	83 54 29	38 27 11	14 12 2	31 15 16	21 16 5	12 10 2	1		6 4 2	10 8 2					4 2 2	2 2	3 1 2	4 3 1	1	2 1 1	15 6 9
PASQUOTANK WHITE NONWHITE	382 251 131	276 181 95	169 110 59	21 15 6	86 56 30	124 101 23	32 16 16	1 1	1	5 1 4	46 29 17	11 8 3	1			7 4 3	5 2 3	2	4 3 1	5 4 1	2 1 1	30 11 19
PENDER WHITE NONWHITE	187 109 78	187 101 86	96 55 41	18 11 7	73 35 38	53 33 20	32 16 16	2 1 1		3 2 1	24 16 8	8 5 3			1		13 7 6	6 1 5	3 1 2	3	2	37 15 22
PERQUIMANS WHITE NONWHITE	47 30 17	103 65 38	54 36 18	11 7 4	38 22 16	38 25 13	13 8 5		1	3	16 11 5	2	1		1	1	4	2 2		1 1	1	19 9 10
PERSON WHITE NONWHITE	203 133 70	235 156 79	139 88 51	12 9 3	84 59 25	91 66 25	19 7 12	4	2 1 1	10 9	27 15 12	7 6 1	1		2 1 1	4 2 2	18 15	2 2	2 2	4	4 1 3	34 20 14
P1TT WHITE NONWHITE	531 286 245	562 314 248	296 167 129	56 39 17	210 108 102	241 140 101	75 34 41	9 5 4	5 2 3	13 6 7	67 41 26	11 4 7	3 1 2	1	1	15 4 11	17 14 3	8 3 5	6 5 1	5	6 2 4	79 46 33
POLK WHITE NONWHITE	146 128 18	124 108 16	68 61 7	14	42 34 8	41 35 6	11 10 1	6 5 1	1	2 1 1	19 18	4				3 2 1	1 1	4 3 1		1 1	1	30 27 3
RANGOLPH WHITE NONWHITE	390 346 44	553 494 59	309 274 35	71 67 4	173 153 20	223 204 19	66	10	2 1 1	19	72 64 8	7 5 2	2 2	1	1 1	12	31 29 2	9 5 4	12 9 3	6	3	77 64 13
RICHMONO WHITE NONWHITE	331 211 120	430 268 162	244 160 84	48 30 18	138 78 60	138 92 46	67 40 27	7 5 2	4 2 2	16 11 5	52 35 17	11 6 5			3 1 2	16 8 8	18 6	7 4 3	10 7 3	8 7	10 6	63 38 25
ROBESON WHITE	914 400	841	445 217	80 51	316 111	221 133	111	17 13	3	18 7 11	79 46	14 5 9	1		3 1 2	25 11 14	73 24 49	26 7 19	16 6 10	9	10 2 8	215 68 147
NONWHITE ROCKINGHAM WHITE	514 602 436	695 517	228 433 319	57 46	205 205 152	254 210	78 63	11 10	6	19	100	19	4 2		2	22 15	24 17	10	11	3 2	5	127
NONWHITE ROWAN WHITE	763 606	811 656	412 333	11 113 95	53 286 228	285 245	15 112 87	1 18 14	6 4	12 11	26 132 113	10 18 15	9 5		6 4	15 12	7 22 16	10 9	18	9 9	5	134 99
NONWHITE RUTHERFORO WHITE	437 371	155 486 415	277 235	78 69	58 131 111	169 155	75 · 68	13 9	2 4 4	1119	19 65 57	8 3	4		2 1	21 17	20 16	20	8 5	4 3	4 4 3	62 46
NONWHITE SAMPSON WHITE	367 217	71 458 280	220 145	9 54 34	20 184 101	169 116	54 34	4 4 4	6 4	15 11	8 64 36	5 16 5			1 1 1	9 4	21 13	9 4	6 4	2 1	8 2	74 41
NONWHITE SCOTLAND WHITE	305 154	178 281 153	75 162 93	30 20	83 89 40	53 93 59	20 33 21	4 3	1 1	9 3	28 40 21	7 3	1	1		5 3 1	15	5 5 2	2 4 2	1 4 3	5 4	56 23
NONWHITE STANLY WHITE	311 270	128 366 322	69 234 205	30 28	49 102 89	34 145 128	12 47 42	7 6	2 2	6 6	19 41 40	9 8	1			12	9 16 16	3 9 8	2 8 7	7 6	1	33 57 44
NONWHITE STOKES WHITE	122	216	112	16	13 88	85	5 27	1 5	2		21	2	1		2 2	3	12	7 7	3 1	1 6	3 2	13 35 31
NONWHITE	111 11 425	190 26 439	95 17 257	15	80 8	74 11 160	58	12	2	7	20	9	1		1	3 2 10	12	6	2	7	2	79
WHITE NONWHITE SWAIN	401 24 106	417 22 98	248 9	50 3	119 10 28	153 7 39	54 4 16	12	1	7	56	9	1		1	8 2 3	17 2	5 1 4	7	7	2	74 5
WHITE NONWHITE	83 23	82 16	52 8	10	20 8	36 3	11 5	2	1	1	8	2				3	1 2	3	2	2	2 2 3	9 3
TRANSYLVANIA WHITE NONWHITE	94	153 136 17	78 72 6	21	43	58 55 3	17 4	8 7 1	2	3	13 10 3	1				6	11 7 4	3	2 2		3	20
TYRRELL WHITE NONWHITE	49 29 20	47 28 19	29 20 9	3	15 5 10	16 11 5	12 8 4			1	6 3 3						1	1	1 1			8 3 5

	TOTAL	DEATHS								RE	SIDEN											
	NG A	MTS	PLAC	E OF D	12	CAI	DIOVAS	CULAR	- RENA	ı		LECTE	D CA	JSES	DF D	EATH	AC	CIDENTS				
COUNTY	OCCURRINI IN AREA	TO RESIDENT OF AREA	HOSPITAL	OTHER INSTITUTIO	HOME & NON	- HEART	INTRACRANIAL N VASCULAR LESIONS	ARTERIO. SCLEROSIS	₽ NEPHRITIS	OTHER CVR	CANCER G LEUKEMIA, HODGKIN'S DIS	OIABETES ARELLITUS	© TUBERCULOSIS	STURFILLS &	DIARPHEA &	INFLUENZA &	NOTOR NEMICIE	HOME &	T ACCIDENTS	301CIDE	HOMICIDE	ALL OTHER CAUSES
UNION WHITE NONWHITE	397 284 113	437 319 118	271 204 67	32 27 5	134 88 46	171 142 29	44 28 16	18 13 5	3	1	45 33 12	10	1	1	5 1 4	14 10 4	11 8 3	16 13 3	10 7 3	4	10	73 44 29
VANCE WHITE NONWHITE	312 188 124	316 180 136	178 111 67	37 22 15	101 47 54	135 93 42	43 26 17	1	7 4 3	4	34 20 14	8 4 4	1	2	1	13 3 10	12 10 2	6 3 3	2 1 1	1	2	44 14 30
WAKE WHITE NONWHITE	1703 1218 485	1491 1030 461	869 621 248	200 147 53	422 262 160	525 399 126	159 103 56	29 19 10	16 7 9	19 12 7	238 178 60	31 21 10	1 3	3 1 2	5 3 2	68 45 23	61 44 17	22 10 12	40 26 14	15 14 1	18 4 14	238 143 95
WARREN WHITE NONWHITE	140 54 86	204 79 125	112 53 59	12 6 6	80 20 60	62 28 34	31 13 18		2	8 4 4	28 14 14	9 4 5			2	5 1 4	3 1 2	2	9 1 8	3 1 2	4	36 10 26
WASHINGTON WHITE NONWHITE	115 57 58	150 82 68	84 54 30	11 9 2	55 19 36	54 37 17	26 12 14			3 2 1	18 10 8					5 2 3	2 2	1	6 1 5	1	2	32 15 17
WATAUGA WHITE NONWHITE	142 139 3	145 143 2	108 106 2	11	26 26	46 45 1	25 25	1	1	3	20 20	3			1	2	2	1	7	2		31 30 1
WAYNE WHITE NONWHITE	906 565 341	710 451 259	391 261 130	72 51 21	247 139 108	241 171 70	94 52 42	16 14 2	7 5 2	11 6 5	106 75 31	7 3 4		2	5 4 1	27 11 16	27 19 8	21 10 11	9 6 3	13 12 1	6 2 4	118 59 59
WILKES WHITE NONWHITE	311 293 18	414 390 24	251 239 12	27 22 5	136 129 7	148 140 8	51 47 4	2	2 2	5	47 43 4	4				11 9 2	17	5 4 1	7 6 1	3	5 3 2	107 105 2
WILSON WHITE NONWHITE	631 364 267	552 306 246	294 184 110	70 45 25	188 77 111	192 118 74	65 38 27	6 5 1	2 1 1	9 5 4	81 46 35	15 9 6	7 3 4		2 1 1	19 9 10	17 7 10	8 5 3	10 5 5	9 8 1	15 5 10	95 41 54
YADKIN WHITE NONWHITE	138 133 5	206 196 10	143 134 9	14 14	49 48 1	70 67 3	31 31	4 3 1	1		29 28 1	3				3	15 15	2 2	1	2	1	44 39 5
YANCEY WHITE NONWHITE	77 76 1	122 121 1	61 61	18 18	43 42 1	39 38 1	21 21	3		3	16 16	3	1		3	8	2 2	5 5		1	3	14 14
CITIES					Events	reporte	d from	citi	es ar	e also	inc)	ıded	in co	unty	tota	als.						
ALBEMARLE WHITE NONWHITE	244 212 32	108 90 18	73 61 12	9 8 1	26 21 5	43 35 8	16 15 1	2 1 1	1	3	8	3				2 1 1	4 4		2 2	3 2 1		21 15 6
ASHEVILLÉ WHITÉ NONWHITE	1217 1038 179	831 645 186	464 368 96	174 142 32	193 135 58	286 237 49	126 99 27	18 13 5	8 6 2	27 15 12	130 102 28	4 2 2	4 2 2		2 1 1	31 27 4	16 11 5	13 8 5	7 4 3	6 4 2	4 2 2	149 112 37
BURLINGTON WHITE NONWHITE	421 357 64	322 267 55	155 135 20	47 43 4	120 89 31	118 106 12	23 20 3	6 5 1	1	8 6 2	49 40 9	7 6 1			2 2	7 5 2	12	9 8 1	2 2	4 3 1	4	70 52 18
CHAPEL HILL WHITE NONWHITE	31 21 10	96 71 25	45 33 12	13 11 2	38 27 11	38 32 6	10 6 4	1		3 1 2	9 6 3	1			1	2	5 5	2 2	2	1		21 16 5
CHARLOTTE WHITE NONWHITE	2387 1700 687	1891 1249 642	1143 735 408	240 215 25	508 299 209	751 511 240	180 111 69	22 20 2	16 6 10	36 23 13	283 218 65	32 21 11	4 2 2	1	8 4 4	65 29 36	50 36 14	32 22 10	30 20 10	24 20 4	51 7 44	306 198 108
CONCORO WHITE NONWHITE	489 398 91	203 152 51	138 103 35	26 20 6	39 29 10	79 65 14	21 16 5	5 3 2		10 8 2	35 23 12	3 2 1	1		1	8 7 1	5 3 2	3 2 1	3	2 2	1	26 17 9
DURHAM WHITE NONWHITE	1902 1227 675	903 559 344	482 304 178	135 92 43	286 163 123	320 206 114	117 68 49	14 12 2	14 6 8	29 12 17	150 100 50	22 13 9	3	1	5 2 3	16 9 7	30 23 7	11 7 4	16 5 11	8	3	144 88 56
ELIZABETH CITY WHITE NONWHITE	40 21 19	184 117 67	116 74 42	17 13 4	51 30 21	76 62 14	22 10 12	1	1	1	30 16 14	8 6 2				6 4 2	2 1 1	2	3	3	1 1	25 10 15
FAYETTEVILLE WHITE NONWHITE	947 587 360	510 302 208	269 172 97	94 53 41	147 77 70	152 93 59	44 28 16	8 7 1	1	10 4 6	61 44 17	8 4 4			6 4 2	15 9 6	29 20 9	11 5 6	14 7 7	5	8 3 5	138 68 70
GASTONIA WHITE NONWHITE	639 504 135	442 342 100	272 217 55	45 39 6	125 86 39	160 135 25	61 45 16	3	3 2 1	11 7 4	64 52 12	4 4	1	2 2	2 2	19 14 5	18 12 6	10 6 4	9 8 1	8 7 1	10 2 8	57 41 16
GOLDSBORO WHITE NONWHITE	470 294 176	341 198 143	197 127 70	38 27 11	106 44 62	117 75 42	36 16 20	13 11 2	3 1 2	6 4 2	57 35 22	2 1 1		1	3 2 1	12 4 8	11 8 3	1 1 4 7	7 4 3	5	4 2 2	53 25 28
GREENSBORO WHITE NONWHITE	1354 977 377	1080 732 348	687 448 239	169 139 30	224 145 79	346 264 82	151 99 52	9 8 1	1 3	30 17 13	178 127 51	17 4 13	3 1 2	2 1 1	8 7 1	35 23 12	38 25 13	18 14 4	9 6 3	7 7	11 2 9	214 126 88


	TOTAL	DEATHS								RE	SIDEN											
	(2)	(TS	PLAC	E OF D	1.7	CA	RDIOVAS	CLILAR	. PENI	1	SE	LECTE	D CA	JSES	OF D	EATH	AC	CIDENT	c			
CITY	OCCURRING IN AREA	TO RESIDENT	HOSPITAL	OTHER INSTITUTION	HOME & NON-	HEART	INTRACRANIAL N VASCULAR LESIONS	W SCLEROSIS	STURNAGN 4	2 CVR	CANCER OF LEUKÉMIA HODGKIN S DIS	A DIABETES MELITUS	© fuerrcutosis	SYPHIUS &	DIARRHEA & ENTERITIS	INFLUENZA &	NOTOR NOTOR	HOME &	OTHER F ACCIDENTS	SUICIDE	HOMICIDE	ALL OTHER CAUSES
GREENVILLE WHITE NONWHITE	388 218 170	190 102 88	111 54 57	20 15 5	59 33 26	88 48 40	25 14 11	5 1 4	1	7 3 4	17 6 11	2 1 1				5 1 4	4	3	3 2 1	4	1 3	22 14 8
HENDERSON WHITE NONWHITE	45 25 20	137 75 62	81 47 34	19 13 6	37 15 22	56 35 21	19 10 9		2 1 1	4	15 10 5	7 3 4		1	1	3 1 2	7 6 1	1	1	1	1	18 7 11
HICKORY WHITE NONWHITE	380 345 35	236 205 31	140 126 14	33 31 2	63 48 15	81 74 7	32 28 4	6 5 1	2 2	6 5 1	45 38 7	5				5 4 1	11 10 1	2 2	3	3	3	32 26 6
HIGH POINT WHITE NONWHITE	631 505 126	512 392 120	288 215 73	67 61 6	157 116 41	210 164 46	69 56 13	4	4	11 8 3	76 61 15	7 3 4		1	2 1 1	21 10 11	20 15 5	4 3 1	10 9 1	5	5 2 3	63 46 17
JACKSONVILLE WHITE NONWHITE	226 179 47	88 73 15	66 54 12	5 4 1	17 15 2	24 24	7 4 3	3			12 9 3	3 2 1			1		7 5 2	4 3 1	5	1	2 2	19 14 5
CINSTON WHITE NONWHITE	389 222 167	268 135 133	116 73 43	32 14 18	120 48 72	115 59 56	38 14 24	2 2	2 1 1	4 2 2	34 23 11	8 3 5	1	1		9 4 5	3 2 1	1 3	5 2 3	2 2	4 1 3	36 19 17
LENOIR WHITE NONWHITE	230 200 30	121 95 26	82 67 15	8 6 2	31 22 9	26 20 6	20 14 6	2 2	2 2	3 1 2	15 12 3	3 2 1	1		1	1	9 8 1	3	3 1 2	2 2	6 4 2	24 22 2
LEXINGTON WHITE NONWHITE	201 166 35	164 129 35	89 72 17	33 27 6	42 30 12	63 49 14	19 15 4	3	1	3	24 20 4	3	3 2 1		1	4 3 1	6 4 2	2 1 1	1	2 1 1	5 4 1	24 18 6
LUMBERTON WHITE NONWHITE	449 231 218	168 110 58	101 72 29	17 12 5	50 26 24	40 30 10	22 12 10	4	1	5 1 4	16 15 1	2 2				9 7 2	6 5 1	10 4 6	2 1 1	2 2	1	46 25 21
MONROE WHITE NONWHITE	324 234 90	12'5 76 49	81 49 32	8 5 3	36 22 14	47 33 14	15 5 10	7 5 2	1		11 7 4	2 2			1	2 2	1 1	1	2 2	2 2	3	28 15 13
NEW BERN WHITE NONWHITE	326 192 134	190 103 87	107 63 44	22 16 6	61 24 37	77 42 35	20 10 10	3 2 1	4 1 3		29 20 9				2 1 1	11 4 7	4 3 1	2 1 1	3 1 2	1	7	27 17 10
RALEIGH WHITE NONWHITE	1354 950 404	805 553 252	486 347 139	117 87 30	202 119 83	276 208 68	82 53 29	19 11 8	7 4 3	9 5 4	150 116 34	18 11 7	1	1	2 2	34 22 12	17 13 4	12 8 4	21 12 9	5	10 2 8	141 81 60
REIDSVILLE WHITE NONWHITE	278 172 106	157 83 74	107 54 53	10 6 4	40 23 17	44 23 21	1 4 8 6	1	1 1	11 6 5	36 19 17	6	1			6 3 3	7 5 2		1 1		1 1	28 15 13
ROANOKE RAPIDS WHITE NONWHITE	301 189 112	134 118 16	85 76 9	23 19 4	26 23 3	49 43 6	17 15 2	8	1	2 2	19 16 3	2 2	1 1			6	5	2 1 1	1	1		20 17 3
ROCKY MOUNT E WHITE NONWHITE	85 38 47	136 66 70	70 41 29	18 10 8	48 15 33	48 27 21	21 6 15	2 1 1	1	3 2 1	20 14 6	2 1 1	1	1	1	5 2 3	1 1	8 2 6	1	1	2	18 9 9
ROCKY MOUNT N WHITE NONWHITE	447 309 138	194 137 57	98 77 21	30 25 5	66 35 31	76 54 22	39 31 8	2	4 3 1	5 2 3	31 23 8		1			2 2	5	2 1 1	2 2		2	21 13 8
SALISBURY WHITE NONWHITE	565 438 127	250 171 79	118 76 42	49 36 13	83 59 24	85 65 20	30 17 13	6 3 3	1	1	45 33 12	7 5 2	4 3 1		2 1 1	5 4 1	5 2 3	2 2	5 4 1	4	3	45 28 17
SANFORD WHITE NONWHITE	247 186 61	119 85 34	68 49 19	10 6 4	41 30 11	52 40 12	7 2 5	1	2 2	5 4 1	13 9 4	3 1 2	1		1	4 2 2	9 7 2	3	1 1	1		15 11 4
SHELBY WHITE NONWHITE	327 240 87	187 139 48	119 81 38	15 14 1	53 44 9	70 52 18	35 23 12	2 2	2 2	4 3 1	23 19 4	1 1	1			2 2	10 9	3	1	3	6 3 3	24 16 8
STATESVILLE WHITE NONWHITE	366 294 72	223 170 53	134 100 34	31 23 8	58 47 11	79 60 19	42 37 5	1		8 4 4	25 19 6	4	1			3	11 10 1	4 2 2	1	5	3 2 1	36 23 13
THOMASVILLE WHITE NONWHITE	228 184 44	146 102 44	84 57 27	26 21 5	36 24 12	58 46 12	16 9 7	2 2	2 1 1		19 14 5	1			1	2	7 5 2	4 3 1	3 2 1	1 1	7 4 3	23 14 9
WILMINGTON WHITE NONWHITE	640 415 225	568 386 182	339 234 105	74 69 5	155 83 72	168 135 33	76 51 25	14 9 5	4 3 1	20 15 5	86 64 22	12 8 4	1	1	2 1 1	18 15 3	20 10 10	14 9 5	11 6 5	2 2	7 3 4	112 55 57
WILSON WHITE NONWHITE	158 67 91	292 156 136	159 91 68	38 23 15	95 42 53	100 55 45	38 19 19	1 1		5 3 2	51 29 22	9 5 4	5 2 3		1 1	10	6 4 2	3 2 1	5 1 4	2 2	8 5 3	48 21 27
WINSTON SALEM WHITE NONWHITE	1977 1390 587	1220 686 534	754 396 358	130 94 36	336 196 140	505 290 215	117	20	6 2 4	27 13 14	181 106 75	15	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	3 2 1	32 18 14	30 20 10	33 23 10	18 9	12	23 6 17	186 86 100

TABLE C-3 ACCIDENTAL DEATHS OCCURRING IN THE STATE FROM EACH CAUSE WITH RATES PER 100,000 TOTAL POPULATION, AND NUMBER BY COLOR AND SEX: NORTH CAROLINA, 1967

Type of Accident	Total	1	Whi	ite	Nonv	white
(International Code Number Follows Each Cause)	Number	Rate	Male	Female	Male	Female
All Accidents	3,492	71.1	1,760	687	782	263
Railway accidents (800-802)	38	0.8	22	3	11	2
Motor vehicle traffic accidents (810-825)	1,778 38 292 741 684 23	36.2 0.8 5.9 15.1 13.9 0.5	955 19 114 388 416 18	341 10 41 196 92 2	367 4 98 115 148 2	115 5 39 42 28 1
Motor vehicle nontraffic accidents (830-835)	36 5	0.7	21 3	7 2	6	2 -
Water transport accidents (850-858)	39 36 3	0.8 0.7 0.1	27 25 2	- - -	11 10 1	1 1 -
Aircraft accidents (860-866)	135	2.7	101	30	4	-
Accidental poisoning (870-895)	104 74 30	2.1 1.5 0.6	41 28 13	20 18 2	30 20 10	13 8 5
Accidental falls (900-904)  From one level to another (900-902)  On same level (903)  Unspecified falls (904)	361 98 85 178	7.3 2.0 1.7 3.6	130 39 33 58	158 28 43 87	46 25 6 15	27 6 3 18
Blow from falling object (910)	37	0.8	27	1	9	-
Accident caused by machinery (912)	82	1.7	68	1	13	-
Accident caused by electric current (914)	35	0.7	24	1	9	1
Accident caused by burns (916,917,918)	258 111 138	5.2 2.3 2.8	90 44 42	44 20 23	79 30 46	45 17 27
Accident caused by firearm (919)	116	2.4	62	12	33	9
Inhalation and ingestion of food or other object causing obstruction or suffocation (921,922)	88	1.8	28	19	26	15
Accidental mechanical suffocation in bed and cradle (924)	29	0.6	3	5	16	5
Accidents caused by venomous animals and insects (927)	4	0.1	3	1	-	-
Accidental drowning and submersion (not involving boat) (929)	179	3.6	85	16	68	10
Excessive heat and insolation (931)	2	0.0	1	-	1	-
Lightning (935)	3	0.1	3	-	-	-
Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures (940-959)	29	0.6	8	13	5	3
All other accidents (911,913,915,920,923,925,926,928, 930,932-934,936,960-962)	134	2.7	58	13	48	15

	hs	Mot	or	858)	0eaths	Acc	-Transp	l Deat	hs		hs	Mote		958)	aths		-Transp		
COUNTY Where Oeath	al Deaths 62)	Vehi Dea	ths	Transp 45,850-	dent 0e 66)	By P (87	lace of 0-936,	f Acci	dent	COUNTY Where Death	al Deaths 62)	Vehi Oeat		Transport 45,850-858)	dent Dear 66)	By P	lace of 0-936,	Acci	dent
Occurred  Not necessarily the same as count where accident occurred.	All Accidental (800-962)	Traffic (810-825)	Non-Traffic (830-835)	Other Surface Transport (800-802,840-845,850-858)	Aircraft Accident (860-866)	Номе (.0)	Farm (.1)	Resident Institution (.	Other	Occurred  Not necessarily the same as county where accident occurred.	All Accidental (800-962)	Traffic (810-825)	Non-Traffic (830-835)	Other Surface (800-802,840-84	Aircraft Accident (860-866)	Home (.0)	Farm (.1)	Resident Institution (.	Other
NORTH CAROLIN	1		36		135	632	114	89	626	PENDER PERQUIMANS	32	20	1	2 2		5	1		3
ALAMANCE ALEXANDER ALLEGHANY ANSON ASHE	12 7 13 15	32 8 3 7 8		1	3	9 3 3		1 2	1 3 4	PERSON PITT POLK RANDOLPH	20 23 8	13 9 4 28	2	1		2 8 4	1 1	1	3 5
AVERY BEAUFORT BERTIE BLADEN	3 34 2D 20	1 17 7 9		4		1 7 11 3	1 1 3	3	1 2 1 2	RICHMOND ROBESON ROCKINGHAM ROWAN	32 92 35 38	18 58 21 15	1 2	1 2 1 3		17 6 6	1 1 2	2	7 8 6 9
BRUNSWICK BUNCOMBE BURKE CABARRUS	93 51 43		3	1 2		2 22 9 9	3 2	5 7 1	23 9 8	RUTHERFORD SAMPSON SCOTLAND STANLY STOKES	33 39 29 9	17 21 28 13	1 1 1 1	1	2	13 6 4 3 1	2 2 2 1	2	5 3 4 9 2
CALDWELL CAMDEN CARTERET CASWELL	24 1 19 8	9 5		2	1	2 2	2	1	3 1 4 1	SURRY SWAIN TRANSYLVANIA TYRRELL	32 6 8 3	2 2 3 5		1		4 3 2 1	1		1 1
CATAWBA CHATHAM CHEROKEE CHOWAN	66 30 18	47 11 13	1	1	4	6 9	1 2	1	11 3 3	UNION VANCE WAKE WARREN	27 145 17	11 16 72 8	1	5	3	9 4 26 1	1 2 1	9	6 30 7
CLAY CLEVELAND COLUMBUS CRAVEN	2 43 39 35	20 19		2		11 11 3	1 3	2 1	1 9 3 10	WASHINGTON WATAUGA WAYNE	10 14 50	2 8 19	1	1		1 1 15	3	1 4	8 6
CUMBERLAND CURRITUCK DARE DAVIDSON	147 9 14 42	8 6 18	1	3	2	23 1 10	1	2	26 6 10	WILKES WILSON YADKIN YANCEY	28 43 8 4	17 24 7 1	1	1		3 6	2 2 3	1	8
DAVIE	12	7		2	1	4	1		6	CITIES		totals	are	also	inclu			tota	ls.
DURHAM EDGECOMBE FOR SYTH FRANKLIN	121 35 155 17		2	3 1 1 1		16 18 49 5	1 1 1 2	2 3	37 5 29 4	ALBEMARLE ASHEVILLE BURLINGTON CHAPEL HILL	17 73 24	9 32 13	1	1		2 16 8	2 2	4	17
GASTON GATES GRAHAM GRANVILLE GREENE	72 6 3 28 7	4	1	4		16 1 2 2	3	6	11 2 2 5	CHARLOTTE CONCORD DURHAM ELIZABETH CITY	173 36 111	81 20 59		9		35 8 13 1	1	1 1	39 7 36
GUILFORD HALIFAX HARNETT HAYWOOD	150 54 42 19	34 30 7	3 1	1		24 11 5 3	9 1 1	5 1 2 1	29 7 3 6	FAYETTEVILLE GASTONIA GOLDSBORO GREENSBORO GREENVILLE	84 53 21 91 13	49 30 5 51 4	1 1	3		13 12 13 16 5	1 3	3	19 6 2 17 4
HENDERSON HERTFORD HOKE HYDE IREDELL	95 27 15 5 40	17 5 2	1	1 1 1	82	6 3 1 8	2 2 1 2	1 1	1 4 4	HENDERSON HICKORY HIGH POINT JACKSONVILLE KINSTON	2 35 42 30 25	1 27 21 18 13	3 1	1	1	4 5 3 4	1	2 1 1	1 3 11 4 7
JACKSON  JOHNSTON JONES LEE LENOIR	8 41 13 28 36	22 17	1		5	3 5 4	5 1 2	1 2	3 7 3 1 10 4	LENOIR LEXINGTON LUMBERTON MONROE NEW BERN	12 11 39 22 19	9 6 23 9 10		1		1 3 12 6 2	1	2 1	2 1 2 5 7
MCDOWELL MACON MADISON MARTIN	11 12 5	7 6 3 12		9		1 29	1 1 1		2 1 3	RALEIGH REIDSVILLE ROANOKE RAPIDS ROCKY MOUNT E ROCKY MOUNT N	112 18 21 10 16	46 14 16 1 9	1	5		23 2 2 7 4	1 1	9	27 1 2 1 2
MECKLENBURG MITCHELL MONTGOMERY MOORE NASH	189 7 21 39 46	3 10 26 23	1			39 3 5 4 9	1 1 1 7	1	1 5 7 6	SALISBURY SANFORD SHELBY STATESVILLE THOMASVILLE	26 24 11 19 11	12 18 3 11	1 1 1 1			5 5 4 4 3		2 1	7 1 2 2 4
NEW HANOVER  NORTHAMPTON  ONSLOW  ORANGE  PAMLICO  PASQUOTANK	78 17 90 70 6	7 42 33 2	2	1	3 26 2	20 2 8 12 2 4	1	1 1 2	18 4 8 21 2	WILMINGTON WILSON WINSTON SALEM * Cities selected ar	56 2 145 e those	29 70 with	2	1 ) or n	nore p	16 1 45	l ion in	1960	9 1 26 census

81



## OTHER INFORMATION IS AVAILABLE

In addition to this report on North Carolina Vital Statistics, the Public Health Statistics Section prepares many special reports and publishes several other statistical reports. Among those regularly published are:

PROVISIONAL VITAL STATISTICS REPORT:

This quarterly report and its annual summary Contain current data on births, deaths, marriages and divorces registered in North

Carolina, each county, and 35 selected cities.

COMMUNICABLE DISEASE MORBIDITY STATISTICS:

This annual report contains yearly totals of reportable communicable disease cases, including tuberculosis and venereal disease,

reported in North Carolina and each county.

CANCER ACTIVITY REPORT: This monthly report and its annual summary show the results of screening activities of North Carolina's 20 Cancer Detection

Centers and 5 Diagnostic Centers.

Tables published in these reports are limited to those of general interest. The Public Health Statistics Section has more detailed tabulations which are not published but which are available to qualified research groups and individuals.

Requests for additional information should be addressed to:

STATE BOARD OF HEALTH
PUBLIC HEALTH STATISTICS SECTION
POST OFFICE BOX 2091
RALEIGH, NORTH CAROLINA 27602













